

<b>COMPANY NAME</b> _____	<b>PHONE</b> _____
<b>CONTACT</b> _____ <b>ACCOUNT NO.</b> _____	<b>FAX</b> _____
<b>JOB NAME</b> _____	<b>EMAIL</b> _____

**QUOTE**     **ORDER P.O. #** \_\_\_\_\_ **DATE** \_\_\_\_\_

CAT. NO.	RATING	MAXIMUM SIZE	MINIMUM SIZE
<input type="checkbox"/> TV401 Project-Out Bottom Vent (Awning)	AW-PG95-AP	60" X 36" (1524 X 914 mm)	15" X 15" (381 X 381 mm)
<input type="checkbox"/> TV404 Project-In Top Vent (Hopper)	CW-PG50-C	60" X 36" (1524 X 914 mm)	15" X 15" (381 X 381 mm)
<input type="checkbox"/> TV405 Fixed	AW-PG95-AP	60" X 96" (1524 X 2438 mm)	15" X 15" (381 X 381 mm)
<input type="checkbox"/> TV406 Out-Swing Casement <input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	AW-PG95-F	36" X 60" (914 X 1524 mm)	15" X 15" (381 X 381 mm)
<input type="checkbox"/> TV406 In-Swing Casement <input type="checkbox"/> HLSI <input type="checkbox"/> HRSI	AW-PG95-F	36" X 60" (914 X 1524 mm)	15" X 15" (381 X 381 mm)
<input type="checkbox"/> TV429 Double Out-Swing Casement	VARIES	60" X 60" (1524 X 1524 mm)	30" X 30" (762 X 762 mm)
<input type="checkbox"/> TV439 Double In-Swing Casement	VARIES	60" X 60" (1524 X 1524 mm)	20" X 20" (508 X 508 mm)
<input type="checkbox"/> TV420 Dual Bay Vertical Stacked Window	VARIES	Varies	Varies
<input type="checkbox"/> TV430 Triple Bay Vertical Stacked Window	VARIES	Varies	Varies

**FINISHES**

<input type="checkbox"/> 11 - Clear Anodized Class I <input type="checkbox"/> 22 - Dark Bronze / Black Anodized Class I <input type="checkbox"/> 00 - Custom 2-Tone Anodized Class 1 Interior: _____ Exterior: _____	<input type="checkbox"/> 52 - Bone White 70% KYNAR <sup>®</sup> (2-Coat) <input type="checkbox"/> 71 - Standard 70% KYNAR <sup>®</sup> (2-Coat) Standard Color per Chart - Specify _____ <input type="checkbox"/> 71 - Standard 70% KYNAR <sup>®</sup> (2-Coat) - Specify _____ <input type="checkbox"/> 71 - Standard 70% KYNAR <sup>®</sup> (3-Coat) - Specify _____	<input type="checkbox"/> 71 - Custom 70% KYNAR <sup>®</sup> (2-Coat) Specify _____ <input type="checkbox"/> 71 - Custom 70% KYNAR <sup>®</sup> (3-Coat) Specify _____ <input type="checkbox"/> 71 - Custom 2 - tone Finish 70% KYNAR <sup>®</sup> UC99999T Interior: _____ Exterior: _____
--	--	--

**GLAZING THICKNESS (NOT INCLUDED)**

- 1" (25 mm)

**STANDARD HARDWARE**

- 60 Degree Stainless Steel 4-Bar Hinge
- WH240 - Cam Handle Lock / Brushed Nickel  
Option     Black

**GLASS SIZE FORMULAS**

**Glass Size Formulas for Single Window Configurations**

**7400 Fixed Windows:**

- Glass Width = Frame Width Minus 2-5/8" (66.7 mm)
- Glass Height = Frame Height Minus 2-5/8" (66.7 mm)

**7400 Operable Windows:**

- Glass Width = Frame Width Minus 6" (152.4 mm)
- Glass Height = Frame Height Minus 6" (152.4 mm)

**Glass Size Formulas for Multiple Window Configurations**

- Glass Width for All Multi-Lite Units = D.L.O. Plus 1" (25 mm)
- Glass Height for All Multi-Lite Units = D.L.O. Plus 1" (25 mm)

**OPTIONAL HARDWARE**

- 90 Degree Egress 4-Bar Hinge (Verify Local Code)
- Butt Hinges (TV406 only)
- Butt Hinges without Roto Operator Requires Friction Hold Open Hardware
- WH300 - Single Arm Roto Operator (TV406 only)  
(Roto Operators Require Butt Hinges)
- WH412 - Lift Lever Handle (TV401, TV406 only)
- WH243 - Pole Operated Handle
- WH023 - Custodial Lock with Tamper Resistant Key Lock
- Screen with Fiber Mesh Gray
- Screen with Fiber Mesh Black
- Limit Stop
- Friction Adjustor
- WH063 - Pivot Shoe Roto Operator (TV401 only)
- WH124 - Multi-Point Locking System (TV406, TV426 only)
- Friction Adjustor
- WH248 - Finger Pull

**FRAME OPTIONS** **LENGTH**

- |   |                                       |
|---|---------------------------------------|
| <input type="checkbox"/> WN479 - Curtain Wall Adaptor | 24' 2" (7.3 m)                        |
| <input type="checkbox"/> Prep and Install             | <input type="checkbox"/> Stock Length |

**FOR OFFICE USE ONLY**

**TAKEN BY:** \_\_\_\_\_  
**PRICED BY:** \_\_\_\_\_  
**EDITED BY:** \_\_\_\_\_

**APPROVED BY** \_\_\_\_\_ **DATE** \_\_\_\_\_

MARK	QTY	DIM A (WIDTH)	DIM B (HEIGHT)	SWING OUT	SWING IN
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI
				<input type="checkbox"/> HLSO <input type="checkbox"/> HRSO	<input type="checkbox"/> HLSI <input type="checkbox"/> HRSI

**ADDITIONAL NOTES OR SKETCHES**

APPROVED BY \_\_\_\_\_ DATE \_\_\_\_\_

**FOR OFFICE USE ONLY**

TAKEN BY: \_\_\_\_\_

PRICED BY: \_\_\_\_\_

EDITED BY: \_\_\_\_\_

**NOTE: PLEASE DOWNLOAD FORM TO SUBMIT. DO NOT FILL FORM ONLINE.**

Email completed form to [us\\_alum@usalum.com](mailto:us_alum@usalum.com).  
Fax checklist to U.S. Aluminum Technical Sales at (877) 883-7547  
To review call (800) 627-6440. This form is available online at [usalum.com](http://usalum.com).

**WINDOWS SCHEMATICS: COMBINATION WINDOWS**

Other configurations available per request. Please provide drawing.

PROJECT OUT BOTTOM VENT	PROJECT IN TOP VENT	FIXED	CASEMENT SWING OUT	CASEMENT SWING IN
				
				
				