HAWA JUNIOR 100 Z POCKET SOLUTION



HAWA JUNIOR POCKET SOLUTION SET

FEATURES AND BENEFITS

> Set includes header mounted fixing profile and bayonets that are mounted to the track, allowing the track to be easily installed or removed from pocket without opening the wall or ceiling.

> **Initial Installation –** once track stops and/or soft closers are positioned, and hardware is tested, the track can be removed until the wall or ceiling pocket is closed in and painting is completed. Keep the track clean of debris and paint so the running gear will operate smoothly and quietly. If mistakes were made in positioning of stops or damaged/defective parts exist, they can be easily repositioned or replaced.

> **Future Serviceability –** track can be easily removed from the pocket after wall or ceiling is closed in for easy access to running gear, soft closers, and track stops. Adjustments or replacements are simple and tool-free.

HAWA JUNIOR 100 Z/B

FEATURES AND BENEFITS

> Magnetic assist soft closer with fluid damper features low operating force, smooth action, and no spring to wear or stretch out over time.

> Easy convenient operation and ADA compliant.

> Increased function and longevity from magnetic design.

> Mounting options: top/recessed

> Weight rating: 220 lbs.

> Handles the most common sliding door applications

> Quality tested to 100,000 cycles

> Long, dependable service life

Version	Description	Item No.
Junior 100 Z	Fitting set with (2) soft stops	941.04.002
	Fitting set (1 each) soft stop/spring buffer	941.04.005
	Fitting set with (2) Softmove 100	941.04.004
	2 m track	940.80.200
	2.5 m track	940.80.250
	3 m track	940.80.300
Junior 80/100	2 m pocket solution fixing profile	940.80.420
	2.5 m pocket solution fixing profile	940.80.421
	3 m pocket solution fixing profile	940.80.422

HÄFELE SLIDO D-LINE11

50-80-120 I/P/C POCKET SOLUTION



SLIDO POCKET SOLUTION SET

FEATURES AND BENEFITS

> Set includes header mounted fixing profile and bayonets that are mounted to the track, allowing the track to be easily installed or removed from pocket without opening the wall or ceiling.

> **Initial Installation –** once track stops and/or soft closers are positioned, and hardware is tested, the track can be removed until the wall or ceiling pocket is closed in and painting is completed. Keep the track clean of debris and paint so the running gear will operate smoothly and quietly. If mistakes were made in positioning of stops or damaged/defective parts exist, they can be easily repositioned or replaced.

> **Future Serviceability –** track can be easily removed from the pocket after wall or ceiling is closed in for easy access to running gear, soft closers, and track stops. Adjustments or replacements are simple and tool-free.

SLIDO D-LINE11 50-120

FEATURES AND BENEFITS

> Variety of mounting options: top/recessed/quick connect and soft close options: single/single-soft stop/double

> Handles the most common sliding door applications

> Soft close with fluid damper requires low operating force

> Easy, convenient operation and ADA compliant

> Quality tested to 100,000 cycles

> Long, dependable service life

Description	Item No.
I version fitting sets 50-80-120	xxx.xx.xxx
P version fitting sets 50-80-120	xxx.xx.xxx
C version fitting sets 50-80-120	xxx.xx.xxx
2 m pocket solution track set	940.43.280
2.5 m pocket solution track set	940.43.281
3 m pocket solution track set	940.43.282

HAWA PORTA 100 H/HM/HMT

POCKET SOLUTION WITH DOUBLE SOFT CLOSE AND PUSH TO OPEN



POCKET SOLUTION SET

FEATURES AND BENEFITS

> Set includes header mounted fixing profile and bayonets that are mounted to the track, allowing the track to be easily installed or removed from pocket without opening the wall or ceiling.

> **Initial Installation –** once track stops and/or soft closers are positioned, and hardware is tested, the track can be removed until the wall or ceiling pocket is closed in and painting is completed. Keep the track clean of debris and paint so the running gear will operate smoothly and quietly. If mistakes were made in positioning of stops or damaged/defective parts exist, they can be easily repositioned or replaced.

> **Future Serviceability –** track can be easily removed from the pocket after wall or ceiling is closed in for easy access to running gear, soft closers, and track stops. Adjustments or replacements are simple and tool-free.

HAWA PORTA 60/100 H/HM/HMT

FEATURES AND BENEFITS

> Double soft close with push-to-open function - special design dual action soft close mechanism allows soft close into the pocket with push-to-open actuator built in to push the door out of the pocket so flush pulls can be accessed.

> Easy for the user to get the door out of the pocket without an edge mounted or pop out edge pull, and without trying to overcome the force of the soft closer. Simply give the door edge a light push and the door springs out of the pocket.

> Soft close with fluid damper requires low operating force

> Easy convenient operation and ADA compliant

> Mounting options: top/recessed

> Weight rating: 132–220 lbs.

> Handles the most common sliding door applications

> Quality tested to 100,000 cycles

> Long, dependable service life

Version	Description	Item No.
Porta 100 H	Fitting set (top mount)	941.04.002
Porta 100 HM	Fitting set (recess mount)	941.04.005
Porta 100 HMT	Fitting set (recess mount/in wall)	941.04.004
Porta 100 Track	Pocket solution removable track set 2 m	940.80.200
	Pocket solution removable track set 2.5 m	940.80.250
Porta 100 SC	Soft close (133–200 lbs.)	940.80.300
Porta 100 PTO	Soft close with push-to-open (133–200 lbs.)	940.80.420