

SARGENT

ASSA ABLOY

SARGENT Bored Locks: Secure Every Opening



ASSA ABLOY, the global leader
in door opening solutions

11 Line

Bored Locks



BENEFITS

- **Durable and Reliable:** Independently-verified cycle testing proves the 11 Line will last the lifetime of the facility
- **Flexible:** Integrates with numerous key systems and utilizes one lockbody for multiple functions, simplifying facility maintenance
- **Lower Cost of Ownership:** Fewer inventoried parts combined with a high number of opening cycles results in less time and frequency for maintenance and reduced overall expenses
- **Safe and Secure:** Torque resistant construction provides ability to withstand tough environments to keep occupants and property safe and secure
- **Sustainable:** Contributes to your sustainability efforts - fewer lock replacements due to long life and high post-consumer recycled content

FEATURES


- 18 functions available, including Classroom Security; many functions are field changeable requiring no additional parts
- Integrates into most existing facility's key systems – accepts SARGENT key systems including patented Degree® and Signature; also accepts Best® SFIC and Schlage® and Medeco® LFIC
- Retrofits any standard cylindrical lock doorprep and is non handed
- Simple cylinder removal provides easy change outs
- Made from 68% post-consumer recycled content as per LEED MR credit 4
- Available in 13 architectural grade finishes and Microshield® antimicrobial coating
- 10 year limited warranty

DURABILITY AND CYCLE TESTING

- Withstands more than **TWO TIMES** ANSI/ BHMA A156.2 Grade 1 torque force on a locked lever
- T-Zone lock technology tested to **15 times** the standard in ANSI/BHMA A156.2 Grade 1 cycle testing
- **15 MILLION** cycles equals over 55 years of opening life in many facilities!

TYPICAL APPLICATIONS

- High traffic doors
- Areas subject to severe abuse
- Schools, hospitals, other public buildings
- Retrofit applications



11 Line Lever Lock Line



The SARGENT® 11 Line sets a higher standard for Grade 1 bored-in locks. The unique T-Zone® construction provides unequalled strength and durability for the most demanding applications such as schools and hospitals. This is accomplished by true interlocking between the lockbody and the latch far exceeding the 156.2 Series 4000 Grade 1 standards like no other lock can.

Maximum Strength & Durability

- True interlocking between the stainless steel lockbody and latch. Provides unequalled strength and durability
- Independent Testing proves: Exceeds ANSI/ BHMA A156.2 Grade 1 standard for cycle testing. Over 10 MILLION cycles!
- Withstands 3-1/2 TIMES ANSI/ BHMA A156.2 Grade 1 torque force on a locked lever. Over 3000 in/lbs!
- Virtually no lever sag even after 8 million cycles
- 10 Year limited warranty. No service required to maintain warranty

Certification Compliance

- Meets and greatly exceeds ANSI/BHMA A156.2 Series 4000-Grade 1
- UL and cUL listed to Canadian safety standards Listed for 3 hour doors (double doors require 41-option)
Note: Any retrofit or other field modification to a fire rated opening can potentially impact the fire rating of the opening, and Sargent Manufacturing Company makes no representations or warranties concerning what such impact may be in any specific situation. When retrofitting any portion of an existing fire rated opening, or specifying and installing a new fire-rated opening, please consult with a code specialist or local code official (Authority Having Jurisdiction) to ensure compliance with all applicable codes and ratings.
- Meets UL 10 C and UBC 7-2 (1997)
- All levers conform to ADA requirements for barrier-free accessibility. Levers (L,J and P) conform to California Administrative Code Title 19
- UL listed: ANSI/SDI-BHMA A250.13; ANSI/ASTM E330-2002; ANSI/ASTM E1886-2005 & ASTM E1996-2009 UL Certification Directory ZHem.R21744 Latching Hardware Listed on Florida Building Code Website: FL4351-R1

Maximum Convenience

- fits 161 door preps
- fewer parts for easier installation
- only 45 degrees of lever rotation required to retract latchbolt
- 19 functions. Many functions are easily field changeable
- 4 solid ADA lever designs and 4 roses available to cover a wide variety of door preps and design requirements
- simple cylinder removal. Easy change outs

Innovation

Patented "T-Zone" construction with true interlocking between the lockbody and the latch. Provides unequalled strength and durability for the most demanding applications

Security

- High security lever attachment available for applications subject to severe vandalism
- Resists vandalism
- Torx® and spanner screws
- Classroom security function available
- Security key systems available (Signature, Keso F1, Keso, XC)

11 Line Lever Lock Line Components

Trim



B Rose P Lever



E Rose B Lever



L Rose J Lever



O Rose L Lever

Finishes



03: Bright Brass, Clear Coated (BHMA 605)



04: Satin Brass, Clear Coated (BHMA 606)



09: Bright Bronze, Clear Coated (BHMA 611)



10: Satin Bronze, Clear Coated (BHMA 612)



10B: Dark Oxidized Satin Bronze, Oil Rubbed (BHMA 613)



10BL: Dark Oxidized Satin Bronze Clear Coated



14: Bright Nickel Plated (BHMA 618)



15: Dull Nickel Plated Clear Coated (BHMA 619)



20D: Dark Statuary Bronze Lacquered



26: Bright Chrome Plated (BHMA 625)



26D: Satin Chrome Plated (BHMA 626)

Functions



04: Storeroom or Closet (F86)




05: Entrance or Office (F81)



37: Classroom (F84)







44: Service Station (F92)



50: Hotel, Dormitory or

Apartment
(F93)



54: Corridor
(F90)



16: Classroom,
Security,
Apartment,
Exit, Privacy
(F88)

17: Utility,
Asylum or
Institutional
(F87)

30: Communicating
(F80)



38: Classroom
Security




13: Exit (F89)



15: Passage
(F75)

15-3: Exit or
Twin
Communicating

65: Privacy/Bathroom
(F76)



68: Hospital
Privacy



93: Single Lever
Pull

94: Double
Lever Pull

94-2: Double
Lever Pull

For additional information, contact your
ASSA ABLOY Door Security Solutions
sales consultant, call SARGENT at
800-727-5477, or visit www.sargentlock.com

SARGENT
ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

SARGENT Manufacturing Company
For more information call 800-727-5477
or visit us online at www.sargentlock.com

Copyright © 2015 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.



MicroShield®
As part of their promise to provide innovative solutions to their customers, certain ASSA ABLOY Group brands offer the MicroShield® technology, registered with the EPA and FDA. MicroShield® is a silver-based antimicrobial coating designed to inhibit the growth of bacteria. MicroShield® is a registered trademark of Yale Security Inc., an ASSA ABLOY Group company.