# 7 Line® Line



**Best overall lock in the Grade 2 class.**
A key-in-lever lock designed for standard duty commercial interior and exterior applications in public buildings, medical offices, hotels/motels and government facilities. Exceeds ANSI/BHMA A156.2 standards for cycling and durability.

## Strength and Durability

- Cycle Test: Exceeds 2-1/2 times ANSI/BHMA A156.2 Grade 2 cycle requirements
- 5 Year limited warranty. No service required

## Convenience

- Installs in 1 minute or less
- Non-handed design for ease of installation and efficient warehousing - with standard lever designs (Except G & Y)
- User friendly packaging and instructions
- Convenient installation diagram on box

## Design

- Solid feel and precise lever action
- Decorative Levers - Coastal Series designs - Gulfport and Yarmouth
- Levers are solid one piece cast construction

## Flexibility

- Fits modified 161 door preps. Internal through-bolts supply strength and stability without requiring additional door preparation
- 11 Architectural grade finishes
- 10 Standard Functions (special functions available- 13, 16, 17, 24, 26, 30 and 44- Consult factory)
- SARGENT uses engineered solutions and flexible manufacturing processes to accommodate special applications

## Security

- Torx® and spanner screws optional
- Security key systems available (V-10, Signature, XC, Keso and Keso F1)
- Vandal resistant trim optional (FW- prefix)

**Note:** Any retrofit or other field modification to a fire rated opening can potentially impact the fire rating of the opening, and Sargent Manufacturing Company makes no representations or warranties concerning what such impact may be in any specific situation. When retrofitting any portion of an existing fire rated opening, or specifying and installing a new fire-rated opening, please consult with a code specialist or local code official (Authority Having Jurisdiction) to ensure compliance with all applicable codes and ratings.

© SARGENT Manufacturing Company, 2013 **Phone**: 800-727-5477

# 7 Line® Line Components

## Trim



L Lever



L Rose



P Lever

## Finishes



**03**: Bright Brass, Clear Coated (BHMA 605)



**04**: Satin Brass, Clear Coated (BHMA 606)



**09**: Bright Bronze, Clear Coated (BHMA 611)



**10**: Satin Bronze, Clear Coated (BHMA 612)



**10B**: Dark Oxidized Satin Bronze, Oil Rubbed (BHMA 613)



**10BL**: Dark Oxidized Satin Bronze Clear Coated



**14**: Bright Nickel Plated (BHMA 618)



**15**: Dull Nickel Plated Clear Coated (BHMA 619)



**20D**: Dark Statuary Bronze Lacquered




**26**: Bright Chrome Plated (BHMA 625)




**26D**: Satin Chrome Plated (BHMA 626)


## Functions



**04**:Storeroom or Closet (F86)




**05**:Entrance or Office (F81)



**37**:Classroom (F84)




**15**:Passage (F75)



**15-3**:Exit or

Twin
Communicating




**65**:Privacy/Bathroom
(F76)



**68**:Hospital
Privacy



**93**:Single Lever
Pull



**94**:Double
Lever Pull



**94-2**:Double
Lever Pull

© SARGENT Manufacturing Company, 2013 **Phone**: 800-727-5477