Altronix®

IML SECURITY SUPPLY

Rev. 02212022

BC300

Power Supply/Battery Enclosure

Altronix BC300 is a UL Recognized NEMA 1 Rated power supply/battery enclosure that can accommodate a wide variety of Altronix power supplies, sub-assemblies, and accessories. Altronix enclosures feature ample knockouts that are suitable for 3/4" and 1" conduits.

BC300

Specifications

Features

- 19 Gauge steel enclosure
- Ample knockouts accommodating either 3/4" or 1" conduits for convenient access
- Cam lock and keys are included

Capacity

- Fits two (2) 12VDC/7AH batteries

Agency Listings

Component Enclosure USR, CNR:
UL Recognized

Physical and Environmental

Dimensions (H x W x D)
13.5" x 13" x 3.25" (342.9mm x 330.2mm x 82.55mm)

Product Weight	5.6 lb. (2.54kg)
Shipping Weight	6.5 lb. (2.95 kg)

Also Available

BC300R - red enclosure

BC300R

Altronix Corporation | 140 58th St | Brooklyn, NY 11220 USA
phone: +1 718.567.8181 | fax: +1 718.567.9056 | email: info@altronix.com | www.altronix.com

BC300

Power Supply/Battery Enclosure

Product Position Chart for the Following Models:

Altronix Products	Mounting
ACM8. ACM8CB, ACMS8, ACMS8CB, AL300ULXB, AL400ULXB2, AL600ULXB, AL1012ULXB, AL1024ULXB2, eFlow3NB, eFlow4NB, eFlow6NB, eFlow102NB, eFlow104NB, LINQ8ACM, LINQ8ACMCB, OLS75, OLS120, OLS120D2, OLS180, OLS250	(A)
ACM4, ACM4CB, AL175ULB, LINQ8PD, LINQ8PDCB, MOM5, PD4UL, PD4ULCB, PD8UL, PD8ULCB, PDS8, PDS8CB	(B)
OLS20, SMP3, SMP5	(C)
T1250, T12100, T16100, T1618100	(D)



Altronix Corporation | 140 58th St | Brooklyn, NY 11220 USA
phone: +1 718.567.8181 | fax: +1 718.567.9056 | email: info@altronix.com | www.altronix.com

BC300

Power Supply/Battery Enclosure

Dimensions and Drawing

Dimensions (H x W x D approximate)

13.5” x 13” x 3.25” (342.9mm x 330.2mm x 82.55mm)



Altronix Corporation | 140 58th St | Brooklyn, NY 11220 USA

phone: +1 718.567.8181 | fax: +1 718.567.9056 | email: info@altronix.com | www.altronix.com