

Catalog Number	See Table
UPC Number	
Description	One Conductor One Hole Copper Mechanical Lug Offset Tang

Features

- Manufactured from High Strength High Conductivity Copper Alloy
- Rated For Copper Conductors
- One Conductor One Hole Configuration
- Offset Tang

General

Material:	Extruded Copper Alloy
Screw Type:	Steel Plated Hex Head
Wire Range:	#14 - 1000 MCM

Dimension Information

See Table

Specifications

Temperature Rating:	90^0 C
Voltage Rating:	600
Flammability Rating:	N/A
Amp Rating:	To Conductor


Packaging


Box Qty:	See Table


Certifications


UL	UL 486A
CSA	Yes
RoHS	Yes


Cat. No.	Rating	Wire Range	L	W	H	Bolt	Box Qty	Each
90514	35A	6-14	1.19	0.38	0.75	0.2	100	
90515	70A	4-14	1.31	0.5	0.81	0.27	100	
90516	90A	2-8	1.22	0.5	1	0.27	50	
90518	125A	1/0 - 2	1.97	0.63	1.34	0.27	50	
90520	175A	3/0 - 4	2.19	0.75	1.56	0.41	25	
90522	225A	4/0 - 2	2.63	1	1.81	0.41	25	
90524	300A	350MCM - 1/0	3.19	1	2.63	0.41	18	
90526	400A	500MCM - 4/0	4.25	1.5	2.75	0.41	3	
90528	650A	1000MCM - 600MCM	4.63	2	3.69	0.53	1	











Ammedment No.-1 **Date : 30/05/2004**

MORRIS

Morris Products Inc.


53 Carey Rd. Queensbury NY 12804


	NAME	DATE
DRAWN		17/07/2003
CHECKED	V.G.Patel	17/07/2003
APPROVED	V.G.Patel	17/07/2003
MATERIAL-	***Copper***	
TOLERANCE-	***±0.50***	


TITEL- ***Pad for Copper Offset Tongue Lugs*** ***[1/0-2]***


SCALE- ***N.T.S.*** | TREATMENT- | All dimensions are in mm


Drawing No.- 90518-C














Both side same Degrees

Ammedment No.-1 **Date : 30/05/2004**

MORRIS

Morris Products Inc.

53 Carey Rd. Queensbury NY 12804

	NAME	DATE
DRAWN	NKR Lachhwani	17/07/2003
CHECKED	V.G.Patel	17/07/2003
APPROVED	V.G.Patel	17/07/2003


MATERIAL- ***Copper***

TOLERANCE- ***±0.50***


TITEL- ***Clamp for Copper Offset Tongue Lugs*** ***[1/0-2]***


SCALE- ***N.T.S.*** TREATMENT- All dimensions are in mm

Drawing No.- 90518-B



MORRIS	NAME	DATE
Morris Products Inc. 53 Carey Rd. Queensbury NY 12804	DRAWN	17/07/2003
	CHECKED R.S.Gada	17/07/2003
	APPROVED R.S.Gada	17/07/2003
	MATERIAL- ----------	
	TOLERANCE- ---------	
TITEL- ***Assembled View of Copper Offset Tongue Lugs*** ***[1/0-2]***		Drawing No.- 90518
SCALE- ***N.T.S.*** TREATMENT-	All dimensions are in mm	





MORRIS

Morris Products Inc.

53 Carey Rd. Queensbury NY 12804

	NAME	DATE
DRAWN		17/07/2003
CHECKED	R.S.Gada	17/07/2003
APPROVED	R.S.Gada	17/07/2003


MATERIAL- ***EN8, 8.8 Temper***


TOLERANCE- ***±0.50***

TITEL- ***Screw for Copper Offset Tongue Lugs*** ***[1/0-2]***

SCALE- ***N.T.S.*** | FINISH-***Blue Zinc Passivated*** | All dimensions are in mm

Drawing No.- 90518-E





MORRIS

Morris Products Inc.

53 Carey Rd. Queensbury NY 12804

	NAME	DATE
DRAWN	NKRanchhm	17/07/2003
CHECKED	V.K.Patel	17/07/2003
APPROVED	V.K.Patel	17/07/2003
MATERIAL-	***EN8, 8.8 Temper***	
TOLERANCE-	***±0.50***	

TITEL- ***Screw for Copper Offset Tongue Lugs*** ***[1/0-2]***

SCALE- ***N.T.S.***	FINISH-***Blue Zinc Passivated***	All dimensions are in mm

Drawing No.- 90518-D