


MINIPRESS P

Assembly options




Assembly – lift systems – AVENTOS HF top | HK-XS

Front assembly

- | | |
|---|---|
| A1 Hinge | ● |
| A2 Horizontal mounting plate | ● |
| A3 Horizontal mounting plate lever arm front fixing bracket | ○ |
| A4 Blum distance bumper | ● |

Cabinet assembly

- | | |
|------------------------------------|---|
| A5 Cruciform mounting plate | ● |
| A6 Horizontal mounting plate | ● |
| A7 Lift mechanism – cabinet fixing | ○ |
| A8 SERVO-DRIVE switch | ● |




Assembly – lift systems – AVENTOS HKi | HS top | HL top | HK top | HK-S

Front assembly

- | | |
|-------------------------|---|
| B1 Front fixing bracket | ○ |
| B2 Blum distance bumper | ● |

Cabinet assembly

- | | |
|-------------------------------------|---|
| B3 Lift mechanism | ○ |
| B4 SERVO-DRIVE switch | ● |
| B5 TIP-ON – cruciform adapter plate | ● |
| B6 TIP-ON – straight adapter plate | ● |
| B7 TIP-ON – for drilling | – |




Assembly – hinge systems

Front assembly

- | | |
|----------|---|
| C1 Hinge | ● |
|----------|---|

Cabinet assembly

- | | |
|---|---|
| C2 Cruciform mounting plate | ● |
| C3 Horizontal mounting plate | ● |
| C4 BLUMOTION TIP-ON – cruciform adapter plate | ● |
| C5 BLUMOTION TIP-ON – straight adapter plate | ● |
| C6 BLUMOTION TIP-ON – for drilling | – |



Assembly – box and runner systems

Front assembly


- | | |
|---|---|
| D1 LEGRABOX MERIVOBX TANDEMBOX METABOX front fixing | ○ |
| D2 MOVENTO TANDEM front adjuster | ● |
| D3 Blum distance bumper | ● |

Drawer assembly

- | | |
|----------------|---|
| D4 Base back | ○ |
|----------------|---|

Cabinet assembly

- | | |
|---|---|
| D5 Cabinet profiles | ○ |
| D6 BLUMOTION for METABOX | ○ |
| D7 SERVO-DRIVE bracket profile attachment | ○ |



Assembly – further products

Cabinet assembly

- | | |
|--|---|
| E1 Cabinet connector with connecting piece system 32 | ● |
| E2 Cabinet connector with connector screw | – |
| E3 Knock-in cabinet connector | ● |
| E4 Wall hanging bracket | ● |

Assembly – cabinet







Cabinet assembly

- | | |
|-------------------------------------|---|
| E5 Horizontal wooden dowel drilling | – |
| E6 Line drilling | ○ |
| ● Recommended | |
| ○ Possible | |
| – Not possible | |










MINIPRESS P

Assembly – lift systems – AVENTOS HF top | HK-XS

Front assembly

			Quantity required	Part no.
	Hinge			
	AVENTOS HF top HK-XS			
	Fittings drill bit, 35 x 57 mm, right hand		1 x	M01.ZB35.02
	Drill bit, 8 x 57 mm, left hand		2 x	M01.ZB08.03
	Drill bit with roof tip, 2.5 x 57 mm, left hand		2 x	M01.ZB02.D3
MINIPRESS P	Narrow swivel stop for positioning between others, right		2 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand		2 x	MZS.2000
	Horizontal mounting plate			
	AVENTOS HF top			
	Drill bit, 10 x 57 mm, right hand		1 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand		1 x	M01.ZB10.03
	Drill bit, 5 x 57 mm, right hand		1 x	M01.ZB05.02
	MINIPRESS P	Drill bit, 5 x 57 mm, left hand	1 x	M01.ZB05.03
		Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
		Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
		Narrow swivel stop for positioning between others, right	2 x	MZS.2000
		Narrow swivel stop for positioning between others, left hand	2 x	MZS.2000
		Insertion ram, horizontal zinc mounting plates 177H51x0	1 x	MZM.0050
		Insertion ram, horizontal steel mounting plates 177H31x0	1 x	MZM.0053
	Horizontal mounting plate lever arm front fixing bracket			
	AVENTOS HF top HK-XS			
	Drill bit, 5 x 57 mm, right hand		1 x	M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand		1 x	M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand		1 x	M01.ZB02.D2
	MINIPRESS P	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
		Narrow swivel stop for positioning between others, right	1 x	MZS.2000
		Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
	Blum distance bumper			
	AVENTOS HF top			
	Drill bit, 8 x 57 mm, right hand		1 x	M01.ZB08.02
	Drill bit, 5 x 57 mm, right hand		1 x	M01.ZB05.02
	Narrow swivel stop for positioning between others, right		1 x	MZS.2000
MINIPRESS P	Narrow swivel stop for positioning between others, left hand		1 x	MZS.2000
Cabinet assembly				
	Cruciform mounting plate			
	AVENTOS HF top HK-XS			
	Drill bit, 5 x 57 mm, right hand		1 x	M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand		1 x	M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand		1 x	M01.ZB02.D2
	MINIPRESS P	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
		Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
		Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
		Narrow swivel stop for positioning between others, right	2 x	MZS.2000
		Narrow swivel stop for positioning between others, left hand	2 x	MZS.2000
		Insertion ram, mounting plates 174H71xx	1 x	MZM.0061.01
	Horizontal mounting plate			
	AVENTOS HF top HK-XS			
	Drill bit, 10 x 57 mm, right hand		1 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand		1 x	M01.ZB10.03
	Drill bit, 5 x 57 mm, right hand		1 x	M01.ZB05.02
	MINIPRESS P	Drill bit, 5 x 57 mm, left hand	1 x	M01.ZB05.03
		Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
		Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
		Narrow swivel stop for positioning between others, right	2 x	MZS.2000
		Narrow swivel stop for positioning between others, left hand	2 x	MZS.2000
		Insertion ram, horizontal zinc mounting plates 177H51x0	1 x	MZM.0050
		Insertion ram, horizontal steel mounting plates 177H31x0	1 x	MZM.0053
	Lift mechanism			
	AVENTOS HF top			
	Drilling head, number of spindles 8, drilling		1 x	MZK.880S
	Drill bit, 5 x 57 mm, right hand		2 x	M01.ZB05.02
	Narrow swivel stop for positioning between others, right		1 x	MZS.2000
MINIPRESS P	Narrow swivel stop for positioning between others, left hand		1 x	MZS.2000

¹ MINIPRESS P with EASYSTICK requires no rulers or swivel stops

MINIPRESS P				
	Cabinet fixing			
	AVENTOS HK-XS	Quantity required		Part no.
	Drill bit, 5 x 57 mm, right hand	1 x		M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand	1 x		M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x		M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x		M01.ZB02.D3
MINIPRESS P	Narrow swivel stop for positioning between others, right	1 x	1	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	1	MZS.2000
	SERVO-DRIVE switch			
	AVENTOS HF top	Quantity required		Part no.
	Fittings drill bit, 35 x 57 mm, right hand	1 x		M01.ZB35.02
	Fittings drill bit without tip, 35 x 57 mm, right hand	1 x		M01.ZB35.OS
	Narrow swivel stop for positioning between others, right	1 x	1	MZS.2000
MINIPRESS P	Narrow swivel stop for positioning between others, left hand	1 x	1	MZS.2000
Assembly – lift systems – AVENTOS HKi HS top HL top HK top HK-S				
Front assembly				
	Front fixing bracket			
	AVENTOS HKi	Quantity required		Part no.
	Drilling head, number of spindles 9, drilling	1 x		MZK.190S
	Drill bit with roof tip, 2.5 x 57 mm, right hand	2 x		M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	2 x		M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	2 x	1	MZS.2000
MINIPRESS P	Narrow swivel stop for positioning between others, left hand	2 x	1	MZS.2000
	Front fixing bracket			
	AVENTOS HS top HL top HK top	Quantity required		Part no.
	Drilling head, number of spindles 9, drilling	1 x		MZK.190S
	Drill bit with roof tip, 2.5 x 57 mm, right hand	2 x		M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	2 x		M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	2 x	1	MZS.2000
MINIPRESS P	Narrow swivel stop for positioning between others, left hand	2 x	1	MZS.2000
	Front fixing bracket			
	AVENTOS HK-S	Quantity required		Part no.
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x		M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x		M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	1	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	1	MZS.2000
MINIPRESS P				
	Blum distance bumper			
	AVENTOS HS top HL top HK top	Quantity required		Part no.
	Drill bit, 8 x 57 mm, right hand	1 x		M01.ZB08.02
	Drill bit, 5 x 57 mm, right hand	1 x		M01.ZB05.02
	Narrow swivel stop for positioning between others, right	1 x	1	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	1	MZS.2000
MINIPRESS P				
Cabinet assembly				
	Lift mechanism			
	AVENTOS HS top HL top HK top	Quantity required		Part no.
	Drilling head, number of spindles 8, drilling	1 x		MZK.880S
	Drill bit, 5 x 57 mm, right hand	2 x		M01.ZB05.02
	Narrow swivel stop for positioning between others, right	1 x	1	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	1	MZS.2000
MINIPRESS P				
	SERVO-DRIVE switch			
	AVENTOS HS top HL top HK top	Quantity required		Part no.
	Fittings drill bit, 35 x 57 mm, right hand	1 x		M01.ZB35.02
	Narrow swivel stop for positioning between others, right	1 x	1	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	1	MZS.2000
MINIPRESS P				
	TIP-ON – cruciform adapter plate			
	AVENTOS HKi HK top HK-S	Quantity required		Part no.
	Drill bit, 5 x 57 mm, right hand	1 x		M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand	1 x		M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x		M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x		M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	1	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	1	MZS.2000
MINIPRESS P				

¹ MINIPRESS P with EASYSTICK requires no rulers or swivel stops

MINIPRESS P

	TIP-ON – straight adapter plate	Quantity required	Part no.
	AVENTOS HKi HK top HK-S		
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
MINIPRESS P	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000

Assembly – hinge systems

Front assembly

	Hinge	Quantity required	Part no.
	Fittings drill bit, 35 x 57 mm, right hand	1 x	M01.ZB35.02
	Drill bit, 8 x 57 mm, left hand	2 x	M01.ZB08.03
	Drill bit with roof tip, 2.5 x 57 mm, left hand	2 x	M01.ZB02.D3
	MINIPRESS P Fittings drill bit, 26 x 57 mm, right hand	1 x	M01.ZB26.02
	Narrow swivel stop for positioning between others, right	4 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	4 x	MZS.2000
	Insertion ram, furniture hinges, all opening angles – except mini-hinge	1 x	MZM.0040

Cabinet assembly

	Cruciform mounting plate	Quantity required	Part no.
	Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand	1 x	M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	MINIPRESS P Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
	Narrow swivel stop for positioning between others, right	4 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	4 x	MZS.2000
	Insertion ram, mounting plates 174H71xx	1 x	MZM.0061.01

	Horizontal mounting plate	Quantity required	Part no.
	Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
	Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
	MINIPRESS P Drill bit, 5 x 57 mm, left hand	1 x	M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	4 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	4 x	MZS.2000
	Insertion ram, horizontal zinc mounting plates 177H51x0	1 x	MZM.0050
	Insertion ram, horizontal steel mounting plates 177H31x0	1 x	MZM.0053

	BLUMOTION TIP-ON	Quantity required	Part no.
	Cruciform adapter plate		
	Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand	1 x	M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
MINIPRESS P	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000







	BLUMOTION TIP-ON	Quantity required	Part no.
	Straight adapter plate		
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
MINIPRESS P	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000

Assembly – box and runner systems

Front assembly

	LEGRABOX front fixing	Quantity required	Part no.
	8-spindle drilling head		
	Drilling head, number of spindles 8, drilling	1 x	MZK.880S
	Drill bit, 10 x 57 mm, right hand	3 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	3 x	M01.ZB10.03
MINIPRESS P	Drill bit with roof tip, 2.5 x 57 mm, right hand	3 x	M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	3 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000

¹ MINIPRESS P with EASYSTICK requires no rulers or swivel stops

MINIPRESS P			
	MERIVOBX front fixing	Quantity required	Part no.
	8-spindle drilling head		
	Drilling head, number of spindles 8, drilling	1 x	MZK.880S
	Drill bit, 10 x 57 mm, right hand	3 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	3 x	M01.ZB10.03
	MINIPRESS P Drill bit with roof tip, 2.5 x 57 mm, right hand	3 x	M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	3 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
	LEGRABOX MERIVOBX TANDEMBOX front fixing	Quantity required	Part no.
	Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	MINIPRESS P Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
	TANDEMBOX antaro TANDEMBOX plus front fixing with gallery	Quantity required	Part no.
	8-spindle drilling head		
	Drilling head, number of spindles 8, drilling	1 x	MZK.880S
	Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	3 x	M01.ZB10.03
	MINIPRESS P Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
	METABOX front fixing	Quantity required	Part no.
	Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	2 x	M01.ZB10.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	MINIPRESS P Drill bit with roof tip, 2.5 x 57 mm, left hand	2 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
	Insertion ram, front fixing bracket ZSF.1300 1800	1 x	MZM.0092.01
	Insertion ram, front fixing bracket ZSF.1610	1 x	MZM.0093.02
	METABOX front fixing with gallery	Quantity required	Part no.
	8-spindle drilling head		
	Drilling head, number of spindles 8, drilling	1 x	MZK.880S
	Drill bit, 10 x 57 mm, right hand	4 x	M01.ZB10.02
	Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
	MINIPRESS P Drill bit with roof tip, 2.5 x 57 mm, right hand	2 x	M01.ZB02.D2
	Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
	MOVENTO TANDEM front adjuster	Quantity required	Part no.
	295.1000		
	Fittings drill bit, 20 x 57 mm, right hand	1 x	M01.ZB20.02
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
MINIPRESS P	Insertion ram, front adjuster 295.1000	1 x	MZM.0095
	Blum distance bumper	Quantity required	Part no.
	Drill bit, 8 x 57 mm, right hand	1 x	M01.ZB08.02
	Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
	Narrow swivel stop for positioning between others, right	1 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	1 x	MZS.2000
MINIPRESS P			
Drawer assembly			
	Base back	Quantity required	Part no.
	Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand	2 x	M01.ZB05.03
	Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
	MINIPRESS P Drill bit with roof tip, 2.5 x 57 mm, left hand	2 x	M01.ZB02.D3
	Narrow swivel stop for positioning between others, right	2 x	MZS.2000
	Narrow swivel stop for positioning between others, left hand	2 x	MZS.2000
1 MINIPRESS P with EASYSTICK requires no rulers or swivel stops			

MINIPRESS P

Cabinet assembly

D5		Cabinet profiles	Quantity required	Part no.
MINIPRESS P		8-spindle drilling head		
		Drilling head, number of spindles 8, drilling	1 x	MZK.880S
		Drill bit, 5 x 57 mm, right hand	2 x	M01.ZB05.02
		Drill bit, 5 x 57 mm, left hand	2 x	M01.ZB05.03
		Drill bit with roof tip, 2.5 x 57 mm, right hand	2 x	M01.ZB02.D2
		Drill bit with roof tip, 2.5 x 57 mm, left hand	2 x	M01.ZB02.D3
		Narrow swivel stop for positioning between others, right	5 x ¹	MZS.2000
		Narrow swivel stop for positioning between others, left hand	5 x ¹	MZS.2000
D6		BLUMOTION for METABOX	Quantity required	Part no.
MINIPRESS P		Drilling head, number of spindles 8, drilling	1 x	MZK.880S
		Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
		Drill bit, 5 x 57 mm, left hand	1 x	M01.ZB05.03
		Drill bit with roof tip, 2.5 x 57 mm, right hand	1 x	M01.ZB02.D2
		Drill bit with roof tip, 2.5 x 57 mm, left hand	1 x	M01.ZB02.D3
		Narrow swivel stop for positioning between others, right	1 x ¹	MZS.2000
		Narrow swivel stop for positioning between others, right	1 x ¹	MZS.2000
D7		SERVO-DRIVE bracket profile attachment	Quantity required	Part no.
MINIPRESS P		Drilling head, number of spindles 9, drilling	1 x	MZK.190S
		Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
		Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
		Fittings drill bit, 25 x 57 mm, right hand	1 x	M01.ZB25.02
		Narrow swivel stop for positioning between others, right	1 x ¹	MZS.2000
		Narrow swivel stop for positioning between others, left hand	1 x ¹	MZS.2000

Assembly – further products

Cabinet assembly

E1		Cabinet connector with connecting piece system 32 40.0110N 40.0200N 40.0620 42.0700.01	Quantity required	Part no.
MINIPRESS P		Fittings drill bit, 28 x 57 mm, right hand	1 x	M01.ZB28.02
		Fittings drill bit, 25 x 57 mm, right hand	1 x	M01.ZB25.02
		Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
		Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
		Narrow swivel stop for positioning between others, right	2 x ¹	MZS.2000
		Narrow swivel stop for positioning between others, left hand	2 x ¹	MZS.2000
		Insertion ram, connector housing 40.0110N 40.0200N	1 x	MZM.0070
		Insertion ram, connector 40.0620	1 x	MZM.0071
		Insertion ram, connector 42.0700.01	1 x	MZM.0077
E3		Knock-in cabinet connector 40.2110 40.2120.02	Quantity required	Part no.
MINIPRESS P		Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
		Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
		Narrow swivel stop for positioning between others, right	2 x ¹	MZS.2000
		Narrow swivel stop for positioning between others, left hand	2 x ¹	MZS.2000
E4		Wall hanging bracket 48N0610.02 48N0610.03	Quantity required	Part no.
MINIPRESS P		Drill bit, 10 x 57 mm, right hand	1 x	M01.ZB10.02
		Drill bit, 10 x 57 mm, left hand	1 x	M01.ZB10.03
		Narrow swivel stop for positioning between others, right	1 x ¹	MZS.2000
		Narrow swivel stop for positioning between others, left hand	1 x ¹	MZS.2000
		Insertion ram, wall hanging bracket 48N0610.02 48N0610.03	1 x	MZM.0078


Assembly – cabinet

Cabinet assembly

E6		Line drilling 9-spindle drilling head	Quantity required	Part no.
MINIPRESS P		Drilling head, number of spindles 9, drilling	1 x	MZK.190S
		Drill bit, 5 x 57 mm, right hand	4 x	M01.ZB05.02
		Drill bit, 5 x 57 mm, left hand	5 x	M01.ZB05.03
		Drill bit, 3 x 57 mm, right hand	4 x	M01.ZB03.02
		Drill bit, 3 x 57 mm, left hand	5 x	M01.ZB03.03
		Narrow swivel stop for positioning between others, right	11 x ¹	MZS.2000
		Narrow swivel stop for positioning between others, left hand	11 x ¹	MZS.2000

¹ MINIPRESS P with EASYSTICK requires no rulers or swivel stops

MINIPRESS P

	Line drilling	Quantity required	Part no.
	3 spindle drilling head		
	Drill bit, 5 x 57 mm, right hand	1 x	M01.ZB05.02
	Drill bit, 5 x 57 mm, left hand	2 x	M01.ZB05.03
MINIPRESS P	Drill bit, 3 x 57 mm, right hand	1 x	M01.ZB03.02
	Drill bit, 3 x 57 mm, left hand	2 x	M01.ZB03.03
	Narrow swivel stop for positioning between others, right	10 x	¹ MZS.2000
	Narrow swivel stop for positioning between others, left hand	10 x	¹ MZS.2000
¹ MINIPRESS P with EASYSTICK requires no rulers or swivel stops			