

**Material Safety Data Sheet**
selon ISO/DIS 11014

Printing date 08/01/2023

Version-No. 3

Reviewed on 08/01/2023

Identification· **1.1. Product identifier**· Trade name / Article No: **KLEIBERIT 882.5**

· Application of the substance / the mixture Coating

· **1.3. Details of the supplier of the safety data sheet**· **Manufacturer/Supplier:**

KLEBCHEMIE

M.G.Becker GmbH & Co. KG

Max Becker Str. 4

D - 76356 Weingarten / Baden

Allemagne / Germany

· **Information department:**

KLEIBERIT Adhesives Canada

Inc.

45 Sheppard Avenue East, Suite 900

Toronto, Ontario M2N 5W9

Canada

Phone 1-416-256-5842

FAX 1-416-781-4901

Toll free 1888-443-666

· **1.4. Emergency telephone number:**

email: hse@kleiberit.com

1-800-424-9300 (CHEMTREC)

1-800-451-1403 (SARA-HOTLINE)

Hazard(s) identification· **2.1. Classification of the substance or mixture**· **Classification according to Regulation (EC) No 1272/2008 - GHS/CLP**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Carc. 1A H350 May cause cancer.

· **2.2. Label elements**· **Hazard pictograms**

GHS02 GHS08

· **Signal word** Danger· **Hazard-determining components of labeling:**

ethanol

· **Hazard statements**

H225 Highly flammable liquid and vapour.

H350 May cause cancer.

· **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take actions to prevent static discharges.

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P404 Store in a closed container.

· **NFPA-ratings (scale 0 - 4) - USA:**

Health = 0

Fire = 3

Reactivity = 0

(Contd. on page 2)

CDN

Material Safety Data Sheet

selon ISO/DIS 11014

Printing date 08/01/2023

Version-No. 3

Reviewed on 08/01/2023

Trade name / Article No: KLEIBERIT **882.5**

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4) - USA:



Health = 0

Fire = 3

Reactivity = 0

· WHMIS Classes, Divisions and Subdivisions - Canada

B2 - Flammable liquid



· **Class B - Flammable and Combustible Materials** Division 2 - Flammable Liquid

· **Class D - Poisonous and Infectious Materials**

Division 2 - Materials Causing Other Toxic Effects

Subdivision B - Toxic Materials

· **CARCINOGENICITY** NTP: No IARC: No OSHA: No

· 2.3. Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Composition/information on ingredients

· 3.2. Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

Registry-No's	Identification / Classification GHS-CLP	%
CAS: 64-17-5	ethanol	80-90% w/w
RTECS: KQ 6300000	Flam. Liq. 2, H225; Carc. 1A, H350	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

First-aid measures

· 4.1. Description of first aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

· **Information for doctor:**

· 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Fire-fighting measures

· Flammability

See 9 - Physical and chemical properties

- Flash point

· **If yes, under which conditions ?** Development of solvent vapors at higher temperatures near flash point.

· 5.1. Extinguishing media

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Material Safety Data Sheet

selon ISO/DIS 11014

Printing date 08/01/2023

Version-No. 3

Reviewed on 08/01/2023

Trade name / Article No: KLEIBERIT **882.5**

(Contd. of page 2)

- **For safety reasons unsuitable extinguishing agents:**
- **Flash point :** See Pos. 9
- **5.2. Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3. Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

Accidental release measures

- **6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Keep away from ignition sources
Ensure adequate ventilation
- **6.2. Environmental precautions:**
Suppress gases/fumes/haze with water spray.
Do not allow to enter sewers/ surface or ground water.
Dilute with plenty of water.
- **6.3. Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **6.4. Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Handling and storage

- **Handling:**
- **7.1. Precautions for safe handling** Use only in well ventilated areas.
- **Information about protection against explosions and fires:**
 >> **Protect against electrostatic charges.** <<
 Keep ignition sources away - Do not smoke.
- **7.2. Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **7.3. Specific end use(s)** No further relevant information available.

Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1. Control parameters**
- **Components with limit values that require monitoring at the workplace:**

CAS No.	Designation of material	%	Type	Value	Unit
---------	-------------------------	---	------	-------	------

64-17-5 ethanol

EL (USA) Short-term value: 1000 ppm
 EV (USA) Long-term value: 1.900 mg/m³, 1.000 ppm
 PEL (USA) Long-term value: 1900 mg/m³, 1000 ppm
 REL (USA) Long-term value: 1900 mg/m³, 1000 ppm
 TLV (USA) Short-term value: 1880 mg/m³, 1000 ppm

- **8.2. Exposure controls**
limit the exposure to:
8 hours

(Contd. on page 4)

CDN

Material Safety Data Sheet

selon ISO/DIS 11014

Printing date 08/01/2023

Version-No. 3

Reviewed on 08/01/2023

Trade name / Article No: KLEIBERIT **882.5**

(Contd. of page 3)

- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**
Organic gases/vapors with boiling point >'more than' 149 °F/65 °C: eg.
¹ (F)OV - (Full Facepiece) Organic Vapor Respirator
² **Europe:** EN14387 Filtertype A, brown
- **Protection of hands:** Protective gloves
- **Material of gloves**
A Nitrile rubber - NBR: AlphaTec® (Lamination strength not applicable)
B Polyethyleneylon: Barrier™ (0,062 mm)
- **Eye protection:** Tightly sealed goggles

Physical and chemical properties

· 9.1. Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: Yellow

· Odor: Alcohol-like

· Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 78 °C (172 °F)

· Flash Point: 12 °C (54 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition Temperature: 425 °C (797 °F)

· Decomposition Temperature: Not determined.

· Auto Igniting: Product is not selfigniting.

· Danger of Explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion Limits:

Lower: 3.5 Vol %

Upper: 15.0 Vol %

· Vapor Pressure at 20 °C (68 °F): 59 hPa (44 mm Hg)
57 hPa (43 mm Hg)

· Density at 20 °C (68 °F): 0.8 g/cm³ (6.676 lbs/gal)

· Relative Density: Not determined.

· Vapour Density: Not determined.

· Evaporation Rate: Not determined.

· Solubility in / Miscibility with
Water:

Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined

Kinematic at 20 °C (68 °F): 12 s (DIN 53211/4)

· 9.2. Other information: No further relevant information available.

(Contd. on page 5)

Material Safety Data Sheet

selon ISO/DIS 11014

Printing date 08/01/2023

Version-No. 3

Reviewed on 08/01/2023

Trade name / Article No: KLEIBERIT **882.5**

(Contd. of page 4)

Stability and reactivity

- **10.1. Reactivity** see item 10.3
- **10.2. Chemical stability** Stable when stored and used properly.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3. Possibility of hazardous reactions** No dangerous reactions known.
- **10.4. Conditions to avoid** No further relevant information available.
- **10.5. Incompatible materials:** No further relevant information available.
- **10.6. Hazardous decomposition products:** No dangerous decomposition products known.

Toxicological information

- **11.1. Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:**

64-17-5 ethanol

Oral LD₅₀ 6200 mg/kg (rat)
 Dermal LD₅₀ 20000 mg/kg (rabbit)
 Inhalative LC₅₀ /4 h 124.7 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** Based on available data, the classification criteria are not met.
- **on the eye:** Possible irritating
- **Sensitization:** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
- ethanol: 1
- **NTP (National Toxicology Program)**
- None of the ingredients is listed.

Ecological information

- **12.1. Toxicity**
- **Aquatic toxicity:**
- 64-17-5 ethanol**
- LC₅₀ 10000 mg / l / 48h (water flea - Daphnia)
- 8150 mg / l / 48h (gold orfw - Leuciscus idus)
- **12.2. Persistence and degradability** No further relevant information available.
- **12.3. Bioaccumulative potential** No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5. Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6. Other adverse effects** No further relevant information available.

(Contd. on page 6)

CDN

Material Safety Data Sheet

selon ISO/DIS 11014

Printing date 08/01/2023

Version-No. 3

Reviewed on 08/01/2023

Trade name / Article No: KLEIBERIT **882.5**

(Contd. of page 5)

Disposal considerations

- **13.1. Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Hand over to hazardous waste disposers.
- **Uncleaned packagings:**
- **Recommendation:**
Non contaminated packagings can be used for recycling.
Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

Transport information

- **14.1. UN-Number**
 - **IMDG, IATA** UN1170
 - **14.2. UN proper shipping name**
 - **DOT, IMDG, IATA** ETHANOL, solution
 - **DOT**
 - **Class** 3 Flammable liquids
No dangerous good
 - **Label** 3
 - **IMDG, IATA**
 - **Class** 3 Flammable liquids
 - **Label** 3
 - **14.4. Packing group**
 - **DOT, IMDG, IATA** II
 - **14.5. Environmental hazards:**
 - **Marine pollutant:** No
 - **14.6. Special precautions for user** Warning: Flammable liquids
 - **EMS Number:** F-E,S-D
 - **Stowage Category** A
 - **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
-
- **IMDG**
 - **Limited quantities (LQ)** 1L
 - **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
 - **UN "Model Regulation":** UN 1170 ETHANOL MIXTURE, 3, II

Regulatory information

- **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**
See position no 2 - Hazards Identification
- **TSCA (Toxic Substances Control Act) - USA:**
64-17-5 ethanol
- **DSL (Canadian Domestic Substance List) - Canada:**
64-17-5 ethanol
- **National regulations:**
- **VOC - Volatile Organic Compounds**
- **VOC - Content: [g/L]** 720.0 g/l
- **VOC - Volatile organic compounds: content [mass-%]** 90.00 %

(Contd. on page 7)

CDN

Material Safety Data Sheet

selon ISO/DIS 11014

Printing date 08/01/2023

Version-No. 3

Reviewed on 08/01/2023

Trade name / Article No: KLEIBERIT **882.5**

(Contd. of page 6)

- **US (40CFR part59): VOC content [g / L]** 720.0 g/l / 6.01 lb/gl
- **15.2. Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **USA: Relevant labels and warnings** HAZCOM LABEL: NOT REQUIRED

- **Relevant phrases**

H225 Highly flammable liquid and vapour.
H350 May cause cancer.

- **Department issuing SDS:** Safety & Environment

- **Contact:** Dr. Wolfgang Stüber

- **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

- *** Data compared to the previous version altered. -**

CDN