

FM series



FMH


		[mm]	[mm]				
FMH.	3012.	3012	50	NAT	SSO	*ANE	*LUX



FM8

CENTRAL FINISHING


		[mm]	[mm]				
FM8.	3012.	3012	36,5	NAT	SSO	*ANE	*LUX



FM6

LATERAL FINISHING

		[mm]	[mm]				
FM6.	3012.	3012	17,5	NAT	SSO	*ANE	*SLX




BCH

		[mm]	[mm]				
BCH.	0050.	50	50	NAT	SSO	*ANE	*LUX


Pair of finishing end caps on milling Ø 9,5 mm

		[mm]
CAP.	BCDS.CHL	9,1
CAP.	BCDS.NER	9,1
CAP.	BCDS.NKO	9,1
CAP.	BCDS.NKS	9,1





Caps **CAP.BCDS (CAP.BCDX + CAP.BCSX)** always aligned with the base




BRH

		[mm]	[mm]				
BRH.	0050.	50	50	NAT	SSO	*ANE	*LUX


Finishing end cap on milling Ø 9,5 mm


		[mm]
CAP.	FR10.CHL	10
CAP.	FR10.GRI	10
CAP.	FR10.NKS	10





Cap **CAP.FR10** aligned with the base only with panel thickness 18 mm









Plate for assembly on long spans


PST.	FMH1.ZIN







1 **FMH fixed on the back of the panel** with screws.



countersink the holes of FMH to get the screw heads flush with the profile


2 **FMH fixed to the wall** with plug and using a 2-2,5 mm spacer to fit flush with vertical profiles




3 fix **PST plate** to the **back** of the above panel (be aware not to superimpose on the same plug position)

INSTALLING SCHEME: FMH on NB0 (and FM6 as lateral finishing profile)










1 **NBA.VS16.ZIN screws** fixed to the back of the panel for insertion into **NB0 eyelets**



3 **FM6 finishing profile.**
Glued with silicone to the panel edge



2