



Description

Full extension, concealed, undermount slide featuring a continuous synchronized movement.

No.	Description
828270	270 mm
828300	300 mm
828350	350 mm
828400	400 mm
828450	450 mm
828500	500 mm
828550	550 mm
8284103	Front locking device 4-way, left
8284102	Front locking device 4-way, right
8286103	Front locking device 6-way, left
8286102	Front locking device 6-way, right



Applications

Synchronized

All drawer members interact fluidly and seamlessly

Soft-Close

Drawers close smoothly even when forced shut

Full extension

Drawers come completely out of the cabinet giving full access

Front locking device options


4 or 6-way, tool free, adjustments


Load rating


100 lb (45 kg)




Basic components



	<p>Slides left/right (for a maximum of 16 mm drawer thickness)</p>
Item No.	Nominal Length
828270	270 mm
828300	300 mm
828350	350 mm
828400	400 mm
828450	450 mm
828500	500 mm
828550	550 mm


	<p>Front Locking Devices</p>
Item No.	Description
8280103 (left) 8284103	4-way, Lateral and vertical adjustments
8280102 (right) 8284102	
8280203 (left) 8286103	6-way, Lateral, vertical and depth adjustments
8280202 (right) 8286102	

Installation Dimensions (mm)




Drawer Dimensions(mm)


Drawer Width




Locking Device Mounting



Drawer vs. Cabinet Depth




Drawer Back Drilling & Notching



Item Code	828270	828300	828350	828400	828450	828500	828550
Slides Nominal Length (NL)	270	300	350	400	450	500	550
Drawer Length (SKL)	270	290	340	390	440	490	540
Inside Cabinet Length (min) (LT)	288	308	358	408	458	508	558

Drawer Adjustment



* Side adjustment ±1.5mm, provided that drawer size is within tolerance.