
Richelieu


OptimizR



GLASS DRAWER OPTIMIZ-R

INSTRUCTION SHEET

COMPONENTS




1. **Glass side panels (left/right)**
2. **Series 828 slides**
3. **4-way locking devices**
4. **Front fixing bracket**
5. **Front aluminum panel**
6. **Front glass**
7. **Bottom fixing - front***
8. **Bottom fixing - back***
9. **Side cover cap**


(*) Option for wide drawers

DRAWER BACK AND BOTTOM DIMENSIONS (MM)


INTERNAL CABINET WIDTH (LW)



DRAWER BOTTOM:
(Pre-drilling not necessary)



DRAWER BACK:
(Pre-drilling not necessary)



MEASUREMENT CONVERSION TABLE

mm	Inches	mm	Inches	mm	Inches	mm	Inches	Inches	mm
6	7/32	28	1-3/32	42	1-21/32	224	8-13/16	18″	457
7	9/32	31	1-7/32	50	1-31/32	256	10-3/32	24″	610
9	11/32	32	1-9/32	64	2-17/32	320	12-19/32	30″	762
10	13/32	37	1-15/32	143	5-5/8	400	15-3/4	36″	914
16	5/8	42	1-21/32	155	6-3/32	450	17-23/32		
20	25/32	50	1-31/32	185	7-9/32	500	19-11/16		
21	27/32	64	2-17/32	224	8-13/16	550	21-21/32		
23	29/32	143	5-5/8	256	10-3/32	800	31-1/2		


GLASS DRAWER OPTIMIZ-R | *INSTRUCTION SHEET*

DIMENSIONS


INSTALLATION DIMENSIONS (MM):

NOMINAL SLIDE LENGTH (NL)

INTERNAL CABINET DEPTH (ID) = NL




DRAWER INSTALLATION DIMENSIONS (MM):



CUTTING DETAILS AND DRAWER SUPPORTS


DRAWER FRONT CUTTING (MM):

5. FRONT ALUMINUM PANEL




Item #	Finish
80811200G30	White
80811200G100	Anthracite
80811200G900	Matte Black

6. FRONT GLASS




Item #	Internal cabinet width (LW)
808185GL18	18″
808185GL24	24″
808185GL30	30″
808185GL36	36″


7. BOTTOM FIXING - FRONT
#808DB2G
Drawer width ≥ 800 mm



8. BOTTOM FIXING - BACK
#808DBHDJ
Drawer width ≥ 800 mm




SLIDE MOUNTING HOLES (MM):




www.richelieu.com


DRAWER ASSEMBLY




BOTTOM ASSEMBLY




BACK ASSEMBLY




LOCKING DEVICE ASSEMBLY




DRAWER FRONT ASSEMBLY






CLIP ON COVER CAP

DRAWER FRONT ADJUSTMENTS




UP/DOWN ADJUSTMENT




TILT ADJUSTMENT


DISASSEMBLY



REMOVE DRAWER



TIP UP COVER CAP



RELEASE DRAWER FRONT