



Unleash your creativity with the exceptional versatility of LOGO III!



Description

Choose a modern open closet with our aluminum profile system.

This innovative system allows you to easily install closet rods, shelves, and drawers, meeting all your storage needs at home.



Advantages

- Versatile system that can be used in various rooms of the house such as the closet, lobby, living room, etc.
- Wall or ceiling-mounted profiles.
- Made of aluminum, the profiles can be easily cut to your dimensions.
- Easy and quick to install.
- Height adjustment possible up to 5/8" (15 mm).
- Available in aluminum gray and matte black finishes.

Wall Application



Ceiling Application



Customize your space with our various available supports for:

- Closet rods
- Wood and/or Glass shelves
- Cabinets or drawer-cabinets
- Angled shoe shelves

Products List

Alu Gray	Matte Black	Description	Dimensions	Packaging
88725030010	88725030900	Ceiling-mounted profile	3.075 meters (10.1')	Unit
88725326010	88725326900	Wall-mounted profile	2.670 meters (8.8')	Unit
864219210	8642192900	Supports for glass shelf + 2 rubber pads	28 mm x 152 mm x 30 mm (1 1/8" x 6" x 1 3/16")	Pair
8725450010	87254500900	Supports for wood shelf or under-cabinet	28 mm x 152 mm x 31 mm (1 1/8" x 6" x 1 1/4")	Pair
8715840180	8725840900	Supports for the top of a cabinet	18 mm x 43 mm x 30 mm (11/16" x 1 11/16" x 1 3/16")	Pair
8715450010	87154500900	Tilting supports for shoe shelf	28 mm x 152 mm x 30 mm (1 1/8" x 6" x 1 3/16")	Pair
8715915180	8715915900	Supports for oval rod	46 mm x 44 mm x 22 mm (1 13/16" x 1 3/4" x 7/8")	Pair
D030201210	n/a	Ribbed oval closet rod	15 mm x 30 mm x 3.66 m (5/8" x 1 3/16" x 12')	Unit
1108315174	1108315900	Smooth oval closet rod	15 mm x 30 mm x 2.4 m (5/8" x 1 3/16" x 8')	Unit

Technical Information

The wall profile set includes:

- 1 aluminum profile, 2.67 m (8.8') in height
- 1 90° corner joint for the traverse profile
- 1 wall mounting support
- 1 leveler with 0 to 15 mm (0 to 5/8") adjustment

The ceiling profile set includes :

- 1 aluminum profile, 3.075 m (10.1') in height
- 1 wall mounting support
- 1 leveler with 0 to 15 mm (0 to 5/8") adjustment

	Profile height with maximum adjustment	Clearance between wall & profile	Min.-Max shelf depth	Max. width between 2 profiles
Wall Profile	2685 mm (105 11/16")	Min. 250 mm (9 13/16")	200 mm / 500 mm (7 7/8" / 19 11/16")	1200 mm (47 1/4")
Ceiling Profile	3090 mm (121 5/8")	Min. 250 mm (9 13/16")	200 mm / 500 mm (7 7/8" / 19 11/16")	1200 mm (47 1/4")

Important Information

- Maximum weight capacity of 25 kg (55 lbs) per pair of shelf supports.
- Maximum weight capacity of 100 kg (220 lbs) between 2 profiles
- A minimum of 2 profiles is required to create a standard section.

Possible Configurations:

NOTE : Shelves and cabinets are not included.

A) Glass Shelf Mounting




Depth of shelf	Width of shelf	Thickness of shelf	Max. width between 2 profiles
Min. 200 mm (7 7/8") Max. 500 mm (19 11/16")	Min. 100 mm (3 15/16") Max. 1000 mm (39 3/8")	From 6 to 10 mm (1/4" à 3/8")	1200 mm (47 1/4")



2x 88725326900
2x 88725326010

OR
OR



2x 88725030900
2x 88725030010



+ 2 rubbers

+ 1x 8642192900
+ 1x 864219210

B) Wood Shelf Mounting




Depth of shelf	Width of shelf	Thickness of shelf	Max. width between 2 profiles
Min. 200 mm (7 7/8") Max. 500 mm (19 11/16")	Min. 100 mm (3 15/16") Max. 1000 mm (39 3/8")	From 13 to 30 mm (1/2" to 1 3/16")	1200 mm (47 1/4")



2x 88725326900
2x 88725326010

OR
OR



2x 88725030900
2x 88725030010



+ 1x 87254500900
+ 1x 8725450010

C) Cabinet or Drawer-Cabinet Mounting




Suggested Height	Cabinet Depth	Max. width between 2 profiles
Max. 600 mm (23 5/8")	Min. 200 mm (7 7/8") Max. 500 mm (19 11/16")	1200 mm (47 1/4")



2x 88725326900
2x 88725326010

OR
OR



2x 88725030900
2x 88725030010



+ 1x 87254500900
+ 1x 8725450010




+ 1x 8725840900
+ 1x 8715840180

D) Closet Rod Mounting




Note

The recommended maximum spacing between two profiles is 1200 mm (47 1/4").



2x 88725326900
2x 88725326010

OR
OR



2x 88725030900
2x 88725030010



+ 1x 8715915900
+ 1x 8715915180




+ 1x 1108315900
+ 1x D030201210 or
+ 1x 1108315174

E) Shoe Shelf Mounting




Depth of shelf	Width of shelf	Thickness of shelf	Max. width between 2 profiles
Min. 200 mm (7 7/8") Max. 500 mm (19 11/16")	Min. 100 mm (3 15/16") Max. 800 mm (31 1/2")	From 13 to 30 mm (1/2" à 1 3/16")	1200 mm (47 1/4")



2x 88725326900
2x 88725326010

OR
OR



2x 88725030900
2x 88725030010

+



1x 87154500900
1x 8715450010

3 angles available :
0° – 22,5° - 45°

