

Product Pricelist U.S. & Canada Effective Date: June 1, 2022



Experience a safer and more open world



Product Pricelist









HES Product List

Electric Strikes
1006
1500 Series [™] • • • • • • 4
1600 Series [™]
NEW ES100 6
4500C
5000, 5200
7000
7501
8000, 8300 10
8500 11
UNL MUNL • 11
9400, 9500, 9600, 9700, 9800 12
Folger Adam SB:310-1(X), 310-2 13
Folger Adam 310-2 3/4, 310-2 3/4 OB 14
Folger Adam 310-3-1
Folger Adam 310-4, 310-4 (S) 15
Folger Adam 310-4-X 15
Folger Adam 310-6-X 16
Folger Adam 310-1-X 19
Folger Adam 712, 712-75 20
Folger Adam 732, 732-75 20
Folger Adam SB710, SB710-75 21
Folger Adam SB730, SB730-75 21
Folger Adam 742-75 22
Folger Adam SB740-75 22
Electric Strike Accessories 23

Cabinet Locks6102466024KP20 Stand-Alone Keypad Cabinet Lock24K100-622H Aperio Wireless Cabinet Lock Kits25K200 Wired Cabinet Lock25NEW KS-M Mechanical Cabinet Lock26NEW KS200 Wiegand Integrated Wired Access Control Server Cabinet Lock26NEW KS210 OSDP Integrated Wired Access Control Server Cabinet Lock27K200, KS-M, KS200, KS210 Accessories27

Terms & Conditions | Warranty Terms & Conditions, Warranties 28



Electric Strikes

1006CLB Complete Pacs for Latchbolt Locks

MODEL	DESCRI	PTION 630
1006CLB		^s 699
1006CLB-F	Fail Safe	^{\$} 699
1006CLB-LBM		^{\$} 829
1006CLB-F-LBM	Fail Safe	^{\$} 829
1006CLB-LBSM		⁵ 839
1006CLB-F-LBSM	Fail Safe	^{\$} 839

1006CDB Complete Pacs for Locks with Deadbolts

MODEL	DESCRIPTION	630
1006CDB		^{\$} 727
1006CDB-F	Fail Safe	^{\$} 727

1006CAS Complete Pacs for Locks with Continuous Deadbolt Recapture

MODEL	DESCRIPTION	630
1006CAS		^{\$} 737
1006CAS-F	Fail Safe	^{\$} 737
1006CAS-2		^{\$} 767
1006CAS-2-F	Fail Safe	^{\$} 767

1006CS Complete Pacs for Latchbolts & Deadbolts

MODEL	DESCRIPTION	630
1006CS		^{\$} 772
1006CS-F	Fail Safe	^{\$} 772

1006 Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613	629	630	BLK
1006		^{\$} 762	^{\$} 746	^{\$} 746	^{\$} 714	^{\$} 762	^{\$} 654	^{\$} 684
1006-F	Fail Safe	^{\$} 762	^{\$} 746	^{\$} 746	^{\$} 714	^{\$} 762	^{\$} 654	^{\$} 684
1006-LBM		^{\$} 892	\$876	\$876	^{\$} 844	^{\$} 892	^{\$} 784	^{\$} 814
1006-F-LBM	Fail Safe	^{\$} 892	\$876	\$876	^{\$} 844	^{\$} 892	^{\$} 784	^{\$} 814
1006-LBSM		\$902	^{\$} 886	\$886	^{\$} 854	^{\$} 902	^{\$} 794	^{\$} 824
1006-F-LBSM	Fail Safe	\$902	^{\$} 886	\$886	^{\$} 854	^{\$} 902	^{\$} 794	^{\$} 824



How to Orders on next page

Faceplates

MODEL	DESCRIPTION	605	606	612	613	629	630	BLK
LB	Kit includes J, KM and KD faceplates						^{\$} 45	
DB	Kit includes faceplates and brackets to make N and H series options						^{\$} 73	
DB2	Kit includes faceplates and brackets to make N-2 and H-2 series options						^{\$} 104	
J		^{\$} 121	^{\$} 109	^{\$} 109	^{\$} 66	^{\$} 109	^{\$} 41	^{\$} 66
KD		^{\$} 121	^{\$} 109	^{\$} 109	\$66	^{\$} 109	^{\$} 41	^{\$} 66
КМ		^{\$} 121	^{\$} 109	^{\$} 109	\$66	^{\$} 109	^{\$} 41	^{\$} 66
ND		^{\$} 122	^{\$} 107	^{\$} 107	^{\$} 87	^{\$} 107	^{\$} 64	^{\$} 87
NM		^{\$} 122	^{\$} 107	^{\$} 107	^{\$} 87	^{\$} 107	^{\$} 64	^{\$} 87
НМ		^{\$} 122	^{\$} 107	^{\$} 107	^{\$} 87	^{\$} 107	^{\$} 64	^{\$} 87
HTD		^{\$} 122	^{\$} 107	^{\$} 107	^{\$} 87	^{\$} 107	^{\$} 64	\$87

Specialty Faceplates

MODEL	605	606	612	613	629	630	BLK
E	\$123	^{\$} 109	^{\$} 109	01	^{\$} 109	^{\$} 64	^{\$} 87
R	\$123	^{\$} 109	^{\$} 109	^{\$} 87	^{\$} 109	^{\$} 64	^{\$} 87
Z	\$122	^{\$} 107	^{\$} 107	^{\$} 67	^{\$} 107	^{\$} 42	^{\$} 67
J-2	\$136	^{\$} 119	^{\$} 119	^{\$} 106	^{\$} 119	^{\$} 82	^{\$} 106
KM-2	\$136	^{\$} 119	^{\$} 119	^{\$} 106	^{\$} 119	^{\$} 82	^{\$} 106

Accessories


ITEM	DESCRIPTION	PRICE
157	Torx screws	^{\$} 16
1000-102	Rain guard	^{\$} 40
1000-104	Lip extension trim adapter (BLK)	^{\$} 73
1000-110	Replacement strike plate	^s 121
1000-130	KD filler plate	^{\$} 54
1006-103	Full keeper shims	^{\$} 14
1006-105	Trim enhancer (BLK)	^{\$} 38




SERIES	MODEL	FAIL SAFE/SECURE	FINISH*	OPTION(S)
1006	_	– F	- 630	– LBM
1006 Universal Electric	CS ** Complete Electric Strike; includes the SMART	F Fail Safe/Secure	605 Bright Brass	LBM Latchbolt Monitor
Strike Faceplates	Pac® III and J, KD, KM, HM, and AD faceplates	(blank) Fail Secure	- F- 630Safe/Secure605 Bright Brass	LBSM Latchbolt Strike
ordered separately		(standard)	612 Satin Bronze	Monitor
	CLB Complete Electric Strike for latchbolt locks; includes the J, K, KD, and KM faceplates		613 Bronze Toned	
			629 Bright Stainless Steel	
			630 Satin Stainless Steel	
	CDB ** Complete Electric Strike for Deadbolt Locks; includes the HM and AD faceplates		BLK Black	
	CAS Complete Electric Strike for Locks with Continuous Deadbolt Recature; includes the ND and NM faceplates			

*Complete Pacs are only available in the 630 finish. **Complete Pacs with deadbolts are not available with monitoring options.







4 Electric Strikes

1500C Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500C		^{\$} 774	^{\$} 750	^{\$} 750	^{\$} 699	^{\$} 774	^{\$} 624	^{\$} 699
1500C-LM	Lock monitors	^{\$} 879	^{\$} 855	^{\$} 855	^{\$} 804	^{\$} 879	^{\$} 729	^{\$} 804
1500C-DLM	Dual lock monitors	^{\$} 984	^{\$} 960	^{\$} 960	\$909	^{\$} 984	^{\$} 834	^{\$} 909
1500C-LMS	Lock monitors & strike monitors	^{\$} 894	^{\$} 870	^{\$} 870	^{\$} 819	^{\$} 894	^{\$} 744	^{\$} 819
1500C-DLMS	Dual lock monitors & strike monitors	\$999	^{\$} 975	^{\$} 975	^{\$} 924	\$999	^{\$} 849	^{\$} 924

1500 Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500		^{\$} 669	^{\$} 655	^{\$} 655	\$620	^{\$} 669	^{\$} 575	^{\$} 620
1500-LM	Lock monitor	^{\$} 774	^{\$} 760	^{\$} 760	^{\$} 725	^{\$} 774	^{\$} 680	^{\$} 725
1500-DLM	Dual lock monitors	\$879	^{\$} 865	^{\$} 865	^{\$} 830	^{\$} 879	§785	^{\$} 830
1500-LMS	Lock monitor & strike monitor	^{\$} 789	^{\$} 775	^{\$} 775	^{\$} 740	^{\$} 789	^{\$} 695	^{\$} 740
1500-DLMS	Dual lock monitors & strike monitor	^{\$} 894	\$880	^{\$} 880	^{\$} 845	^{\$} 894	^{\$} 800	^{\$} 845



MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1LB	Kit includes 1J, 1K, 1KD and 1KM faceplates	^{\$} 105	^{\$} 95	^{\$} 95	^{\$} 79	^{\$} 105	^{\$} 49	^{\$} 79
1LB-2	Kit includes 1J-2 & 1KM-2 faceplates	^{\$} 136	^{\$} 129	^{\$} 129	^{\$} 111	^{\$} 136	^{\$} 81	^{\$} 111

Accessories

ITEM		DESCRIPTION	٧					PRICE
157	Torx screws							^{\$} 16
OPT-1SRK	Optional spring replacement kit							^{\$} 51
OPT-1LM	Optional upgrade kit includes single lock mor	nitor						^{\$} 119
OPT-1DLM	Optional kit includes dual lock monitors							^{\$} 237
MOD-1SOL	Solenoid replacement module							\$323
MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500-104	Lip extension trim adapter	^{\$} 94	^{\$} 87	^{\$} 87	^{\$} 71	^{\$} 94	^{\$} 45	^{\$} 71
1500-106	4500 filler plates and trim enhancer kit	\$86	^{\$} 80	^{\$} 80	^{\$} 64	\$86	\$38	^{\$} 64

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	FINISH	OPTION(S)*
1500	_	- 630	– LM
1500 Universal Electric Strike	· · · · · · · · · · · · · · · · · · ·	605 Bright Brass	LM Lock Monitor
faceplate option kits	includes 1LB faceplate	606 Satin Brass	DLM Dual Lock Monitor
ordered separately	kit for latchbolts	612 Satin Bronze	LMS Lock Monitor and Strike Monitor
		613E Dark Oxidized Satin Bronze Powder	DLMS Dual Lock Monitors and Strike Monitor
		629 Bright Stainless Steel	
		630 Satin Stainless Steel	
		BSP Black Suede Powder	

*LMS/DLMS factory installed only option.



US hesinnovations.com | 800 626 7590 | customerservice.hes@assaabloy.com Canada assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

1600CLB Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-CLB		^{\$} 774	^{\$} 750	^{\$} 750	^{\$} 699	^{\$} 774	^{\$} 624	^{\$} 699
1600-CLB-LM	Lock monitor	^{\$} 879	^{\$} 855	^{\$} 855	^{\$} 804	^{\$} 879	^{\$} 729	^{\$} 804
1600-CLB-DLM	Dual lock monitor	^{\$} 984	\$960	\$960	^{\$} 909	^{\$} 984	^{\$} 834	^{\$} 909
1600-CLB-LMS	Lock monitor & strike monitor	^{\$} 894	^{\$} 870	^{\$} 870	^{\$} 819	^{\$} 894	^{\$} 744	^{\$} 819
1600-CLB-DLMS	Dual lock monitors & strike monitor	\$999	^{\$} 975	^{\$} 975	^{\$} 924	\$999	^{\$} 849	^{\$} 924

1600CDB Complete Pacs for Locks with Deadbolts

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-CDB		^{\$} 774	^{\$} 750	^{\$} 750	^{\$} 699	^{\$} 774	^{\$} 624	^{\$} 699
1600-CDB-LM	Lock monitor	^{\$} 879	^{\$} 855	^{\$} 855	^{\$} 804	^{\$} 879	^{\$} 729	^{\$} 804
1600-CDB-DLM	Dual lock monitors	^{\$} 984	^{\$} 960	^{\$} 960	^{\$} 909	^{\$} 984	^{\$} 834	^{\$} 909
1600-CDB-LMS	Lock monitor & strike monitor	^{\$} 894	^{\$} 870	^{\$} 870	^{\$} 819	^{\$} 894	^{\$} 744	^{\$} 819
1600-CDB-DLMS	Dual lock monitors & strike monitor	\$999	^{\$} 975	^{\$} 975	^{\$} 924	^{\$} 999	^{\$} 849	^{\$} 924

1600CS Complete Pacs for Latchbolts & Deadbolts

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-CS		^{\$} 879	^{\$} 845	^{\$} 845	^{\$} 778	^{\$} 879	^{\$} 673	^{\$} 778
1600-CS-LM	Lock monitor	^{\$} 984	^{\$} 950	^{\$} 950	^{\$} 883	^{\$} 984	^{\$} 778	^{\$} 883
1600-CS-DLM	Dual lock monitors	^{\$} 1089	^{\$} 1055	^{\$} 1055	^{\$} 988	^{\$} 1089	\$883	^{\$} 988
1600-CS-LMS	Lock monitor & strike monitor	\$999	^{\$} 965	^{\$} 965	^{\$} 898	\$999	^{\$} 793	^{\$} 898
1600-CS-DLMS	Dual lock monitors & strike monitor	^{\$} 1104	^{\$} 1070	^{\$} 1070	^{\$} 1003	^{\$} 1104	\$898	^{\$} 1003

1600 Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600		^{\$} 669	^{\$} 655	^{\$} 655	^{\$} 620	^{\$} 669	^{\$} 575	^{\$} 620
1600-LM	Lock monitor	^{\$} 774	^{\$} 760	^{\$} 760	^{\$} 725	^{\$} 774	\$680	^{\$} 725
1600-DLM	Dual lock monitors	^{\$} 879	^{\$} 865	^{\$} 865	\$830	^{\$} 879	^{\$} 785	^{\$} 830
1600-LMS	Lock monitor & strike monitor	^{\$} 789	^{\$} 775	^{\$} 775	^{\$} 740	^{\$} 789	^{\$} 695	^{\$} 740
1600-DLMS	Dual lock monitors & strike monitor	^{\$} 894	\$880	\$880	^{\$} 845	^{\$} 894	\$800	^{\$} 845

1600 Faceplates

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1LB	Kit includes 1J, 1K, 1KD and 1KM faceplates	^{\$} 105	^{\$} 95	^{\$} 95	\$79	^{\$} 105	^{\$} 49	^{\$} 79
1LB-2	Kit includes 1J-2 & 1KM-2 faceplates	^{\$} 136	^{\$} 129	^{\$} 129	^{\$} 111	^{\$} 136	^{\$} 81	^{\$} 111
1DB	Kit includes faceplates and brackets to make 1N, 1ND, 1NM and 1NTD options	^{\$} 105	^{\$} 95	^{\$} 95	^{\$} 79	^{\$} 105	^{\$} 49	^{\$} 79
1DB-2	Kit includes faceplates and brackets to make 1N-2 option	^{\$} 132	^{\$} 125	^{\$} 129	^{\$} 111	^{\$} 136	^{\$} 81	^{\$} 111

Accessories

ITEM		DESCRIPTION	1					PRICE
157	Torx screws							^{\$} 16
OPT-1SRK	Optional spring replacement kit							^{\$} 51
OPT-1LM	Optional upgrade kit includes single lock	monitor						^{\$} 119
OPT-1DLM	Optional kit includes dual lock monitors							^{\$} 237
MOD-1SOL	Solenoid replacement module							^{\$} 323
MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-104	1600 Lip extension trim adapter	^{\$} 94	^{\$} 87	^{\$} 87	^{\$} 71	^{\$} 94	^{\$} 45	^{\$} 71
1600-106	1600 adapter and trim enhancer kit	^{\$} 86	^{\$} 80	^{\$} 80	^{\$} 64	^{\$} 86	\$38	^{\$} 64

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	FINISH	OPTION(S)*
1600	1600 – CS – G		– LM
1600 Universal	CS Complete Electric Strike; includes 1LB faceplate kit	605 Bright Brass	LM Lock Monitor
Electric Strike;	for latchbolts and 1DB faceplate kit for deadbolts	606 Satin Brass	DLM Dual Lock Monitor
	acceplate option its ordered includes 1LB faceplate kit for latchbolts	612 Satin Bronze	LMS Lock Monitor and Strike Monitor
separately		613E Dark Oxidized Satin Bronze Powder	DLMS Dual Lock Monitors and Strike Monitor
separately	CDB Complete Electric Strike for Deadbolt Locks; includes 1DB faceplate kit for deadbolts	629 Bright Stainless Steel	
		630 Satin Stainless Steel	
		BSP Black Suede Powder	

*LMS/DLMS factory installed only option.







ES100-15 Aperio[™] Wireless Electric Strike with Card Reader

MODEL	DESCRIPTION	630
ES100-15LH	Aperio 1500 Wireless Electric Strike 1:1 Kit Latchbolts	^{\$} 1616
ES100-15LMH	Aperio 1500 Monitored Wireless Electric Strike 1:1 Kit Latchbolts	^{\$} 1725

1500 Faceplates

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1LB	Kit includes 1J, 1K, 1KD and 1KM faceplates	^{\$} 105	^{\$} 95	^{\$} 95	^{\$} 79	^{\$} 105	^{\$} 49	^{\$} 79
1LB-2	Kit includes 1J-2 & 1KM-2 faceplates	^{\$} 136	^{\$} 129	^{\$} 129	^{\$} 111	^{\$} 136	^{\$} 81	^{\$} 111

1500 Accessories

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1500-104	Lip extension trim adapter	^{\$} 94	^{\$} 87	^{\$} 87	^{\$} 71	^{\$} 94	^{\$} 45	^{\$} 71
1500-106	4500 filler plates and trim enhancer kit	^{\$} 86	^{\$} 80	^{\$} 80	^{\$} 64	^{\$} 86	\$38	^{\$} 64

ES100-15 Demo Mounts

ITEM	DESCRIPTION	PRICE
DEMO-ES100-	ES100-15 Aperio™ Wireless Electric Strike Demo Mount For Latchbolts With Black Suede	^{\$} 1200
15L-IPS-BSP	Powdercoat Finish and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	\$1200

ES100-16 Aperio[™] Wireless Electric Strike with Card Reader

MODEL	DESCRIPTION	630
ES100-16LH	Aperio 1600 Wireless Electric Strike 1:1 Kit Latchbolts	^s 1616
ES100-16LMH	Aperio 1600 Monitored Wireless Electric Strike 1:1 Kit Latchbolts	^{\$} 1725
ES100-16SH	Aperio 1600 Wireless Electric Strike 1:1 Kit Latchbolts and Deadbolts	^{\$} 1665
ES100-16SMH	Aperio 1600 Monitored Wireless Electric Strike 1:1 Kit Latchbolts and Deadbolts	^{\$} 1774

1600 Faceplates

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1LB	Kit includes 1J, 1K, 1KD and 1KM faceplates	^{\$} 105	^{\$} 95	^{\$} 95	^{\$} 79	^{\$} 105	^{\$} 49	^{\$} 79
1LB-2	Kit includes 1J-2 & 1KM-2 faceplates	^{\$} 136	^{\$} 129	^{\$} 129	^{\$} 111	^{\$} 136	^{\$} 81	^{\$} 111
1DB	Kit includes faceplates and brackets to make 1N, 1ND, 1NM and 1NTD options	^{\$} 105	^{\$} 95	^{\$} 95	^{\$} 79	^{\$} 105	^{\$} 49	^{\$} 79
1DB-2	Kit includes faceplates and brackets to make 1N-2 option	^{\$} 132	^{\$} 125	^{\$} 129	^{\$} 111	^{\$} 136	^{\$} 81	^{\$} 111

1600 Accessories

MODEL	DESCRIPTION	605	606	612	613E	629	630	BSP
1600-104	1600 Lip extension trim adapter	^{\$} 94	^{\$} 87	^{\$} 87	^{\$} 71	^{\$} 94	^{\$} 45	^{\$} 71
1600-106	1600 adapter and trim enhancer kit	^{\$} 86	^{\$} 80	^{\$} 80	^{\$} 64	^{\$} 86	^{\$} 38	^{\$} 64

ES100 Accessories

ITEM	DESCRIPTION	PRICE
157	Torx screws	^{\$} 16
OPT-1SRK	Optional spring replacement kit	^{\$} 51
OPT-1LM	Optional upgrade kit includes single lock monitor	^s 119
EXT-10-ANT	ASSA ABLOY Aperio™ Wireless Hub External Antenna (3, 9 DBi Omni-Directional)	^{\$} 55

How to Order Specify quantity and the following information. Order related products separately.

PRODUCT FAMILY	COMMUNICATION	MODEL SERIES	FACEPLATES	OPTIONS	CARD TECHNOLOGY	STRIKE FINISH
ES	100	- 15	L	Н	-IPS	- 630
Electric Strike	100 Aperio Wireless	15 Reader and 1500 Strike	L Complete Pac for Latchbolts	H** Wholesale Kit MH** Wholesale Kit with	IPS RFID (HID multiCLASS SE)	630 Satin Stainless Steel
		16 Reader and 1600 Strike	S* Complete Pac for Latchbolts and Deadbolts	Monitoring for High Security		

*Available with 1600 Only. **Only available with L or S Complete Pac Options in 630 Finish.

HES ES100: The HES ES100 Electric Strike is available as either a pre-paired lock and hub kit (no certification required) or as a field configurable component (requires Aperio® Certified Integrator certification). Pre-paired kits support limited features. Field configured devices are required in order to support all options. Visit IntelligentOpenings.com to learn more.

I		ape
		([0])



US hesinnovations.com | 800 626 7590 | customerservice.hes@assaabloy.com Canada assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

4500C Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
4500C		^{\$} 818	^{\$} 804	^{\$} 804	^{\$} 765	^{\$} 818	^{\$} 699
4500C-LBM	Latchbolt monitor	^{\$} 948	^{\$} 934	^{\$} 934	^{\$} 895	^{\$} 948	^{\$} 829
4500C-LBSM	Latchbolt strike monitor	^{\$} 958	^{\$} 944	^{\$} 944	^{\$} 905	^{\$} 958	^{\$} 839

Accessories

ITEM	DESCRIPTION	PRICE
157	Torx screws	^{\$} 16
4500-105	Trim enhancer (BLK)	^{\$} 38
4500-110	Replacement strike plate	^{\$} 117
4500-131	Filler block	^{\$} 49
4501-1/2	1/2" stackable lip extension	^s 65
4501-1	1" stackable lip extension	^{\$} 72



How to Order Specify quantity and the following information. Order related products separately.

SERIES	FINISH*	OPTION(S)
4500C	- 630	– LBM
4500C Complete Electric Strike;	605 Bright Brass	LBM Latchbolt Monitor
includes faceplates	606 Satin Brass	LBSM Latchbolt Strike Monitor
for cylindrical and mortise locks	612 Satin Bronze	
	613 Bronze Toned	
	629 Bright Stainless Steel	
	630 Satin Stainless Steel	



5000C, 5200C Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	630
5000C		^{\$} 219
5000C-LBM	Latchbolt monitor	^s 304
5200C		^{\$} 229
5200C-LBM	Latchbolt monitor	^{\$} 314
5200C-LBSM	Latchbolt strike monitor	\$324

5000, 5200 Electric Strike Bodies

MODEL	DESCRIPTION	630
5000		^{\$} 195
5000-LBM	Latchbolt monitor	^{\$} 280
5200		^{\$} 205
5200-LBM	Latchbolt monitor	^{\$} 290
5200-LBSM	Latchbolt strike monitor	\$300



Faceplates

MODEL	DESCRIPTION	605	606	612	613	629	630	BSP
501	For use with cylindrical locksets in ANSI metal jambs	^{\$} 74	^{\$} 54	^{\$} 54	^{\$} 46	^{\$} 74	^{\$} 22	^{\$} 46
501A	For use with cylindrical locksets or spring latches in aluminum frames. Includes universal mounting tabs.	\$80	^{\$} 57	^{\$} 57	^{\$} 50	\$80	^{\$} 27	^{\$} 50
502	For use with cylindrical locksets or spring latches in aluminum frames. Includes universal mounting tabs	^{\$} 96	^{\$} 79	^{\$} 79	\$66	^{\$} 96	^{\$} 47	^{\$} 66
503	For use with cylindrical locksets or spring latches in aluminum frames. Includes universal mounting tabs	^{\$} 96	^{\$} 79	^{\$} 79	\$66	^{\$} 96	^{\$} 47	\$66
504	For use with cylindrical locksets. Four-point mounting for wood installations.	^{\$} 96	^{\$} 79	^{\$} 79	\$66	\$96	^{\$} 47	\$66

Accessories

ITEM	DESCRIPTION	PRICE
157	Torx screws	^{\$} 16
5000-105	Trim enhancer (goof plate)	^{\$} 34
5104-1/2	1/2" stackable lip extension	\$59
5104-1	1" stackable lip extension	^{\$} 67
5104-1-1/4	1-1/4" stackable lip extension	^{\$} 69
5200 105	Trim enhancer (goof plate)	^{\$} 34
5200-500	Filler block	^{\$} 59
5204-1/2	1/2" stackable lip extension	^{\$} 59
5204-1	1" stackable lip extension	^{\$} 67
5204-1-1/4	1-1/4" stackable lip extension	^{\$} 69

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	FINISH	OPTION(S)*
5000, 5200	_	- 630	– LBM
5000, 5200 Universal Electric Strike;	C* Complete Electric Strike; includes	605 Bright Brass	LBM Latchbolt Monitor
faceplate option kits ordered separately	the 501 and 501A faceplates	606 Satin Brass	LBSM** Latchbolt Strike Monitor
		612 Satin Bronze	
		613 Bronze Powder	
		629 Bright Stainless Steel	
		630 Satin Stainless Steel	
		BLK Black	

*Complete Pacs are only available in the 630 finish. **LBSM only available with 5200.

7000C Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	630
7000C		\$363
7000C-LBM	Latchbolt monitor	^{\$} 483

7000 Electric Strike Bodies

MODEL	DESCRIPTION	630
7000		^{\$} 298
7000-LBM	Latchbolt monitor	^{\$} 418

Faceplates

MODEL	DESCRIPTION	605	606	612	613E	629	630	BLK
791	Cylindrical lock faceplate	^{\$} 117	^{\$} 100	^{\$} 100	\$86	^{\$} 117	^{\$} 65	^{\$} 86
792	Cylindrical lock faceplate	^{\$} 117	^{\$} 100	^{\$} 100	\$86	^{\$} 117	^{\$} 65	^{\$} 86
783S	Rim exit device faceplate				^{\$} 251		^{\$} 176	
786S	Rim exit device faceplate				^{\$} 285		^{\$} 195	
789S	Rim exit device faceplate				^{\$} 285		^{\$} 195	

Accessories

ITEM	DESCRIPTION	PRICE
157	Torx screws	^{\$} 16
7000-104	Lip extension trim adapter (791 & 792 options only)	^s 36
7000-105	Trim enhancer (goof plate) (791 & 792 options only)	^s 36
7000-106	Keeper pocket adapter (783S & 789S options only)	\$35
7000-107	Full keeper shim pack	^{\$} 20
7000-108	Spacer plate (783S & 789S options, black finish only)	\$38
7000-110	Replacement strike plate (701 option only)	^{\$} 120
SMB	Surface mounting box	^{\$} 232

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	FINISH* - 630		OPTION(S)
7000				- 630
		791 and 792 Options	783S, 786S, 789S Options	
7000 Universal Electric	C* Complete Electric	605 Bright Brass	613E Dark Oxidized Satin Bronze Powder630 Satin Stainless Steel	LBM Latchbolt Monitor
Strike; faceplates	Strike; includes the 791	606 Satin Brass		
ordered separately	and 792 faceplates	612 Satin Bronze		
	(Hard) Strike Back Oak 613E Dark Oxidized Sati			
	(blank) Strike Body Only	629 Bright Stainless Steel		
		630 Satin Stainless Steel		
		BLK Black		

*Complete Pacs are only available in 630 finish.



7501 Electric Strike

MODEL	DESCRIPTION	605	606	612	613	629	630
7501		^{\$} 802	^{\$} 785	^{\$} 785	§769	^{\$} 802	^{\$} 702
7501-LBM	Latchbolt monitor	\$922	^{\$} 905	^{\$} 905	^{\$} 889	^{\$} 922	^{\$} 822

How to Order Specify quantity and the following information. Order related products separately.

SERIES	FINISH*	OPTION(S)
7501	- 630	– LBM
7501 Universal Electric Strike; includes	605 Bright Brass	LBM Latchbolt Monitor
faceplate for cylindrical locksets	606 Satin Brass	
	612 Satin Bronze	
	613 Bronze Toned	
	629 Bright Stainless Steel	
	630 Satin Stainless Steel	



8000C, 8300C Complete Pac for Latchbolt Locks

MODEL	; DESCRIPTION	; 630
8000C		^s 266
8000C-LBM	Latchbolt monitor	^{\$} 386
8300C		^s 602
8300C-LBM	Latchbolt monitor	^{\$} 722

8000, 8300 Electric Strike Bodies

MODEL	DESCRIPTION	630
8000		^{\$} 233
8000-LBM	Latchbolt monitor	^{\$} 353
8300		^{\$} 569
8300-LBM	Latchbolt monitor	^{\$} 689



Faceplates

MODEL	DESCRIPTION	605	606	612	613	629	630	BLK
801	For use with: Cylindrical locksets in ANSI metal jambs, with latchbolts up to 5/8" throw	^{\$} 86	^{\$} 70	^{\$} 70	^{\$} 56	^{\$} 86	\$33	^{\$} 56
801A	For use with: Cylindrical locksets with latchbolts up to 5/8" throw. Includes universal mounting tabs. Aluminum frames.	^{\$} 92	^{\$} 75	^{\$} 75	^s 61	^{\$} 92	^s 40	^{\$} 61
801E	For use with: Extended lip for 'knock-down' style frame installations. For use with cylindrical latchbolts up to 5/8" throw.	^{\$} 86	^{\$} 70	^{\$} 70	^{\$} 56	^{\$} 86	^{\$} 34	^{\$} 56
802	For use with: Cylindrical locksets with latchbolts up to 5/8" throw. Includes universal mounting tabs. Aluminum frames.	^{\$} 107	\$88	^{\$} 88	§76	^{\$} 107	^{\$} 53	^{\$} 84
803	For use with: Cylindrical locksets with latchbolts up to 5/8" throw. Includes universal mounting tabs. Aluminum frames.	^{\$} 107	\$88	^{\$} 88	§76	^{\$} 107	^{\$} 53	^{\$} 76
805	For use with: Cylindrical locksets. For use with latchbolts up to 5/8" throw Four point mounting for wood installations.	^{\$} 107	\$88	\$88	^{\$} 76	^{\$} 107	^{\$} 53	§76

How to Order Specify quantity and the following information. Order related products separately.

SERIES	MODEL	FINISH*	OPTION(S)
8000	_	- 630	– LBM
8000, 8300 Universal Electric	C Complete Electric Strike; includes	605 Bright Brass	LBM Latchbolt Monitor
Strike; faceplates	the 801 and 801A faceplates	606 Satin Brass	
ordered separately		612 Satin Bronze	
	(blank) Strike Body Only	613 Bronze Toned	
		629 Bright Stainless Steel	
		630 Satin Stainless Steel	
		BLK Black	

*Complete Pacs are only available in 630 finish.

8500 Electric Strike Bodies

MODEL	DESCRIPTION	605	606	612	613	629	630
8500		^s 646	^{\$} 634	^{\$} 634	^{\$} 634	^{\$} 646	^{\$} 577
8500-LBM	Latchbolt monitor	^{\$} 766	^{\$} 754	^{\$} 754	^{\$} 754	^{\$} 766	^{\$} 697
8500-LBSM	Latchbolt strike monitor	^{\$} 776	^{\$} 764	^{\$} 764	^{\$} 764	^{\$} 776	^{\$} 707

Faceplates

MODEL	DESCRIPTION	605	606	612	613	629	630
851M	For use with: Mortise locksets. Compatible locksets: Sargent 8100, 8200, 9200	\$98	^{\$} 80	^{\$} 80	^{\$} 70	^{\$} 98	^{\$} 45
852K	For use with: Mortise locksets. Compatible locksets: Corbin Russwin ML 2000	^{\$} 97	^{\$} 79	^{\$} 79	^{\$} 69	^{\$} 97	^{\$} 44
852L	For use with: Mortise locksets. Compatible locksets: Schlage L9000	\$98	^{\$} 80	^{\$} 80	\$70	^s 98	^{\$} 44
852M	For use with: Mortise locksets. Compatible locksets: Yale 8700 (manufactured after 2005) & 8800, Accurate, Falcon, Kaba Ilco/Unican	\$98	^{\$} 80	^{\$} 80	^{\$} 70	\$98	^{\$} 45



How to Order Specify quantity and the following information. Order related products separately.

SERIES	FINISH*	OPTION(S)
8500	- 630	– LBM
8500 Universal Electric	605 Bright Brass	LBM Latchbolt Monitor
Strike; faceplates	606 Satin Brass	LBSM Latchbolt Strike Monitor
ordered separately	612 Satin Bronze	
	613 Bronze Toned	
	629 Bright Stainless Steel	
	630 Satin Stainless Steel	

UNL, MUNL Electric Strike for Latchbolt Locks

MODEL	605	613	626
UNL-12		^{\$} 637	^{\$} 572
UNL-24		^{\$} 637	^{\$} 572
MUNL-12	^{\$} 816	^{\$} 856	^{\$} 797
MUNL-24	^s 816	^{\$} 856	^{\$} 797

Accessories

ITEM	DESCRIPTION	PRICE
FSUNL-12	Fail Safe/Fail Secure UnLatch Module, 12 VDC	^{\$} 141
FSUNL-24	Fail Safe/Fail Secure UnLatch Module, 24 VDC	^{\$} 141

 $How \ to \ Order \ {\it Specify quantity and the following information. Order \ related \ products \ separately.}$

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH
MUNL	_	- 24	– 10B
UNL Cylindrical	(blank) Fail Secure (Standard)	12 12 Volt	(blank) US26D/626—Stainless Steel
MUNL Mortise	Note: FSUNL for field-	24 24 Volt	10B US10B/613—Oil Rubbed Bronze
	selectable fail safe operation ordered separately		US3 US03/605—Bright Brass





9400, 9500, 9600, 9700, 9800 Surface Mounted Electric Strikes for Rim Exit Devices

MODEL	DESCRIPTION	605	606	612	613	613E	628E	629	630	BSP
9400		^{\$} 674	^{\$} 655	^{\$} 655	^{\$} 655	^{\$} 620		^{\$} 674	^{\$} 570	^{\$} 620
9400-LBM	Latchbolt monitor	^{\$} 784	^{\$} 765	^{\$} 765	^{\$} 765	^{\$} 730		^{\$} 784	^{\$} 680	^{\$} 730
9400-LBSM	Latchbolt strike monitor	^{\$} 794	^{\$} 775	^{\$} 775	^{\$} 775	^{\$} 740		^{\$} 794	^{\$} 690	^{\$} 740
9500		^{\$} 779	^{\$} 760	^{\$} 760	^{\$} 760	^{\$} 725		^{\$} 779	^{\$} 675	^{\$} 725
9500-LBM	Latchbolt monitor	\$889	\$870	^{\$} 870	^{\$} 870	^{\$} 835		\$889	^{\$} 785	\$835
9500-LBSM	Latchbolt strike monitor	\$899	\$880	\$880	^{\$} 880	^{\$} 845		^{\$} 899	^{\$} 795	^{\$} 845
9600		^{\$} 674	^{\$} 655	^{\$} 655	^{\$} 655	^{\$} 620		^{\$} 674	^{\$} 570	^{\$} 620
9600-LBM	Latchbolt monitor	^{\$} 784	§765	^{\$} 765	^{\$} 765	^{\$} 730		^{\$} 784	\$680	\$730
9600-LBSM	Latchbolt strike monitor	^{\$} 794	^{\$} 775	^{\$} 775	^{\$} 775	^{\$} 740		^{\$} 794	^{\$} 690	^{\$} 740
9700		\$779	§760	^{\$} 760	^{\$} 760	^{\$} 725		^{\$} 779	^{\$} 675	^{\$} 725
9700-LBM	Latchbolt monitor	\$889	^{\$} 870	^{\$} 870	^{\$} 870	^{\$} 835		^{\$} 889	^{\$} 785	^{\$} 835
9700-LBSM	Latchbolt strike monitor	\$899	^{\$} 880	\$880	\$880	^{\$} 845		^{\$} 899	^{\$} 795	^{\$} 845
9800		^{\$} 779	\$760			\$725	^{\$} 725	^{\$} 779	^{\$} 675	^{\$} 725



Accessories

ITEM	DESCRIPTION	PRICE
9000-MTK	Metal template installation kit	^{\$} 87
SMB	Surface mounting box	^{\$} 232

Spacer Plates/ Brackets

MODEL	DESCRIPTION	613E	628	628E	630	BSP
9000-108	1/8" Spacer plate	^{\$} 50		^{\$} 50	\$36	^{\$} 50
9000-116	1/16" Spacer plate	^{\$} 50		^{\$} 50	\$36	^{\$} 50
9000-ASB	Aluminum spacer bracket	^{\$} 119	^{\$} 109			^{\$} 119

How to Order Specify quantity and the following information. Order related products separately.

SERIES	FINISH	OPTION(S)
9600	- 630	– LBM
9400 Surface Mounted Electric Strike for 1/2" Pullman	605 Bright Brass	LBM Latchbolt Monitor
Exit Device; no faceplates required	606 Satin Brass	LBSM Latchbolt
9500 Surface Mounted Electric Strike for 3/4" Pullman,	612 Satin Bronze	Strike Monitor
fire rated; no faceplates required	613 Bronze Toned	
9600 Surface Mounted Electric Strike for 3/4" Pullman Rim	613E Dark Oxidized Satin Bronze	
Exit Devices, non-fire rated; no faceplates required	629 Bright Stainless Steel	
9700 Surface Mounted Electric Strike for Corbin Russwin SecureBolt®	628E* Satin Aluminum Powder	
and Yale SquareBolt® Rim Exit Devices; no faceplates required	630 Satin Stainless Steel	
9800 Surface Mounted Electric Strike for Adams Rite® Starwheel and Interlocking Rim Exit Devices; no faceplates required	BSP Black Suede Powder	

*Only Available on 9800





US hesinnovations.com | 800 626 7590 | customerservice.hes@assaabloy.com Canada assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

Folger Adam SB:310-1(1/2) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(1/2)-12D		^{\$} 657
SB:310-1(1/2)-24D		^{\$} 657
SB:310-1(1/2)-F-12D	Fail safe	^{\$} 657
SB:310-1(1/2)-F-24D	Fail safe	^{\$} 657
SB:310-1(1/2)-12D-LCBMA		^{\$} 824
SB:310-1(1/2)-24D-LCBMA		^{\$} 824
SB:310-1(1/2)-F-12D-LCBMA	Fail safe	^{\$} 824
SB:310-1(1/2)-F-24D-LCBMA	Fail safe	^{\$} 824

Folger Adam SB:310-1(3/4) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(3/4)-12D		^{\$} 657
SB:310-1(3/4)-24D		^{\$} 657
SB:310-1(3/4)-F-12D	Fail safe	^{\$} 657
SB:310-1(3/4)-F-24D	Fail safe	^{\$} 657
SB:310-1(3/4)-12D-LCBMA		^{\$} 824
SB:310-1(3/4)-24D-LCBMA		^{\$} 824
SB:310-1(3/4)-F-12D-LCBMA	Fail safe	^{\$} 824
SB:310-1(3/4)-F-24D-LCBMA	Fail safe	^{\$} 824

Folger Adam SB:310-1(PK) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(PK)-12D		^{\$} 657
SB:310-1(PK)-24D		^{\$} 657
SB:310-1(PK)-F-12D	Fail safe	^{\$} 657
SB:310-1(PK)-F-24D	Fail safe	^{\$} 657
SB:310-1(PK)-12D-LCBMA		^{\$} 824
SB:310-1(PK)-24D-LCBMA		^{\$} 824
SB:310-1(PK)-F-12D-LCBMA	Fail safe	^{\$} 824
SB:310-1(PK)-F-24D-LCBMA	Fail safe	^{\$} 824

Folger Adam SB:310-1(1) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(1)-12D		^{\$} 657
SB:310-1(1)-24D		^{\$} 657
SB:310-1(1)-F-12D	Fail safe	^{\$} 657
SB:310-1(1)-F-24D	Fail safe	^{\$} 657
SB:310-1(1)-12D-LCBMA		^{\$} 824
SB:310-1(1)-24D-LCBMA		^{\$} 824
SB:310-1(1)-F-12D-LCBMA	Fail safe	^{\$} 824
SB:310-1(1)-F-24D-LCBMA	Fail safe	^{\$} 824

Folger Adam SB:310-1(SK) Electric Strike Bodies

ITEM	DESCRIPTION	PRICE
SB:310-1(SK)-12D		\$683
SB:310-1(SK)-24D		^{\$} 683
SB:310-1(SK)-F-12D	Fail safe	^{\$} 683
SB:310-1(SK)-F-24D	Fail safe	^{\$} 683
SB:310-1(SK)-12D-LCBMA		^{\$} 850
SB:310-1(SK)-24D-LCBMA		^{\$} 850
SB:310-1(SK)-F-12D-LCBMA	Fail safe	^{\$} 850
SB:310-1(SK)-F-24D-LCBMA	Fail safe	^{\$} 850

How to Order Specify quantity and the following information. Order related products separately.

PREFIX	SERIES	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)	
SB	310-1	(3/4)	– F	– 24D	– LCBMA	
Strike BODY	ONLY					
SB Strike		(1/2) 1/2" keeper	(blank) Fail Secure (Standard)	12D 12 Volt	LCBMA Latchbolt & locking cam monitor with	
Body		(3/4) 3/4" keeper	F Fail Safe	24D 24 Volt		
		(1) 1" keeper			auxiliary switch	
(PK) For use with 3/4" Pullman style late	(PK) For use with 3/4" Pullman style latchbolts					
		(SK) For use with Squarebolt [®] style rim exit devices				



Folger Adam 310-2 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
310-2-12D		^{\$} 975	^{\$} 936	^{\$} 936	\$883	^{\$} 975	^{\$} 838
310-2-24D		^{\$} 975	^{\$} 936	^{\$} 936	^{\$} 883	^{\$} 975	^{\$} 838
310-2-F-12D	Fail safe	^{\$} 975	^{\$} 936	^{\$} 936	^{\$} 883	^{\$} 975	^{\$} 838
310-2-F-24D	Fail safe	^{\$} 975	^{\$} 936	^{\$} 936	^{\$} 883	^{\$} 975	^{\$} 838
310-2-12D-LCBMA		^{\$} 1142	^{\$} 1102	^{\$} 1102	^{\$} 1060	^{\$} 1142	^{\$} 1004
310-2-24D-LCBMA		^{\$} 1142	^{\$} 1102	^{\$} 1102	^{\$} 1060	^{\$} 1142	^{\$} 1004
310-2-F-12D-LCBMA	Fail safe	^{\$} 1142	^{\$} 1102	^{\$} 1102	^{\$} 1060	^{\$} 1142	^{\$} 1004
310-2-F-24D-LCBMA	Fail safe	^{\$} 1142	^{\$} 1102	^{\$} 1102	^{\$} 1060	^{\$} 1142	^{\$} 1004

Folger Adam 310-2 3/4 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
310-2 3/4-12D		^{\$} 1079	^{\$} 1043	^{\$} 1043	^{\$} 1002	^{\$} 1077	^{\$} 956
310-2 3/4-24D		^{\$} 1079	^{\$} 1043	^{\$} 1043	^{\$} 1002	^{\$} 1077	^{\$} 956
310-2 3/4-F-12D	Fail safe	^{\$} 1079	^{\$} 1043	^{\$} 1043	^s 1002	^{\$} 1077	^{\$} 956
310-2 3/4-F-24D	Fail safe	^{\$} 1079	^{\$} 1043	^{\$} 1043	^{\$} 1002	^{\$} 1077	^{\$} 956
310-2 3/4-12D-LCBMA		^{\$} 1258	^{\$} 1209	^{\$} 1209	^{\$} 1166	^{\$} 1243	^{\$} 1121
310-2 3/4-24D-LCBMA		^{\$} 1258	^{\$} 1209	^{\$} 1209	^{\$} 1166	^{\$} 1243	^{\$} 1121
310-2 3/4-F-12D- LCBMA	Fail safe	^{\$} 1258	^{\$} 1209	^{\$} 1209	^{\$} 1166	^{\$} 1243	^{\$} 1121
310-2 3/4-F-24D- LCBMA	Fail safe	^{\$} 1258	^{\$} 1209	^{\$} 1209	^{\$} 1166	^s 1243	^{\$} 1121

Folger Adam 310-2 3/4OB

Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
310-2 3/4OB-12D		^{\$} 1321	^{\$} 1283	^{\$} 1283	^{\$} 1244	^{\$} 1321	^{\$} 1183
310-2 3/4OB-24D		^{\$} 1321	^{\$} 1283	^{\$} 1283	^{\$} 1244	^{\$} 1321	^{\$} 1183
310-2 3/4OB-F-12D	Fail safe	^{\$} 1321	^{\$} 1283	^{\$} 1283	^{\$} 1244	^{\$} 1321	^{\$} 1183
310-2 3/4OB-F-24D	Fail safe	^{\$} 1321	^{\$} 1283	^{\$} 1283	^{\$} 1244	^{\$} 1321	^{\$} 1183

Folger Adam 310-3-1 Electric Strike for Latchbolt Locks & Deadbolts

MODEL	DESCRIPTION	605	606	612	613	629	630
310-3-1-12D		^{\$} 1265	^{\$} 1245	^{\$} 1245	^{\$} 1203	^{\$} 1265	^{\$} 1198
310-3-1-24D		^{\$} 1265	^{\$} 1245	^{\$} 1245	^{\$} 1203	^{\$} 1265	^{\$} 1198
310-3-1-F-12D	Fail safe	^{\$} 1265	^{\$} 1245	^{\$} 1245	^{\$} 1203	^{\$} 1265	^{\$} 1198
310-3-1-F-24D	Fail safe	^{\$} 1265	^{\$} 1245	^{\$} 1245	^{\$} 1203	^{\$} 1265	^{\$} 1198
310-3-1-12D-LCBMA		^{\$} 1442	^s 1411	^s 1411	^{\$} 1371	^{\$} 1442	^{\$} 1364
310-3-1-24D-LCBMA		^{\$} 1442	^s 1411	^s 1411	^{\$} 1371	^{\$} 1442	^{\$} 1364
310-3-1-F-12D-LCBMA	Fail safe	^{\$} 1442	^s 1411	^s 1411	^{\$} 1371	^{\$} 1442	^{\$} 1364
310-3-1-F-24D-LCBMA	Fail safe	^{\$} 1442	^{\$} 1411	^{\$} 1411	^{\$} 1371	^{\$} 1442	^{\$} 1364

$How \ to \ Order \ \ {\it Specify quantity and the following information. Order \ related \ products \ separately.}$

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)
310-2	– F	– 24D	- 613	– LCBMA
KEEPER STYLE				
310-2 1/2" keeper standard;	(blank) Fail		605 Bright Brass	LCBMA*
for up to a 5/8" throw latchbolt	Secure (Standard)	240 24	606 Satin Brass	Latchbolt &
310-2 3/4 3/4" keeper	F Fail Safe	Volt	612 Satin Bronze	locking cam monitor with
standard; for up to a 3/4" throw latchbolt without deadbolt			613 Bronze Toned	auxiliary switch
			629 Bright	5
310-2 3/4OB * 3/4" keeper standard; for a pair of doors			Stainless Steel	
without a door coordinator			630 Satin Stainless Steel	
310-3-1 1" keeper standard; for up to a 3/4" throw latchbolt and a 1" deadbolt			אנפו	

*LCBMA not available with 310-2 3/40B.



MODEL 605 606 612 613 629 630 FP-310-2 \$307 \$267 \$267 \$227 \$307 \$182

Faceplates

MODEL	605	606	612	613	629	630
FP-310-2-34	^{\$} 421	\$386	\$386	^{\$} 344	^{\$} 419	^{\$} 298
Faceplate	es					
MODEL	605	606	612	613	629	630
FP-310-2-34OB	^{\$} 649	^{\$} 614	^{\$} 619	^{\$} 574	^{\$} 649	^{\$} 524
Faceplate	es					

MODEL 605 606 612 613 629 630 FP-310-3-1 \$606 \$575 \$575 \$535 \$606 \$541

How to Order

PREFIX	SERIES	FINISH			
FP	– 310-2 3/4OB	- 630			
FACEPLATE O	NLY				
FP Faceplate	310-2 1/2" keeper standard;	605 Bright Brass			
	for up to a 5/8" throw latchbolt	606 Satin Brass			
	310-23/4 3/4" keeper	612 Satin Bronze			
	standard; for up to a 3/4" throw	613 Bronze Toned			
	latchbolt without deadbolt 310-2 3/4OB 3/4" keeper	629 Bright Stainless Steel			
	standard; for a pair of doors without a door coordinator	630 Satin Stainless Steel			
	310-3-1 1" keeper standard; for up to a 3/4" throw latchbolt and a 1" deadbolt	Jici			

US hesinnovations.com | 800 626 7590 | customerservice.hes@assaabloy.com Canada assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

Folger Adam 310-4 Electric Strike for Pullman Rim Exit Devices

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-12D		^{\$} 1007	^{\$} 969	^{\$} 969	^{\$} 924	^{\$} 1007	^{\$} 877
310-4-24D		^{\$} 1007	^{\$} 969	^{\$} 969	^{\$} 924	^{\$} 1007	^{\$} 877
310-4-F-12D	Fail safe	^{\$} 1007	^{\$} 969	^{\$} 969	^{\$} 924	^{\$} 1007	^{\$} 877
310-4-F-24D	Fail safe	^{\$} 1007	^{\$} 969	^{\$} 969	^{\$} 924	^{\$} 1007	^{\$} 877
310-4-12D-LCBMA		^{\$} 1181	^{\$} 1134	^{\$} 1134	^{\$} 1089	^{\$} 1181	^{\$} 1041
310-4-24D-LCBMA		^{\$} 1181	^s 1134	^s 1134	^{\$} 1089	^s 1181	^{\$} 1041
310-4-F-12D-LCBMA	Fail safe	^{\$} 1181	^{\$} 1134	^{\$} 1134	^{\$} 1089	^{\$} 1181	^{\$} 1041
310-4-F-24D-LCBMA	Fail safe	^{\$} 1181	^s 1134	^s 1134	^{\$} 1089	^s 1181	^{\$} 1041

Folger Adam 310-4(S) Electric Strike for Squarebolt[®] Rim Exit Device

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4(S)-12D		^{\$} 1056	^{\$} 1019	^{\$} 1019	^{\$} 977	^{\$} 1056	^{\$} 931
310-4(S)-24D		^{\$} 1056	^{\$} 1019	^{\$} 1019	^{\$} 977	^{\$} 1056	^{\$} 931
310-4(S)-F-12D	Fail safe	^{\$} 1056	^{\$} 1019	^{\$} 1019	^{\$} 977	^{\$} 1056	^{\$} 931
310-4(S)-F-24D	Fail safe	^{\$} 1056	^{\$} 1019	^{\$} 1019	^{\$} 977	^{\$} 1056	^{\$} 931
310-4(S)-12D-LCBMA		^{\$} 1233	^{\$} 1197	^{\$} 1197	^{\$} 1152	^{\$} 1233	^{\$} 1096
310-4(S)-24D-LCBMA		^{\$} 1233	^{\$} 1197	^{\$} 1197	^{\$} 1152	^{\$} 1233	^{\$} 1096
310-4(S)-F-12D-LCBMA	Fail safe	^{\$} 1233	^{\$} 1197	^{\$} 1197	^{\$} 1152	^{\$} 1233	^{\$} 1096
310-4(S)-F-24D-LCBMA	Fail safe	^{\$} 1233	^{\$} 1197	^{\$} 1197	^{\$} 1152	^{\$} 1233	^{\$} 1096

How to Order Specify quantity and the following information. Order related products separately.

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)	
310-4 (S)	– F	– 24D	- 613	– LCBMA	
KEEPER STYLE					
310-4 PK keeper standard; for	(blank) Fail	12D 12 Volt	605 Bright Brass	LCBMA*	
use with 3/4" Pullman style latchbolts	Secure (Standard)	24D 24	606 Satin Brass	Latchbolt &	
	F Fail Safe	Volt	612 Satin Bronze	U	
310-4(S) SK keeper standard;			613 Bronze Toned	auxiliary switch	
for use with Squarebolt® style			629 Bright Stainless Steel	LCBMA* Latchbolt & locking cam monitor with auxiliary switch	
rim exit devices			630 Satin Stainless Steel		
			*LCBMA not availab	ole with 310-2 3/40B.	



Faceplates

MODEL	605	606	612	613	629	630
FP-310-4	\$349	\$312	\$312	^{\$} 265	\$349	^{\$} 218

Faceplates

MODEL	605	606	612	613	629	630
FP-310-4-SK	\$381	^{\$} 348	^{\$} 348	\$304	\$381	^{\$} 255

How to Order

PREFIX	SERIES	KEEPER STYLE	FINISH		
FP	- 310-4	(SK)	- 630		
FACEPLATE O	NLY				
FP Faceplate	310-4	(Blank) Keeper	605 Bright Brass		
		standard; for use	606 Satin Brass		
		with 3/4" Pullman style latchbolts	612 Satin Bronze		
	(SK) For use with Squarebolt®		613 Bronze Toned		
		style rim exit devices	629 Bright Stainless Steel		
			630 Satin Stainless Steel		



Folger Adam 310-4-1 Electric Strike for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-1-12D		^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-1-24D		^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-1-F-12D	Fail safe	^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-1-F-24D	Fail safe	^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-1-12D-LCBMA		^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1934	^{\$} 2008	^{\$} 1934
310-4-1-24D-LCBMA		^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1934	^{\$} 2008	^{\$} 1934
310-4-1-F-12D-LCBMA	Fail safe	^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1934	^{\$} 2008	^{\$} 1934
310-4-1-F-24D-LCBMA	Fail safe	^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1934	^{\$} 2008	^{\$} 1934

Folger Adam 310-4-2 Electric Strike for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-2-12D		^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-2-24D		^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-2-F-12D	Fail safe	^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-2-F-24D	Fail safe	^{\$} 1708	^{\$} 1665	^{\$} 1665	^{\$} 1639	^{\$} 1708	^{\$} 1639
310-4-2-12D-LCBMA		^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1934	^{\$} 2008	^{\$} 1934
310-4-2-24D-LCBMA		^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1934	^{\$} 2008	^{\$} 1934
310-4-2-F-12D-LCBMA	Fail safe	^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1888	^{\$} 2008	^{\$} 1934
310-4-2-F-24D-LCBMA	Fail safe	^{\$} 2008	^{\$} 1961	^{\$} 1961	^{\$} 1934	^{\$} 2008	^{\$} 1934

Folger Adam 310-4-3

Electric Strike for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-3-12D		^{\$} 1790	^{\$} 1748	^{\$} 1748	^{\$} 1717	^{\$} 1790	^{\$} 1717
310-4-3-24D		^{\$} 1790	^{\$} 1748	^{\$} 1748	^{\$} 1717	^{\$} 1790	^{\$} 1717
310-4-3-F-12D	Fail safe	^{\$} 1790	^{\$} 1748	^{\$} 1748	^{\$} 1717	^{\$} 1790	^{\$} 1717
310-4-3-F-24D	Fail safe	^{\$} 1790	^{\$} 1748	^{\$} 1748	\$1717	^{\$} 1790	^{\$} 1717
310-4-3-12D-LCBMA		^{\$} 2086	^{\$} 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	\$2012
310-4-3-24D-LCBMA		^{\$} 2086	^{\$} 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	\$2012
310-4-3-F-12D-LCBMA	Fail safe	^{\$} 2086	^{\$} 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	^{\$} 2012
310-4-3-F-24D-LCBMA	Fail safe	^{\$} 2086	^{\$} 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	\$2012

Folger Adam 310-4-30

Electric Strike for Surface Vertical Rods

MODEL	DESCRIPTION	605	606	612	613	629	630
310-4-30-12D		^{\$} 1790	^{\$} 1748	^{\$} 1748	^{\$} 1717	^{\$} 1790	^{\$} 1717
310-4-30-24D		^{\$} 1790	^{\$} 1748	^{\$} 1748	^{\$} 1717	^{\$} 1790	^{\$} 1717
310-4-30-F-12D	Fail safe	^{\$} 1790	^{\$} 1748	^{\$} 1748	^{\$} 1717	^{\$} 1790	^{\$} 1717
310-4-30-F-24D	Fail safe	^{\$} 1790	^{\$} 1748	^{\$} 1748	^{\$} 1717	^{\$} 1790	^{\$} 1717
310-4-30-12D-LCBMA		^{\$} 2086	^{\$} 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	^{\$} 2012
310-4-30-24D-LCBMA		^{\$} 2086	^s 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	^{\$} 2012
310-4-30-F-12D-LCBMA	Fail safe	^{\$} 2086	^{\$} 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	^{\$} 2012
310-4-30-F-24D-LCBMA	Fail safe	^{\$} 2086	^{\$} 2045	^{\$} 2045	^{\$} 2012	^{\$} 2086	^{\$} 2012

How to Order Specify quantity and the following information. Order related products separately.

· · ·				
FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)	
F	– 24D	- 612	–LCBMA	
(blank) Fail Secure	12D 12 Volt	605 Bright Brass	LCBMA	
(Standard) F Fail Safe	24D 24 Volt	606 Satin Brass	Latchbolt & locking cam	
		612 Satin Bronze	monitor with auxiliary switch	
		613 Bronze Toned		
	629 Bright Stainless St			
		630 Satin Stainless Steel		
	FAIL SAFE/SECURE F (blank) Fail Secure (Standard)	F – 24D (blank) Fail Secure (Standard) 12D 12 Volt 24D 24 Volt	FAIL SAFE/SECURE VOLTAGE FINISH F - 24D - 612 (blank) Fail Secure (Standard) 12D 12 Volt 24D 24 Volt 605 Bright Brass 606 Satin Brass F Fail Safe 12D 12 Volt 24D 24 Volt 605 Bright Brass 612 Satin Bronze G12 Satin Bronze Toned 629 Bright Stainless Steel	



INSTALLATION NOTE: Double-door models are available with four different center-to-center dimensions between latchbolt keepers. Keepers are wide enough to compensate for vertical rod exit bolts, which may be as much as 3/8" (10 mm) off center-to-center dimension, either way. When using an electric strike in conjunction with a vertical rod exit device, it is necessary that:

- 1. The bottom rod of the exit device be removed or made inoperative
- 2. The latchbolt of the exit device be the "Pullman" or beveled type
- 3. The latchbolt be free-latching and remain projected while the door is open. Mechanisms that hold the latchbolt retracted while the door is open, and automatically release it when the door is closed, must be removed or made inoperative.

Faceplat	es					
MODEL	605	606	512	613	629	630
FP-310-4-1	^{\$} 507	\$462 ^{\$}	462	^{\$} 453	^{\$} 507	^{\$} 453
Faceplat	es					
MODEL	605	606	512	613	629	630
FP-310-4-2	^{\$} 507	\$462 ^{\$}	462	^{\$} 453	^{\$} 507	^{\$} 453
Faceplat	es					
MODEL	605	606	612		613	630
FP-310-4-3	^{\$} 585	^{\$} 543	§543	3	^{\$} 530	^{\$} 530
Faceplat		÷	;		:	
MODEL	605	606	612		613	630
FP-310-4-30	^{\$} 585	^{\$} 543	§543	3	\$530	^{\$} 530
How to C	Drder					
PREFIX		SERIES			FINIS	н
FP	-	310-4-	Х		-63	30
FACEPLATE ONL	Y					
FP Faceplate		se with vert		605	Bright B	rass
	rod spa 4" and 4	cing betwe	en		Satin Br	
		· · · · · · · · · · · · · · · · · · ·			Satin Bro	
	2 For u rod spa	613 Bronze Toned				
		nd 5-3/8"		629	Bright S Steel	tainless
	rod spa	use with ve cing betwe nd 3-3/8"		630	Satin Sta Steel	ainless

Folger Adam 310-6-1 Electric Strike for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-1-12D		^{\$} 1926	^{\$} 1653
310-6-1-24D		^{\$} 1926	^{\$} 1653
310-6-1-F-12D	Fail safe	^{\$} 1926	^{\$} 1653
310-6-1-F-24	Fail safe	^{\$} 1926	^{\$} 1653
310-6-1-12D-LCBMA		^{\$} 2220	^{\$} 1965
310-6-1-24D-LCBMA		^{\$} 2220	^{\$} 1965
310-6-1-F-12D-LCBMA	Fail safe	^{\$} 2220	^{\$} 1965
310-6-1-F-24D-LCBMA	Fail safe	^{\$} 2220	^{\$} 1965

Folger Adam 310-6-2

Electric Strike for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-2-12D		^{\$} 1926	^{\$} 1653
310-6-2-24D		^{\$} 1926	^{\$} 1653
310-6-2-F-12D	Fail safe	^{\$} 1926	^{\$} 1653
310-6-2-F-24D	Fail safe	^{\$} 1926	^{\$} 1653
310-6-2-12D-LCBMA		^{\$} 2220	^{\$} 1965
310-6-2-24D-LCBMA		^{\$} 2220	^{\$} 1965
310-6-2-F-12D-LCBMA	Fail safe	^{\$} 2220	^{\$} 1965
310-6-2-F-24D-LCBMA	Fail safe	^{\$} 2220	^{\$} 1965

Folger Adam 310-6-3

Electric Strike for Concealed Vertical Rods

MODEL	612	627
310-6-3-12D	^{\$} 1926	^{\$} 1653
310-6-3-24D	^{\$} 1926	^{\$} 1653
310-6-3-F-12D	^{\$} 1926	^{\$} 1653
310-6-3-F-24D	^{\$} 1926	^{\$} 1653
310-6-3-12D-LCBMA	\$2220	^{\$} 1965
310-6-3-24D-LCBMA	\$2220	^{\$} 1965
310-6-3-F-12D-LCBMA	^{\$} 2220	^{\$} 1965
310-6-3-F-24D-LCBMA	\$2220	^{\$} 1965

Folger Adam 310-6-8

Electric Strike for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-8-12D		^{\$} 1349	^{\$} 992
310-6-8-24D		^{\$} 1349	^{\$} 992
310-6-8-F-12D	Fail safe	^{\$} 1349	^{\$} 992
310-6-8-F-24D	Fail safe	^{\$} 1349	^{\$} 992
310-6-8-12D-LCBMA		^{\$} 1536	^{\$} 1179
310-6-8-24D-LCBMA		^{\$} 1536	^{\$} 1179
310-6-8-F-12D-LCBMA	Fail safe	^{\$} 1536	^{\$} 1179
310-6-8-F-24D-LCBMA	Fail safe	^{\$} 1536	^{\$} 1179

Folger Adam 310-6-30

Electric Strike for Concealed Vertical Rods

MODEL	DESCRIPTION	612	627
310-6-30-12D		^{\$} 1926	^{\$} 1653
310-6-30-24D		^{\$} 1926	^{\$} 1653
310-6-30-F-12D	Fail safe	^{\$} 1926	^{\$} 1653
310-6-30-F-24D	Fail safe	^s 1926	^{\$} 1653
310-6-30-12D-LCBMA		^{\$} 2220	^{\$} 1965
310-6-30-24D-LCBMA		^{\$} 2220	^{\$} 1965
310-6-30-F-12D-LCBMA	Fail safe	^{\$} 2220	^{\$} 1965
310-6-30-F-24D-LCBMA	Fail safe	^{\$} 2220	^{\$} 1965



INSTALLATION NOTE: Double-door models are available with four different center-to-center dimensions between latchbolt keepers. Keepers are wide enough to compensate for vertical rod exit bolts, which may be as much as 3/8" (10 mm) off center-to-center dimension, either way. When using an electric strike in conjunction with a vertical rod exit device, it is necessary that:

- 1. The bottom rod of the exit device be removed or made inoperative
- 2. The latchbolt of the exit device be the "Pullman" or beveled type
- 3. The latchbolt be free-latching and remain projected while the door is open. Mechanisms that hold the latchbolt retracted while the door is open, and automatically release it when the door is closed, must be removed or made inoperative.





Folger Adam 310-6-1— 310-6-30 Electric Strikes for Concealed Vertical Rods **Continued**



 $How \ to \ Order \ {\it specify quantity and the following information. Order \ related \ products \ separately.}$

SERIES	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)
310-6-X	(PK)	– F	– 24D	- 627	– LCBMA
ROD SPACING					
1 For use with vertical rod spacing between 4" and 4-3/4"	(PK) For use	(blank) Fail Secure	12D 12 Volt	612 Satin Bronze	LCBMA Latchbolt &
2 For use with vertical rod spacing between 4-5/8" and 5-3/8"	with 3/4" Pullman	(Standard)			locking cam monitor
3 For use with vertical rod spacing between 5-1/4" and 6"	style latchbolts	F Fail Safe	24D 24 Volt	627 Satin	with auxiliary switch
8 For only the active leaf of a pair of doors				Aluminum	
30 For use with vertical rod spacing between 2-5/8" and 3-3/8"					

Faceplates			How to Or	der		
MODEL	612	627	PREFIX	SERIES	KEEPER STYLE	FINISH
FP-310-6-1	^{\$} 739	^{\$} 465	FP	– 310-6-X	(PK)	- 630
Faceplates			FACEPLATE ONLY			
MODEL	612	627	FP Faceplate	1 For use with vertical rod	(PK) For use	612 Satin Bronze
FP-310-6-2	^{\$} 739	^{\$} 465		spacing between 4" and 4-3/4"	with 3/4" Pullman	627 Satin Aluminum
Faceplates				2 For use with vertical rod spacing between 4-5/8" and 5-3/8"	style latchbolts	
MODEL FP-310-6-3	612 \$739	627 \$465		3 For use with vertical rod spacing between 5-1/4" and 6"		
Faceplates				8 For only the active leaf of a pair of doors		
MODEL	612	627		30 For use with vertical rod spacing		
FP-310-6-8	^{\$} 739	^{\$} 465		between 2-5/8" and 3-3/8"		
Faceplates						
MODEL	612	627				
FP-310-6-30	^{\$} 739	^{\$} 465				

Folger Adam SB:310-1-1 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:310-1-1-12D		^{\$} 1104
SB:310-1-1-24D		^{\$} 1104
SB:310-1-1-F-12D	Fail safe	^{\$} 1104
SB:310-1-1-F-24D	Fail safe	^{\$} 1104
SB:310-1-1-12D-LCBMA		^{\$} 1423
SB:310-1-1-24D-LCBMA		^{\$} 1423
SB:310-1-1-F-12D-LCBMA	Fail safe	^{\$} 1423
SB:310-1-1-F-24D-LCBMA	Fail safe	^{\$} 1423

Folger Adam SB:310-1-2 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:310-1-2-12D		^{\$} 1104
SB:310-1-2-24D		^{\$} 1104
SB:310-1-2-F-12D	Fail safe	^{\$} 1104
SB:310-1-2-F-24D	Fail safe	^{\$} 1104
SB:310-1-2-12D-LCBMA		^s 1423
SB:310-1-2-24D-LCBMA		^{\$} 1423
SB:310-1-2-F-12D-LCBMA	Fail safe	^{\$} 1423
SB:310-1-2-F-24D-LCBMA	Fail safe	^{\$} 1423

Folger Adam SB:310-1-3 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:310-1-3-12D		^{\$} 1104
SB:310-1-3-24D		^{\$} 1104
SB:310-1-3-F-12D	Fail safe	^{\$} 1104
SB:310-1-3-F-24D	Fail safe	^{\$} 1104
SB:310-1-3-12D-LCBMA		^s 1423
SB:310-1-3-24D-LCBMA		^s 1423
SB:310-1-3-F-12D-LCBMA	Fail safe	^{\$} 1423
SB:310-1-3-F-24D-LCBMA	Fail safe	^s 1423

Folger Adam SB:310-1-30 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:310-1-30-12D		^{\$} 1104
SB:310-1-30-24D		^{\$} 1104
SB:310-1-30-F-12D	Fail safe	^{\$} 1104
SB:310-1-30-F-24D	Fail safe	^{\$} 1104
SB:310-1-30-12D-LCBMA		^{\$} 1423
SB:310-1-30-24D-LCBMA		^{\$} 1423
SB:310-1-30-F-24D-LCBMA	Fail safe	^{\$} 1423
SB:310-1-30-F-12D-LCBMA	Fail safe	^{\$} 1423

How to Order Specify quantity and the following information. Order related products separately.

PREFIX	SERIES	ROD SPACING	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)	
SB	- 310-1	– 1	(PK)	– F	– 24D	– LCBMA	
STRIKE BOD	OY ONLY						
SB Strike	310-1 Strike	1 For use with vertical rod spacing between 4" and 4-3/4"	(PK) For use	(blank) Fail	12D 12 Volt	LCBMA Latchbolt &	
Body	Body Only	2 For use with vertical rod spacing between 4-5/8" and 5-3/8"	with Pullman	Secure (Standard)		locking cam monitor	
		3 For use with vertical rod spacing between 5-1/4" and 6"	style latchbolts	F Fail Safe	24D 24 Volt	with auxiliary switch	
		30 For use with vertical rod spacing between 2-5/8" and 3-3/8"					



Folger Adam 712 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
712-12D		^{\$} 922	^{\$} 886	^{\$} 886	^{\$} 839	^{\$} 886	^{\$} 791
712-24D		^{\$} 922	\$886	^{\$} 886	^{\$} 839	^{\$} 886	^{\$} 791
712-F-12D	Fail safe	^{\$} 922	^{\$} 886	^{\$} 886	\$839	^{\$} 886	^{\$} 791
712-F-24D	Fail safe	^{\$} 922	^{\$} 886	^{\$} 886	\$839	^{\$} 886	^{\$} 791
712-12D-LBMLCM		^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960
712-24D-LBMLCM		^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960
712-F-12D-LBMLCM	Fail safe	^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960
712-F-24D-LBMLCM	Fail safe	^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960

Folger Adam 712-75 Electric Strike for Latchbolt Locks

- 0							
MODEL	DESCRIPTION	605	606	612	613	629	630
712-75-12D		^{\$} 955	^{\$} 914	^{\$} 914	\$875	^{\$} 914	^{\$} 823
712-75-24D		^{\$} 955	^{\$} 914	^{\$} 914	\$875	^{\$} 914	^{\$} 823
712-75-F-12D	Fail safe	^{\$} 955	^{\$} 914	^{\$} 914	\$875	^{\$} 914	^{\$} 823
712-75-F-24D	Fail safe	^{\$} 955	^{\$} 914	^{\$} 914	\$875	^{\$} 914	^{\$} 823
712-75-12D-LBMLCM		^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	^{\$} 993
712-75-24D-LBMLCM		^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	^{\$} 993
712-75-F-12D-LBMLCM	Fail safe	^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	^{\$} 993
712-75-F-24D-LBMLCM	Fail safe	^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	\$993

Folger Adam 732 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
732-12D		^{\$} 922	^{\$} 886	^{\$} 886	^{\$} 839	\$886	^{\$} 791
732-24D		^{\$} 922	\$886	^{\$} 886	^{\$} 839	^{\$} 886	^{\$} 791
732-F-12D	Fail safe	^{\$} 922	\$886	^{\$} 886	^{\$} 839	^{\$} 886	^{\$} 791
732-F-24D	Fail safe	^{\$} 922	\$886	^{\$} 886	^{\$} 839	^{\$} 886	^{\$} 791
732-12D-LBMLCM		^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960
732-24D-LBMLCM		^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960
732-F-12D-LBMLCM	Fail safe	^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960
732-F-24D-LBMLCM	Fail safe	^{\$} 1091	^{\$} 1054	^{\$} 1054	^{\$} 1007	^{\$} 1054	^{\$} 960

Folger Adam 732-75 Electric Strike for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
732-75-12D		^{\$} 955	^s 914	^{\$} 914	^{\$} 875	^{\$} 914	^{\$} 823
732-75-24D		^{\$} 955	^{\$} 914	^{\$} 914	^{\$} 875	^{\$} 914	^{\$} 823
732-75-F-12D	Fail safe	^{\$} 955	^{\$} 914	^{\$} 914	^{\$} 875	^{\$} 914	^{\$} 823
732-75-F-24D	Fail safe	^{\$} 955	^s 914	^{\$} 914	^{\$} 875	^{\$} 914	^{\$} 823
732-75-12D-LBMLCM		^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	\$993
732-75-24D-LBMLCM		^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	\$993
732-75-F-12D-LBMLCM	Fail safe	^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	\$993
732-75-F-24D- LBMLCM	Fail safe	^{\$} 1123	^{\$} 1081	^{\$} 1081	^{\$} 1042	^{\$} 1081	\$993



700 & 742 Series | LBMLCM: When using LBMLCM with a SARGENT 78/8200 Series or BEST 40 Series Mortise Lock, a 1/2" or 5/8" keeper latchbolt detection will be dependent on the door gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

712-75, 732-75 and 742-75: The LBMLCM option is compatible with SARGENT 78/8200 Series or BEST 40 Series 3/4" throw mortise lock latchbolts in hollow metal and wood frame applications. Monitoring capabilities are dependent on a maximum 1/8" door gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

Facepla	ites						
MODEL	605	606	612	6	13	629	630
FP-712	\$300	^{\$} 265	^{\$} 265	^{\$} 2	19	^{\$} 265	^{\$} 171
FP-712-75	\$333	^{\$} 293	^{\$} 293	^{\$} 2	54	^{\$} 293	^{\$} 201
How to	Order						
PREFIX		SERIES				FINIS	H
FP		732-	75			-61	3
FACEPLATE O	NLY						
FP Faceplate	712 1/2" PK	•		l;	605	Bright	Brass
	Hollow met to a 5/8" thr				606	Satin I	Brass
	712-75 3/4 standard; H				612	Satin E	Bronze
	frames, for latchbolt w	up to a 3	8/4" throv	v	613	Bronze	e Toned
	732PK keeper standard;629BrightWood frames, for up to aStainless5/8" throw latchboltSteel						
	732-75 3/4 standard; W up to a 3/4" without dea	/ood fra throw la	mes, for		630	Satin Stainle Steel	255

How to Order specify quantity and the following information. Order related products separately.

SOLENOID ORIENTATION	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)		
712		– F	– 24D	- 630	– LBMLCM		
712 Vertical for hollow	(blank) 1/2" PK Keeper	(blank)	12D 12 Volt	605 Bright Brass	LBMLCM		
metal frames		5 3/4 PK keeper for up to (Standard)	24D 24 Volt	606 Satin Brass	Latchbolt & locking		
732 Horizontal for wood	-75 3/4 PK keeper for up to			612 Satin Bronze	cam monitor		
and concrete frames	a 3/4" throw latchbolt	F Fail Safe		613 Bronze Toned			
	without deadbolt					629 Bright Stainless Steel	
				630 Satin Stainless Steel			

Folger Adam SB:710 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:710-12D		^{\$} 622
SB:710-24D		^{\$} 622
SB:710-F-12D	Fail safe	^{\$} 622
SB:710-F-24D	Fail safe	^{\$} 622
SB:710-12D-LBMLCM		^{\$} 789
SB:710-24D-LBMLCM		^{\$} 789
SB:710-F-12D-LBMLCM	Fail safe	^{\$} 789
SB:710-F-24D-LBMLCM	Fail safe	^{\$} 789

Folger Adam SB:710-75 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:710-75-12D		^{\$} 622
SB:710-75-24D		^{\$} 622
SB:710-75-F-12D	Fail safe	^{\$} 622
SB:710-75-F-24D	Fail safe	^{\$} 622
SB:710-75-12D-LBMLCM		^{\$} 789
SB:710-75-24D-LBMLCM		^{\$} 789
SB:710-75-F-12D-LBMLCM	Fail safe	^{\$} 789
SB:710-75-F-24D-LBMLCM	Fail safe	^{\$} 789

Folger Adam SB:730 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:730-12D		^{\$} 622
SB:730-24D		^{\$} 622
SB:730-F-12D	Fail safe	^{\$} 622
SB:730-F-24D	Fail safe	^{\$} 622
SB:730-12D-LBMLCM		^{\$} 789
SB:730-24D-LBMLCM		^{\$} 789
SB:730-F-12D-LBMLCM	Fail safe	^{\$} 789
SB:730-F-24D-LBMLCM	Fail safe	^{\$} 789

Folger Adam SB:730-75 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:730-75-12D		^{\$} 622
SB:730-75-24D		^{\$} 622
SB:730-75-F-12D	Fail safe	^{\$} 622
SB:730-75-F-24D	Fail safe	^{\$} 622
SB:730-75-12D-LBMLCM		^{\$} 789
SB:730-75-24D-LBMLCM		^{\$} 789
SB:730-75-F-12D-LBMLCM	Fail safe	^{\$} 789
SB:730-75-F-24D-LBMLCM	Fail safe	^{\$} 789

How to Order Specify quantity and the following information. Order related products separately.

PREFIX	SOLENOID ORIENTATION	KEEPER STYLE	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)
SB	710		– F	– 24D	– LBMLCM
SB Strike Body Only	710 Vertical for hollow	(blank) 1/2" PK Keeper	(blank) Fail Secure	12D 12 Volt	LBMLCM
metal frames	for up to 5/8" latchbolt	(Standard)	24D 24 Volt	Latchbolt & locking cam monitor	
	730 Horizontal for wood and concrete frames	-75 3/4" PK keeper for up to a 3/4" throw latchbolt without deadbolt	F Fail Safe		



INSTALLATION NOTE: Double-door models are available with four different center-to-center dimensions between latchbolt keepers. Keepers are wide enough to compensate for vertical rod exit bolts, which may be as much as 3/8" (10 mm) off center-to-center dimension, either way. When using an electric strike in conjunction with a vertical rod exit device, it is necessary that:

- 1. The bottom rod of the exit device be removed or made inoperative.
- 2. The latchbolt of the exit device be the "Pullman" or beveled type.

3. The latchbolt be free-latching and remain projected while the door is open. Mechanisms that hold the latchbolt retracted while the door is open, and automatically release it when the door is closed, must be removed or made inoperative.



Folger Adam 742-75 Complete Pacs for Latchbolt Locks

MODEL	DESCRIPTION	605	606	612	613	629	630
742-75-12D		^{\$} 987	^{\$} 948	^{\$} 948	^{\$} 902	^{\$} 948	^{\$} 856
742-75-24D		^{\$} 987	^{\$} 948	\$948	^{\$} 902	^{\$} 948	^{\$} 856
742-75-F-12D	Fail safe	^{\$} 987	^{\$} 948	^{\$} 948	^{\$} 902	^{\$} 948	^{\$} 856
742-75-F-24D	Fail safe	^{\$} 987	^{\$} 948	\$948	^{\$} 902	^{\$} 948	^{\$} 856
742-75-12D-LBMLCM		^{\$} 1154	^{\$} 1115	^{\$} 1115	^{\$} 1069	^{\$} 1115	^{\$} 1022
742-75-24D-LBMLCM		^{\$} 1154	^{\$} 1115	^{\$} 1115	^{\$} 1069	^{\$} 1115	^{\$} 1022
742-75-F-12D-LBMLCM	Fail safe	^{\$} 1154	^{\$} 1115	^{\$} 1115	^{\$} 1069	^{\$} 1115	^{\$} 1022
742-75-F-24D-LBMLCM	Fail safe	^{\$} 1154	^{\$} 1115	^{\$} 1115	^{\$} 1069	^{\$} 1115	^{\$} 1022



How to Order Complete Pacs Specify quantity and the following information. Order related products separately.

SERIES	FAIL SAFE/SECURE	VOLTAGE	FINISH	OPTION(S)	
742-75	-F	– 12D	-613	- LBMLCM	
SOLENOID ORI	ENTATION				
742-75	(blank) Fail	12D 12 Volt	605 Bright Brass	LBMLCM	
Vertical for	nollow metal F Fail Safe	Secure (Standard) 2	24D 24 Volt	606 Satin Brass	Latchbolt & locking
hollow metal frames, up to			612 Satin Bronze	cam monitor	
3/4" latchbolt without		613 Bronze Toned			
		629 Bright Stainless Steel			
deadbolt			630 Satin Stainless Steel		

Faceplates						
MODEL	605	606	612	613	629	630
FP-742	\$320	^{\$} 281	^{\$} 281	^{\$} 234	^{\$} 281	^{\$} 189
How to Order Faceplate Only						
PREFIX		SERIES			FINISH	
FP		- 742-	75	-	- 630	
FP Faceplate	74	742-75		605 Brigh	nt Brass	
		ollowmeta		606 Satin Brass		
		ames, for u	•	612 Satin Bronze		
		to a 3/4" throw latchbolt without		It 613 Bronze Toned		
	deadbolt			629 Bright Stainless Steel		
				630 Satin Stainless Steel		

Folger Adam SB740-75 Electric Strike Bodies

MODEL	DESCRIPTION	630
SB:740-75-12D		^{\$} 668
SB:740-75-24D		^s 668
SB:740-75-F-12D	Fail safe	^{\$} 668
SB:740-75-F-24D	Fail safe	^{\$} 668
SB:740-75-12D-LBMLCM		^s 835
SB:740-75-24D-LBMLCM		^{\$} 835
SB:740-75-F-12D-LBMLCM	Fail safe	^{\$} 835
SB:740-75-F-24D-LBMLCM	Fail safe	^{\$} 835



How to Order Specify quantity and the following information. Order related products separately.

				- · · · · · · · · · · · · · · · · · · ·
PREFIX	SERIES	FAIL SAFE/SECURE	VOLTAGE	OPTION(S)
SB	740-75	_	– 24D	_
STRIKE BODY OF	NLY			
SB Strike Body	740-75	(blank) Fail Secure (Standard)	12D 12 Volt	LBMLCM
		F Fail Safe	24D 24 Volt	Latchbolt
				& locking
				cam monitor

700 & 742 Series | LBMLCM: When using LBMLCM with a SARGENT 78/8200 Series or BEST 40 Series Mortise Lock, a 1/2" or 5/8" keeper latchbolt detection will be dependent on the door gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

712-75, 732-75 and 742-75: The LBMLCM option is compatible with SARGENT 78/8200 Series or BEST 40 Series 3/4" throw mortise lock latchbolts in hollow metal and wood frame applications. Monitoring capabilities are dependent on a maximum 1/8" door

gap in order to ensure functionality. Consult customer support regarding use with other manufacturers.

US hesinnovations.com | 800 626 7590 | customerservice.hes@assaabloy.com Canada assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

Electric Strike Accessories

Electric Strike Accessories

ITEM	DESCRIPTION	PRICE
HESCUT-MTK	For installing the 1006, 1500, 1600, 4500, 5000, 5200, 7000, and 7501 electric strikes (4-7/8" ANSI jamb preparations only)	^{\$} 85
9000-MTK	Metal template installation kit	^{\$} 87
SMB	Surface mounting box	^{\$} 232
150	Stainless steel. Installed at the edge of the door to cover the lock and electric strike. Available in 626 finish only	\$99
152	Mount inside hollow metal and aluminum jambs	^{\$} 28
157	Torx screws	^{\$} 16
157D	Tamper-Resistant Torx R20 insert bit	^{\$} 45
310-2-3	Designed to prevent tampering with the latchbolt as well as the latchbolt keeper. Prevents one door from being open before the other	^{\$} 250
2001-1	Converts AC to unfiltered DC. Rated 35 V, 2 Amp. Not recommended for 1006 Electric Strike	^{\$} 42
2001M	Converts AC to unfiltered DC. Rated 35 V, 1 Amp. Includes MOV and self-resettable fuse. Not recommended for 1006 Electric Strike.	^{\$} 74
2004M	Adapter between existing HES electric strikes and ElectroLynx® connectors	^{\$} 44
2005M3	For use with 1006, input voltage must be DC.	^{\$} 112
2006M	Audible operation indicator at 24VDC, 75db at 11-3/4"	^{\$} 56
2007M	With 4" wire leads	\$23



HESCUT-MTK



9000-MTK

SMB







Cabinet Locks

610 Multi-Purpose Electromechanical Lock

ITEM	DESCRIPTION	PRICE
610	Standard — No Monitoring	^{\$} 140
610LM	Locked State Monitoring	^{\$} 195

How to Order Specify quantity and the following information. Order related products separately.

SERIES	OPTION(S)	
610	– LM	
610 Cabinet Lock	(blank) No Monitoring	
	LM Locked State Monitoring	



660 Multi-Purpose Electromechanical Lock

MODEL	DESCRIPTION	BLK
660		^{\$} 165
660-LBSM		^{\$} 205
660-LBSM-20PK		^{\$} 4100
660-Preload		^{\$} 245
660-LBSM-Preload		^{\$} 285

Accessories

ITEM	DESCRIPTION	PRICE
660-КО	660 Key override	^{\$} 90

How to Order Specify quantity and the following information. Order related products separately.

SERIES	VOLTAGE	OPTION(S)
660	– 12V	– LBSM – Preload
660 Cabinet Lock	12V 12 Volt	(blank) No preload, no monitoring
		Preload Up to 15 lbs
		LBSM Locked state monitoring
		LBSM-20PK Locked state monitoring 20 pack
		LBSM-Preload Locked state monitoring with Preload



KP20 Series Cabinet Lock

MODE	. DESCRIPTION	BLK
КР20	Stand-alone Keypad Cabinet Lock	^{\$} 130



US hesinnovations.com | 800 626 7590 | customerservice.hes@assaabloy.com Canada assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

K100 Aperio[®] Factory Paired Cabinet Lock with AH20 Wiegand Hub

ITEM	DESCRIPTION	PRICE
K100-622H-IPS-BP	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For 1/16" to 1/2" Thick Doors With Pinch Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	^{\$} 1030
K100-622H-IPS-BP2	K100-622 Aperio [™] v3 Integrated Wireless Cabinet Lock Kit For $\leq 1/2$ " to 1-1/2" Thick Doors With Pinch Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	^{\$} 1040
K100-622H-IPS-BP3	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For ≤ 1-1/2" to 2-1/4" Thick Doors With Pinch Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	^{\$} 1050
K100-622H-IPS-BL	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For 1/16" to 1/2" Thick Doors With Lever Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	\$1030
K100-622H-IPS-BL2	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For ≤ 1/2" to 1-1/2" Thick Doors With Lever Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	^{\$} 1040
K100-622H-IPS-BL3	K100-622 Aperio™ v3 Integrated Wireless Cabinet Lock Kit For ≤ 1-1/2" to 2-1/4" Thick Doors With Lever Knob, HID multiCLASS SE Card Reader And AH20 Wiegand 1-to-1 Wireless Hub	^{\$} 1050



K100 Demo Mounts

ITEM	DESCRIPTION	PRICE
DEMO-K100- 622-IPS-BL	K100-622 Aperio™ Integrated Wireless Cabinet Lock Demo Mount With Lever Knob and HID multiCLASS SE Card Reader, NFC HID Mobile Access Enabled	^s 1105
DEMO-K100- 622-IPS-BP	K100-622 Aperio™ Integrated Wireless Cabinet Lock Demo Mount With Pinch Knob and HID multiCLASS SE Card Reader, NFC HID Mobile Access Enabled	^s 1105
Accessorie	25	

ITEM	DESCRIPTION	PRICE
OBS-622	K Series Open Back Strike Plate for Drawers	\$30

$How \ to \ Order \ \ {\it Specify quantity and the following information. Order \ related \ products \ separately.}$

SERIES	MODEL	CREDENTIAL TECHNOLOGY	COLOR	KNOB Type	SHAFT LENGTH (DOOR THICKNESS)
K100	– 622H	– IPS	– B	Р	2
	Doors with AH20	Doors with AH20 HID iCLASS® Seos™, HID MIFARE® SE, HID DESFire® EV1 SE, MIFARE	B Black	P Pinch	_ (Blank) 1/16" to 1/2" (standard)
	1:1 Wiegand Hub	Classic, MIFARE DESFire EV1, NFC-enabled mobile phones		L Lever	2 ≥ 1/2" to 1-1/2"
					3 \geq 1-1/2" to 2-1/4"
*Kit includes integrated lock paired with Wiegand 1:1 wireless hub.					

K100: The K100 Cabinet Lock is available as either a pre-paired lock and hub kit (no certification required) or as a field configurable component (requires Aperio® Certified Integrator certification). Pre-paired kits support limited features. Field configured devices are required in order to support all options. Visit www.IntelligentOpenings.com to learn more.

K200 Series Integrated Wired Access Control Cabinet Lock

ITEM	DESCRIPTION	PRICE
K200-622-IPS-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID multiCLASS SE Card Reader and Black Pinch Knob	^{\$} 705
K200-622-IPV040-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 40 Bit Card Reader and Black Pinch Knob	\$705
K200-622-IPV064-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 64 Bit Card Reader and Black Pinch Knob	\$705
K200-622-IPV075-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-1 75 Bit Card Reader and Black Pinch Knob	\$705
K200-622-IPV128-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 128 Bit Card Reader and Black Pinch Knob	\$705
K200-622-IPV200-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Doors With HID SE PIV-I 200 Bit Card Reader and Black Pinch Knob	\$705





K200 Series Integrated Wired Access Control Cabinet Lock for Drawers

ITEM	DESCRIPTION	PRICE
K200-622D-IPS-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID multiCLASS SE Card Reader and Black Pinch Knob	^{\$} 735
K200-622D-IPV040-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 40 Bit Card Reader and Black Pinch Knob	^{\$} 735
K200-622D-IPV064-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 64 Bit Card Reader and Black Pinch Knob	^{\$} 735
K200-622D-IPV075-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-1 75 Bit Card Reader and Black Pinch Knob	^{\$} 735
K200-622D-IPV128-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 128 Bit Card Reader and Black Pinch Knob	^{\$} 735
K200-622D-IPV200-BP	K200-622 Integrated Wired, Wiegand Cabinet Lock For Drawers With HID SE PIV-I 200 Bit Card Reader and Black Pinch Knob	^{\$} 735

KS-M Mechanical Server Cabinet Lock

ITEM	DESCRIPTION	PRICE
KS-M-B	KS-M Mechanical Server Cabinet Lock with No Cylinder	^{\$} 120
KS-M-B-K1	KS-M Mechanical Server Cabinet Lock with MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User)	\$220



KS200 Series Integrated Wired, Wiegand Access Control Server Cabinet Lock

ITEM	DESCRIPTION	PRICE
KS200-S-IPS-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	^{\$} 650
KS200-S-IPS-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	^{\$} 665
KS200-S-IPS-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID multiCLASS SE Card Reader, HID NFC Mobile Access Enabled	^{\$} 750
KS200-S-IPV040-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-1 40 Bit Card Reader, HID NFC Mobile Access Enabled	^s 650
KS200-S-IPV040-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 40 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 665
KS200-S-IPV040-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 40 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 750
KS200-S-IPV064-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-1 64 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 650
KS200-S-IPV064-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 64 Bit Card Reader, HID NFC Mobile Access Enabled	^s 665
KS200-S-IPV064-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 64 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 750
KS200-S-IPV075-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-1 75 Bit Card Reader, HID NFC Mobile Access Enabled	^s 650
KS200-S-IPV075-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-1 75 Bit Card Reader, HID NFC Mobile Access Enabled	^s 665
KS200-S-IPV075-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 75 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 750
KS200-S-IPV128-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-I 128 Bit Card Reader, HID NFC Mobile Access Enabled	^s 650
KS200-S-IPV128-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 128 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 665
KS200-S-IPV128-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 128 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 750
KS200-S-IPV200-B	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With No Cylinder and HID SE PIV-1 200 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 650
KS200-S-IPV200-B-BC	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 200 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 665
KS200-S-IPV200-B-K1	KS200-S Integrated Wired, Wiegand Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 200 Bit Card Reader, HID NFC Mobile Access Enabled	^{\$} 750



KS210 Series Integrated Wired, RS-485 OSDP Access Control Server Cabinet Lock

ITEM	DESCRIPTION	PRICE
KS210-S-IPS-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID multiCLASS SE Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 750
KS210-S-IPS-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID multiCLASS SE Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 765
KS210-S-IPS-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID multiCLASS SE Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 850
KS210-S-IPV040-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 40 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 750
KS210-S-IPV040-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 40 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 765
KS210-S-IPV040-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 40 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 850
KS210-S-IPV064-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 64 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 750
KS210-S-IPV064-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 64 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 765
KS210-S-IPV064-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 64 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 850
KS210-S-IPV075-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 75 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 750
KS210-S-IPV075-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 75 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 765
KS210-S-IPV075-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 75 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 850
KS210-S-IPV128-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 128 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 750
KS210-S-IPV128-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 128 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 765
KS210-S-IPV128-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 128 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 850
KS210-S-IPV200-B	KS210-S Integrated Wired, OSDP Server Cabinet Lock With No Cylinder and HID SE PIV-I 200 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 750
KS210-S-IPV200-B-BC	KS210-S Integrated Wired, OSDP Server Cabinet Lock With Blank Plastic SFIC Core and HID SE PIV-I 200 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^{\$} 765
KS210-S-IPV200-B-K1	KS210-S Integrated Wired, OSDP Server Cabinet Lock With MEDECO X4 SFIC (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User) and HID SE PIV-I 200 Bit Card Reader, HID BLE & NFC Mobile Access Enabled	^s 850

Accessories

K200, KS-M, KS200 & KS210 Accessories

ITEM	DESCRIPTION	PRICE
OBS-622	K Series Open Back Strike Plate for Drawers	^s 30
CBL6-QC12	Lock Side Interface Cable: 6 Foot, 12 Conductor and Molex both ends	^{\$} 70
CBL12-QC12	System Side Interface Cable: 12 Foot, 12 Conductor and Molex one end, pinned one end	^s 90
SFIC	KS Series MEDECO X4 SFIC Small Format Interchangeable Core (DGV Commercial Keyway) with 2 Keys (1 Control, 1 User)	^s 100
SFIC-BC	KS Series SFIC Small Format Interchangeable Core Blank, Black Plastic Core	^{\$} 15
KS-DPS	KS Series Surface Mount DPS (external)	^s 30
KS-CAM45	KS Series Locking Cam: 45MM—5	\$8
KS-CAM38	KS Series Locking Cam: 38MM—1	\$8
WT-1	Wiegand Test Box with LED Indicators	^{\$} 673
WT-2	Wiegand Test Box with LCD Backlit Display with LED Indicators	^{\$} 776



Warranties & Terms & Conditions

HES Warranties

We believe that the best products in the industry should be supported by our commitment to deliver the highest quality products and services. HES is proud to extend the most comprehensive no-fault, no-questions asked warranty coverage to all of our products and solutions. This is our expectation and commitment to you - our valued customer.



SecuriCare 10-year Warranty

Duration: Ten years from date of shipment. Condition: Any reason including, but not limited to, installation error, vandalism or force majeure. Replacement: Replacement product or equivalent shipped at h.e.s. expense via next day air freight in most cases. Products Covered:

• When installed with a Smart PAC III, the following

- electric strikes are upgraded to the 10-year warranty:
- » 1006, 1500, 1600, 4500, 5000, 5200, 7500, 8000, 8300, 8500, 9400, 9500, 9600, 9700, 9800

Replacement: Replacement product or equivalent shipped

» 1006, 1500, 1600, 4500, 5000, 5200, 7500, 8000,

8300, 8500, 9400, 9500, 9600, 9700, 9800

» Folger Adam 310, 712, 732, 742

SecuriCare 5-year Warranty

Duration: Five years from date of shipment.

Products Covered:

» MUNL.UNL

Electric Strikes:

Condition: Any reason including, but not limited to, installation error, vandalism or force majeure.

at h.e.s.'s expense via next day air freight in most cases.

SecuriCare Warrantv





Warranty

SecuriCare 3-year Warranty

» Folger Adam 310, 712, 732, 742

Duration: Three years from date of shipment. Condition: Any reason, including but not limited to, installation error, vandalism or force majeure.

Replacement: Replacement product or equivalent shipped at h.e.s.'s expense via next day air freight in most cases. Products Covered:

- ES100 Aperio[®] Wireless Electric Strike
- Cabinet Locks: K, KS and 600 Series & Accessories

Check your individual product to determine warranty coverage. Batteries and consumables are not covered by HES Warranty programs. Replacement products, at HES's sole option, may be the identical item or a unit which serves as a functional replacement. If the customer has an account with HES or a valid credit card, the customer may order an advance replacement product, whereby HES will charge the customer's account for the price of the product plus next day air freight, and will credit back to the customer the full amount of the charge, including outbound freight, upon HES receipt of the original product from the customer. HES's sole and exclusive liability, and customer's sole remedy, is limited to the replacement of the HES product when delivered to HES's facility (freight and insurance charges prepaid by customer).

HES Terms & Conditions

PRICES: All prices are subject to change without notice. Prices listed on the HES website will serve as the most current list price. All shipments will be made at prices in effect at the time of shipment. The customer shall be responsible for payment of all applicable sales and/or use taxes and freight costs.

MINIMUM ORDER: Minimum product charge per invoice is \$150.00 USD.

PAYMENT TERMS: Net thirty (30) days from date of invoice. Interest at the rate of up to 1-1/2% per month may be charged on all past due accounts. An order received on an account which has not been paid within 45 days of the date of invoice may not be processed until the account is current. Custom orders may require a deposit.

DELIVERY TERMS: All prices are Ex-works factory. Purchaser assumes the risk of loss or damage to the goods while in transit from the point of shipment. HES reserves the right to make delivery in installments. Installments shall be separately invoiced and paid for when due. Delay in delivery of an installment shall not relieve the purchaser of its obligation to accept remaining deliveries.

FREIGHT POLICY: All Purchase Orders received with a minimum net value of \$3,500 will qualify automatically for free standard freight within the continental United States. This minimum amount applies per Purchase Order to gualify and does not include free expedited freight. Qualified orders may ship partial or ship complete at your preference. Qualified orders that ship partial will not incur freight charges. All shipments that do not qualify for free freight will be charged for freight based upon our terms in effect at the time of shipment. Customers may provide their own carrier account number for expedited freight methods or for any Purchase Order to be used to cover freight costs. Minimum amounts are subject to change without notice.

SHORTAGE: Any claim for shortages must be made to HES in writing within one (1) week of receipt of merchandise.

WARRANTY RETURNS: A Customer Care Form (CCF) for defective product must be obtained from HES before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance Goods returned under the terms of MagnaCare® and SecuriCare® Warranties may require a copy of the original invoice.

RETURNS: A Customer Care Form (CCF) must be obtained from HES before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance. Items that are not factory sealed, or that are returned later than 90 days from the date of receipt are subject to a restocking charge plus an additional charge for any damage.

CANCELLATIONS: Any order may be subject to a 5% cancellation charge for catalog items. Cancellation of non-catalog or custom items will be subject to a 20% cancellation charge plus all costs (both direct and indirect) incurred by manufacturing at the point of cancellation that are properly allocated to the cancelled item(s).

LIMITATION OF LIABILITY: Neither party will be liable to the other for any delay or failure in performance arising directly out of war, sabotage, insurrection, riot, and any other act of civil disobedience, act of public enemy, fire, explosion, flood, storm, or other act of God or nature, or similar cause beyond its reasonable control, including shortage or unavailability of labor or materials. If, notwithstanding the foregoing limitations, HES has any liability to the purchaser, the purchaser agrees that the total liability to the purchaser for all losses, damages, and causes of action, whether in contract, equity, tort (including without limitation, negligence and gross negligence), or otherwise, will not exceed the amount the purchaser paid to HES for the products (including, without limitation, incidental or consequential damages, damages for lost profits or business interruption, and punitive damages).

NO THIRD PARTY LIABILITY If the purchaser uses the HES Products on behalf of others or provides to others any products referenced herein, the HES Parties shall have no liability to such persons whatsoever, and the purchaser agree to defend and indemnify the HES Parties from any and all claims and demands asserted against them, and from any legal fees, costs and other expenses that the HES Parties incur therewith.

Customers purchasing from Door Security Solutions Canada can find Canadian terms and conditions at www.assaabloy.ca/terms

US hesinnovations.com | 800 626 7590 | customerservice.hes@assaabloy.com Canada assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com



The ASSA ABLOY Group is the global leader in access solutions. Every day we help people feel safe, secure and experience a more open world.



USA

800 626 7590 | f. 866 582 4641 | hesinnovations.com customerservice.hes@assaabloy.com techsupport.hes@assaabloy.com orders.hes@assaabloy.com

CANADA

800 461 3007 | f. 800 461 8989 | assaabloydss.ca sales.dss.ca@assaabloy.com orders.dss.ca@assaabloy.com

Printed in the U.S. A. Patent pending and/or patent www.assaabloydss.com/patents Copyright © 2022, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission