SYSTEM/MODEL: LEF

MODIFICATION: Eliminate incoming call tone from sub station at master

DIFFICULTY LEVEL: 3 - Moderate - Removal or replacement of internal components.

COMPONENTS REQUIRED: N/A

INSTR/OPERATIONS: LEF-3/3C: Remove transistor TR7.

LEF-5/5C: Remove transistor TR7.


LEF-10/10C/10S: Remove transistor TR8.

REFERENCE DRAWING #: 0998-1305, 1180~1182-1305

Aiphone's product warranty applies to products properly modified using these instructions. However, if a unit is damaged as a result of improper modification, the warranty does not apply.

ELIMINATE INCOMING CALL TONE (LEF-3)

LEF-3 Schematic Diagram




Remove transistor Tr7.
This will eliminate the call tone from being heard when a remote station calls.

LEF-3 Mod. #0798-1305
Sch #1180-1305

ELIMINATE INCOMING CALL TONE (LEF-5)

LEF-5 Schematic Diagram




Remove transistor Tr7.
This will eliminate the call tone from being heard when a remote station calls the master station.

LEF-5 Mod. #0798-1305
Sch #1181-1305

ELIMINATE INCOMING CALL TONE (LEF-10, LEF-10S)

LEF-10 Schematic Diagram



Remove transistor Tr8.
This will eliminate the call tone from being heard when a remote station calls the master station.

LEF-10 Mod. #0798-1305
Sch #1182-1305