


Experience a safer and more open world







U.S. Prices Effective September 19, 2022

# **Table of Contents**

## Medeco

.4
.8
.9
.10
.13
.15
.16
.19

## **Intelligent Key Systems**

Medeco XT23	
Programming and Management24	
Intelligent Keys	
Intelligent Key Cabinet (IKC)	
Intelligent Keys	
Traffic Cabinet Lock	
XT Safe Lock	
XT Guard Tour Reader	
Rim and Mortise Cylinders	
Dual-Tech Cylinder	
Dual-Tech Cams	
Interchangeable Core Cylinders	
Key-In-Knob/Lever Cylinders	
Padlocks	
Cam and Utility Cylinders	
International Cylinders	
Specialty Cylinder Formats40	
Keys and Accessories41	
Programmers and Accessories	
M <sup>3</sup> CLIQ <sup>®</sup> 44	
Rim and Mortise Cylinders45	
Key-In-Knob/Lever Cylinders45	
Interchangeable Core Cylinders47	
Deadbolts	
Padlocks	
International Cylinders51	
CLIQ <sup>™</sup> CONNECT Keys52 CLIQ <sup>™</sup> Go53	
CLIQ <sup>™</sup> Go53	
Keys and Accessories54	
Programming and Management55	
Classic CLIQ <sup>®</sup> 57	
Rim and Mortise Cylinders	
Key-In-Knob/Lever	
Interchangeable Core Cylinders	
Padlocks	
Deadbolts	
Cam and Utility Cylinders	
Retail/Showcase Locks	
International Cylinders	
Vending Cylinder Formats	
Keys and Accessories	
Programming and Management	

## **Mechanical Technologies**

Medeco 4 High Security Locking System	67
BiLevel Technology	68
Medeco X4 Technology	69
Medeco B Technology	113

## **Mechanical Products**

Rim and Mortise Cylinders71	
Key-In-Knob/Lever Cylinders82	2
Interchangeable Cores         10           LFIC         10           SFIC         11	4
Key Management11	9
Intelligent Key Cabinet (IKC)11 T21 Key Management System	1
International Cylinders12	3
Deadbolts15Maxum15Residential Maxum16	4
Padlocks16	
All Weather Padlocks	9
System Series	8
G8R18	4
Cam/Cabinet and Switch Locks	5
Cam Locks	9 5
Plunger Locks	8

## Accessories

Keying Charges	
Keys	
Pin Kits	
Components	
Tools and Fixtures	212
Key Machines	213
Software and Support	
Product Index	214
Finishes	223



## **Key Control**

#### Medeco's Approach

The security of any locking system is dependent upon two very important factors. The first is protection against attacks such as picking, drilling, bumping, and forcing. The second is the ability to control duplication of existing keys. Historically, unauthorized key duplication has played a major role in compromising even the most sophisticated security systems. Anyone with even temporary access to original keys has no problem getting duplicates made for their own use if the keys and key blanks are not patent protected. Even stamping "Do Not Duplicate" on a key merely warns someone not to copy the key – it is not a promise of legal protection or enforcement. The only way to ensure that keys cannot be copied without the consent of the owner is a key system with patent-protected keys.

#### Medeco has counteracted the key control problem by doing three things:

- 1. Medeco manufactures cylinders which use keys that must be made on special key cutting machines. These machines are capable of reproducing the angled cuts and critical tolerances necessary to produce a workable Medeco key, and are not found at general hardware stores.
- 2. Medeco only sells its high-quality, precision machined cylinders and locks to security industry professionals. Every restricted Medeco key blank is custom coined and tracked by Medeco to identify it as an authorized key blank, which protects against unauthorized copies.
- 3. Medeco invests heavily in research and development to establish strong patents and legal agreements to protect its locks and key blanks from unauthorized distribution or manufacture.. As a result, Medeco can litigate to protect its rights and the security of its customers.

#### A Key Control Program That's Right for You

Not every user has the same key control needs. That's why Medeco has designed different key control programs and different keyways to meet a wide range of security specifications and key access requirements.



#### **Dealer/Service Center**

This program offers instant local access to additional keys with protection from unauthorized copying. Consumers simply return to the security provider from which they purchased the locks. This security professional will have a signature card on file completed by the owner of the key system at the time the system was installed.

#### **Card Programs**

Authorized individuals are issued a card with embossed control data and a space for their signature. To obtain key duplicates, card holders present the card to any participating Medeco security professional. The data and signature will be verified and a key can then be issued. A card program is ideal for residences or businesses that need keys available nationwide.



#### **End User Program**

The End User program is for large facilities that have their own locksmith on staff and that want to produce Medeco keys themselves. This program offers individualized control over key duplication procedures.



#### **Commercial Program**

The Commercial Program is designed for users who use Medeco locks primarily for protection against picking, drilling and other forms of physical attack. Keys may be obtained from any Medeco locksmith without specific authorization.



#### Factory Program

Additional keys are only available from the Medeco factory and only with the proper signature.




#### **Intelligent Key Systems**


Intelligent Key Systems allow the end user the ability to control their own system to electronically change access to any cylinder or key onsite and to obtain audit information.


Visit our website at www.medeco.com for more information on all key programs.





## MEDECO<sup>®</sup> KEY CONTROL PROGRAM REFERENCE CHART











#### Submitting Orders to Medeco:

For greater efficiency and to create the best ordering experience, orders may be submitted through three order channels: eBusiness, Email or Fax.

## **Nedeco** SSA ABLOY

#### eBusiness Order Channel

Benefit: Immediately transmit clean orders to reduce entry time to speed up delivery.

#### EDI

EDI stands for Electronic Data Interchange. It's the easiest method to use for the transmission of orders. Orders are generated directly from your ERP system and sent directly into Medeco's order entry system. EDI allows for instant and accurate transmission.

#### Medeco WebShop

Online Order Entry is a convenient web-based form which allows customers to easily use drop-down menus and filtering options to assist with product search and selection. A perfect part number is selected every time!

Visit http://extranet.assaabloydss.com to access.

#### **Email Order Channel**

Benefit: Immediately submit your orders directly into our Digital Filing System to speed up processing time.

#### In USA and International (except Canada):

#### orders.medeco@assaabloy.com; In Canada: orders.medeco.ca@assaabloy.com

Emailing orders in USA and International (except Canada):

orders.medeco@assaabloy.com; in Canada: orders.medeco.ca@assaabloy.com

This allows customers to submit purchase orders directly into Medeco's Digital Filing System. Once the order is submitted by email, an automatic email notification is sent stating the order has been received by Medeco, thus ensuring the order was not lost in transmission.

#### Fax Order Channel

<u>Benefit</u>: Immediately submit orders directly into our Digital Filing System to speed up processing time. Typed submissions receive EDI benefits of faster processing and accuracy.

#### USA Fax: 800.421.6615

#### Canada Fax: 888.263.3326

#### International Fax (except Canada): 540-380-1634

Faxing orders in USA: 800.421.6615 ; Canada: 888-263-3326 allows customers to submit purchase orders directly into Medeco's Digital Filing System. If a faxed order is typed versus handwritten, Medeco will be able to use an internal tool to send typed, faxed orders through the EDI portal to create faster order processing and reduce entry errors.

#### Special Pricing (SP) and Quotations

The SP or quote number must be referenced on the order, when submitted for processing. Any invoiced order that has the incorrect discount applied to it and did not have the SP or quote number written on the order will have a service fee of \$100.00 net DEDUCTED from any sales credit issued for the difference in the discount.

Medeco is continually developing online resources to make ordering, system management and training quicker and easier than ever. Ask your Medeco representative for more information or contact:

In USA: Customer Care Department at 877-633-3261, or customerservice.medeco@assaabloy.com.

In Canada: Customer Care Department at 888-633-3264, or customerservice.medeco.ca@assaabloy.com.

#### Medeco WebShop

The new online order entry site for Medeco products, Medeco WebShop is the quickest method to submit orders directly to the Medeco factory. It makes ordering your favorite Medeco products easier than ever before! Products are searchable by technology and type, with complete descriptions and photos. Save time by creating custom lists of commonly ordered products.

nedes:		( <b>6</b> , mm		nates .
-	4.000	A	Real ( Newson ) Based on the	1 min 1022 1
			the second instant the second second	
1	Deathala	And a second sec	THE THE OWNER A DR. A DR. AND AND AND AND	
marked a	The Report		Dealers and the second s	
	And a second second	mentioner III and the second		*
-	a 1111			
-				
	10			No.
			1	a suite
-			1 6	80114
				*) ).*
-				8
			-C	and a first of the second
	and the second s		100	10100





#### Medeco Key System Design Studio

The Medeco Key System Design Studio is an online portal that has taken the complexity out of master key design. Users simply answer a few questions about the project's system parameters and system management capabilities. Each click walks the user through the entire process: plan design, products ordering, and processing through Medeco.

Mec ASSA						ASSA ABLOY	-		Have Series Degs Hillingsrees	Medeco ASSA ABLOY			incer Solid Design (#114600466)
	1200	-			1001		(100)	(200)	(200)		2001	12,200	
Creat	te New System					How many system?	levels of keying a	do you need in this	GGHK - Great Grand Master Key GHK - Grand Master Key	Download PD			Print
Auguary	-	Existing B Address	lasterkey Designs Contact	Paret	Enal				HK - Master Key CK - Change Key	mede	τo	Key System Design Studio	Dete
Test	Open Show Factory	ADD1 Funny 1009 Big Ears NT 40021	Wages The David	(888,688,6856	+uperdiction			<b>C</b>	1.774	ASSA ABL	DY	New Neederlay System Specification	67/07/2017
TRONT	Unlinkey University	Sit25 Adegramy Dr.	John Dog	-	pre dis presente da			T	the second se	Distributor/Contract	Isr Sware, Dealer	Costan	
14907	binonos	1822 Alegrany Drive Sales, 16 24152						0 0		SLD	1500010012	kulin Doe	
19011	244.1	Test Test DC 24110	NO.		(egent too	 00			A A A A A	101 Harst	1.00	(\$35)005-0555 John des@eric.ets.ab.	
14977	Tigher Sa Cream	123 Roog Ha 1943542 FA.73152	way musica	1000,000.0000	over beine gestimmen um		Name	0000	0000000	End Unitr/316 Name		John des granden and	

- Saves time by eliminating questions and missing information.
- Speeds up master key order and system processing
- Provides real-time master key assistance via integrated chat with a Master Key Specialist
- Allows users to manage their submitted master key systems

Both the Medeco Key System Design Studio and Medeco WebShop are located on the ASSA ABLOY DSS Extranet, in the same location as crcDash. If you do not have a DSS Extranet login, please contact the Medeco Customer Care department for a registration form today!

In USA: Phone: 877-633-3261 • Email: customerservice.medeco@assaabloy.com

In Canada: Phone: 888-633-3264 • Email: customerservice.medeco.ca@assaabloy.com

#### **ROA Portal Record of Authorization Digitization**

The Record of Authorization (ROA) portal allows an end-user to authorize another purchaser on their behalf, instantly. The ROA portal allows an authorized end-user to sign, manage, and authorize ordering restricted Medeco products such as key blanks and pinned cylinders with a few clicks of a button. The ROA portal is the quickest way to reduce processing time with Medeco's authorization requirements. See complete guide to ROA Portal, pages 10-11.

#### Training


Factory certification is offered on a regular basis at Medeco's Salem, Virginia facility and at other facilities around the United States and Canada.

Medeco<sup>®</sup> offers factory certification classes with a comprehensive study of our patented Medeco 4 technology used in Medeco<sup>®</sup> cylinders. Additionally, we offer certification classes for our Medeco X4<sup>®</sup>, and M<sup>3</sup> CLIQ and Medeco XT product lines.

Overviews of other Medeco<sup>®</sup> technologies and product lines are available online at the ASSA ABLOY Academy. Here you will find installation videos, product overview videos, sales technique videos and many other tools to assist you. To visit the online University, please visit **www.assaabloyacademy.com**. If you do not already have an account, you will need to register for one. Registration and online classes are complimentary.

## Medeco<sup>®</sup> ROA Portal

## **Record of Authorization User Guide**



Go to roa.medeco.com to Register a new account.

Once registered the end user will be able to setup a Record of Authorization, allowing them to sign, manage and authorize specific Medeco Dealers and Distributors to order product on their behalf.

#### Register

- Go to ROA.medeco.com and click the "Register Now Button"
- Fill in the required field in the registry form

**Note:** Information required includes the key system registry number or restricted key code. If the registry number or key code is unknown, click the "Where to Find" button to see where the information can be found. If the registry number or key code still cannot be determined, contact customer service via the Live Chat button or call **877-633-3261** for assistance. Once registration is submitted and approved, an email is sent to the authorized user confirming registration.

Medeco Security Locks 3625 Alleghany Drive Salem, VA 24153 877.633.3261

www.medeco.com customerservice.medeco@assaabloy.com Medeco is working to improve customer experience by streamlining the order authorization process.

Medeco's Record of Authorization (ROA) Portal reduces order processing time by allowing an authorized end-user to sign, manage, and authorize ordering restricted Medeco products such as key blanks and pinned cylinders with a few clicks of a button. The ROA portal also allows an end-user to authorize another purchaser on their behalf, instantly.


Using the ROA portal, you can set up what type of product you're authorizing the Medeco dealer or distributor to order on your behalf: cut keys, pinned product, and/or key records. You can select more than one, or all the options.

You can also add another authorized user under your available registry numbers and/or restricted key codes by selecting the +Add Authorized user button, and providing the email address for the additional authorized signer you would like to add. A live chat function is simply a click away if you have any questions.

The Record of Authorization process via the ROA portal is legally binding and carries the same contractual agreement as a physical letter of authorization. For more information, visit our website or contact the Medeco Customer Care Department.

#### Features:

- Protects against unauthorized duplication of your keys.
- Simplifies the restricted product and key order authorization process without compromising your security.
- Fast, Reliable & Accurate allows immediate changes to authorization.
- Easily add and remove additional authorized signers within your facility.
- Easily add and remove authorization for a Medeco Dealer/Distributor to purchase on your behalf.
- Speeds up the authorization process.
- Establish a time-constrained record of authorization.
- Set up order-specific authorization for one-time purchase.
- Integrated Chat functionality.



#### Log In

Use established credentials to log in to the site and begin setting up authorizations. Once logged in, all restricted key codes and registry numbers associated with the account will be displayed. If not all systems and/or codes are visible, contact customer service for assistance.

#### **Set Up Authorizations**

Click on "View Authorization" next to the appropriate key code or registry number to set up the record of authorization for that system. Several options for establishing records of authorization will be displayed. They include:

#### Add ROA

Use to establish a time-constrained ROA, including a blanket authorization.

- Select the dealer to be authorized to purchase on your behalf via the search bar.
- Select the expiration of the authorization: Never (blanket), 1 month, 6 months, 1 year or custom date.
- Select what type of product will be purchased on your behalf: cut keys, pinned product, and/or key records.

Click "Add ROA" to complete the authorization

ASSA ABLOY Portal	Hello, Craig Michaels
New Order Specific ROA for BD1238	9
Select Dealer	
nore ity deire	times * permitten Q3sect
Deater PO Number of available	Quantity
	Cuir Keye 0
	Cylincen C

#### Order Specific ROA

Use to establish a one-time use record of authorization to allow a dealer or distributor for a specific order.

- Select the dealer to be authorized to place the one-time order on your behalf via the search bar.
- If known, provide the Purchase Order (P.O.) number the dealer or distributor will associate with the order.
- Indicate the quantities of the cut keys and/or cyinders that will be ordered.
- Click "Add ROA" to complete the authorization (<u>Note</u> the Order Specific ROA will expire after one use and cannot be used as a "blanket" (non-expiring) authorization.

Dathe	city		<select states<="" th=""><th>+ 24015</th><th>Q Search</th><th></th></select>	+ 24015	Q Search	
Name	City	State	Zip Code			
AT ROANCHE LOCKE	ATH REANOKE	54	24015-4000			
HUE PATTERN CORPO	RATIONRCANOKE	VA	24015			
WALKER MACHINE FO	UNERY REANOKE	UR.	24015			
	Quarthy				Desier P-0 Number (If available)	

#### <u>Authorize Keyblanks</u>

Use to establish authorization for a contracted Medeco Dealer or Distributor to purchase keyblanks on your behalf.

- Select the dealer to be authorized to place the order for keyblanks on your behalf via the search bar.
- Specify the quantity of keyblanks that will be authorized for purchase.
- If known, provide the Purchase Order (P.O.) number the dealer or distributor will associate with the order.
- Click "Add ROA" to complete the authorization.


#### **Removing/Adding Authorizations**

Once "Add ROA" has been selected, authorization has been established for the Medeco dealer or distributor to order on your behalf. The authorization will remain in effect until expired or will continue indefinitely in the case of a blanket authorization. Authorization to order can be removed at any time.

#### Remove an Authorization

Use to remove a dealer or distributors authorization to order on your behalf.

• Click the "X" beside the ROA for the dealer or distributor you want to



remove. This ROA is now cancelled and will need to be completed again to re-establish.

## Add an additional authorized user

Additional authorized users within your facility can be added

Add User	
Email Address	stan.knight@emoryhospital.com
100 CT	Add Uba

to restricted key codes or registry systems at any time. There is no limit to the number or authorized users, but Medeco recommends keeping only the minimum number of individuals required as active users for security purposes.

#### To add a new user:

- Click " + Add Authorized User" button.
- Provide the email address for the additional authorized user.

The Record of Authorization process via the ROA portal is legally binding and carries the same contractual agreement as a physical letter of authorization.

For more information, visit our website or contact the Medeco Customer Care Department at: customerservice.medeco@assaabloy.com.

## Provide All of the Needed Information to Avoid Delays! Use the Medeco Checklist to Submit Clean Orders for Faster Processing

	in orders for raster r focessing							
Medeco Order Checklist for All Orders								
<ul> <li>Account Number</li> <li>Purchase Order Number</li> <li>Billing Address</li> <li>Shipping Address</li> <li>Shipping Instructions</li> <li>Special Pricing/Quote ID*</li> <li>Special Instructions</li> </ul>	<ul> <li>Base Part Number</li> <li>Finish</li> <li>Keyway</li> <li>Cam/Tailpiece</li> <li>Keying Instructions</li> <li>Quantity</li> </ul>							
*The SP or quote number must be reference Any invoiced order that has the incorrect of quote number written on the order will ha any sales credit issued for the difference in	discount applied to it and did not have the SP or ave a service fee of \$100.00 net DEDUCTED from							
Master Ke	y Checklist							
<ul> <li>New Master Key System:</li> <li>Master Key Request Form</li> <li>Name of End User</li> <li>Electronic Key Schedule</li> <li>Serialization Instructions</li> <li>Stamping Instructions</li> <li>Letters of Authorization</li> </ul>	<ul> <li>Existing Master Key System</li> <li>Registry Number</li> <li>Name of End User</li> <li>Electronic Key Schedule</li> <li>Serialization Instructions</li> <li>Stamping Instructions</li> <li>Letters of Authorization</li> </ul>							
M³ CLIQ <sup>™</sup> Checklist								
<ul> <li>New System:</li> <li>End User Name</li> <li>End User Email Address</li> <li>Time Zone</li> </ul>	<ul> <li>Existing System</li> <li>System Number</li> <li>End User Name</li> <li>End User Email Address</li> <li>Time Zone</li> </ul>							
Medeco X	T Checklist							
<ul> <li>New System:</li> <li>End User Name</li> <li>End User Email Address</li> </ul>	<ul> <li>Existing System</li> <li>System Number</li> <li>End User Name</li> <li>End User Email Address</li> </ul>							
Hybrid C	Checklist							
<ul><li>Site Code</li><li>Serial Number</li></ul>								

#### **U.S. Customers – Door Security**

Phone: 877-633-3261 Mailing address: Medeco Security Locks, Inc. P.O. Box 3075 Salem, VA 24153 Attn: Door Security Customer Service Fax: 800-421-6615

To submit orders: orders.medeco@assaabloy.com

To email Customer Service: customerservice.medeco@assaabloy.com

To email Technical Support: techsupport.medeco@assaabloy.com

Hours of operation: Monday – Thursday, 8:00 a.m. –6:00 p.m. ET Friday, 8:00 a.m. – 5:00 p.m. ET

#### **Canada Customers**

 Phone:
 905-532-4970

 Toll-free
 (in Canada only) 1-888-633-3264

 Mailing address:
 Medeco Canada

 Medeco Canada
 160 Four Valley Drive

 Vaughan, ON L4K 4T9 CANADA
 905-532-4971 or

 Fax:
 905-532-4971 or

 1-888-263-3326 (in Canada only)
 0

 E-mail:
 orders.medeco.ca@assaabloy.com

Hours of operation: Monday – Friday, 8:00 a.m. – 4:30 p.m. ET

## Customers Outside the U.S. (Not including Canada)

Phone: +1 540-380-1741 or +1 877-633-3261 Fax: +1 540-380-1634 Mailing address: Medeco Security Locks, Inc. P.O. Box 3075 Salem, VA 24153

E-mail:

Attn: International Customer Service export@medeco.com

Submit Orders: orders.medeco@assaabloy.com

Hours of operation: Monday – Friday, 8:00 a.m. – 5:00 p.m. ET

## Medeco Shipping & Returns Policies

#### **Pricing:**

All published prices are subject to change without notice and are not guaranteed. All shipments will be made at prices prevailing at time of shipment. We reserve the right to correct typographical, clerical, editorial, pricing, quantity, or any other errors in this or any publications produced by Medeco Security Locks, Inc. without prior written notice or disclaimer.

## Changes/Cancellations of Orders Policy:

- Order Changes:

Changes made to orders after order acknowledgement or scheduling will result in a 10% change fee.

 Rescheduling orders and delayed shipments (blanket purchase orders):

Orders will be scheduled by agreement. However, orders may be rescheduled or delayed by Customer within 7-days (1 week) of initial acknowledgement without a change fee. Orders rescheduled or delayed after the 7-day period will be subject to a 10% change fee. Notification of rescheduling or delay must be in writing via email and can be sent to **orders.medeco@ assaabloy.com.** Please reference the order number.

#### - Order cancellations:

Cancellation of orders after order acknowledgement/scheduling shall result in a 10% cancellation fee. If an order or a portion of an order is cancelled and products have already been manufactured and prepped for shipping, a 50% restocking fee will apply.

#### **Shipping Charges:**

For most U.S. customers, published freight rates will apply. Contact Medeco Customer Service for more information about Medeco's shipping and handling charges.

#### Freight:

All U.S. orders are shipped FOB origin: When delivered to the Transportation Company, Purchaser assumes risk of loss or damage in transit.

#### Customers Outside the U.S.:

Due to specific taxes, import/export fees, and exchange rates, pricing and shipping will vary from U.S. list prices for customers in Canada and elsewhere outside the United States. **Note:** Some products may not be available in Canada as well as some of the programs offered in this price book may differ between the USA and Canada. Please contact your sales representative for more information.

#### **Product Returns:**

Medeco accepts product returns if the product is defective from a manufacturing flaw. If you need to make a return, fill out the enclosed RGA Form and fax it to: **In USA:** 800-421-6615 **In Canada:** 888-263-3326

or email to:

#### In USA:

orders.medeco@assaabloy.com

#### In Canada:

Outside the USA (except Canada): orders.medeco.ca@assaabloy.com

The RGA Number must be visible on the outside of any package returned to Medeco.

#### **Damaged Goods:**

All orders are carefully filled, checked, and packaged. However, on rare occasions, a package may be damaged in transit. If this occurs, please make note of it on the delivery receipt before signing. To return merchandise that was damaged during the shipping or delivery process, call Medeco Customer Service.

#### **Partial Shipments:**

If all items on your order are not available at the time your order is processed, you must specify whether you want Medeco to hold the shipment until it is complete or send partial shipments as items are available. Orders received without specific shipping instructions will be filled at the discretion of Medeco.

## medeco

ASSA ABLOY				Returnet		12dion Reques	L
Medeco USA: 3625 Alleghany Drive Salem, VA 24153 Phone: 800-839-3157	Fax: 800-421	160 Va	edeco Canac 0 Four Valle ughan, ON one: 888-2	y Drive	Date	RGA #	
Account #					-		
Customer Name					Contact Phone		
Ship Address					Contact Fax		
City, State, Zip					Sales Rep		
Contact Name:					]		
Original Order # or Cust. PO#	Line no.	Quantity	( <u>Compl</u>	<b>Product</b> ete Part Number)	Detailed Reason for Return		
						\$	
If Master Key pro			prmation:				
*Regis	stry Number #:		] on:				
ii oʻniq produot, p	*CL #:		1				
**End	User's Name:			Key Markings:			
	User's Email:		-	Cylinder Markings:			
If Medeco XT pro	***Time Zone:		rmation				
	*CO #:						
**End	User's Name:		-				
***Enc	I User's Email:		]				
Action Requested	l:						
Replace product reto (RGA Number is nev	urned on this R						
Quantity	Comp	olete Part Numbe	er	Quantity	Comp	lete Part Number	
1							

Customer's Error or out of Warranty:

Return product for credit less re-stock fee (50%); customer pays freight.

Explain reason for request:

In USA: Fax your RGA Request form to 800-421-6615 or Email to orders.medeco@assaabloy.com In Canada: Fax your RGA Request Form to 888-263-3326 or email to orders.medeco.ca@assaabloy.com

## **Medeco<sup>®</sup> Standard and Extended Warranty** Mechanical & Intelligent Key Products

Medeco Security Locks Inc. ("Medeco") warrants to the original purchaser of a Medeco branded lock, lock cylinder, or Intelligent Key hardware product (referred to collectively as "Product") to be free of defects in material and/or workmanship for a period of two (2) years from the date of original purchase for use. This Warranty may also apply to other specific products. For additional Warranty information or Warranty claim service, contact Medeco Customer Service at (877) 633-3261 or in Canada (888) 633-3264.

#### An Extended Warranty for Intelligent Key products is available for purchase. Please contact your local Medeco Representative for additional details.

In the event of a defect in material or workmanship during the Warranty period, Medeco will repair or replace (at its option) the Product under the conditions of this Warranty, this action being the sole remedy available to the purchaser under this express limited Warranty.

Limitations, Exclusions and other Rights:

- a. Medeco disclaims liability for implied warranties, including but not limited to those of merchantability or fitness for any particular purpose.
- b. Medeco disclaims liability for indirect, incidental or consequential damage at any time.
- c. Intelligent Key batteries are not covered under this warranty or any extended warranty.
- d. This Warranty gives specific legal rights, and a buyer may also have other rights that may vary from state to state. Some states do not allow limitations on indirect, incidental, and consequential damages or implied warranties so that the above limitations may not fully apply.
- e. Medeco mechanical keyblanks are made from a special nickel silver alloy. <u>Medeco warrants its mechanical keys</u> <u>against defects in workmanship or breakage for the life of the Product</u>. Bitted Medeco keys must be precisely cut to exact angles and depths, and require special duplication. <u>This Warranty shall be void and Medeco disclaims</u> <u>liability of any kind in the event any key other than a genuine Medeco key has been used with the Product or that</u> <u>the key has been cut on any machine other than a Medeco or Medeco-approved key cutting machine</u>.
- f. Medeco CLIQ Intelligent keys are covered for one (1) year against breakage (mechanical blade only).
- g. Medeco Intelligent Keys Cabinets (IKC) are covered for one (1) year against breakage.
- h. Medeco shall not be held responsible for product complaints or product damage arising from, in its sole judgment, and absence of user training, improper installation, failure to provide normal maintenance, extreme environmental conditions, use rates in excess of the industry standards defined for the type of product, use of incompatible parts or products not made or authorized by Medeco, or application of force not resulting from normal use.
- i. Unless otherwise specified by separate warranty, finishes are warranted for a period of two years following purchase for use. This finish Warranty shall be considered void after installation if, in the sole judgment of Medeco, the damage to the finish is the direct result of extreme climatic conditions, chemical or abrasive actions.

## Medeco 4 (M4) Suggested Architectural Specifications

All lock cylinders are to be of a high security, pick resistant design with angled key cuts, rotating tumblers, a key mounted movable element, and a side bitting with sidepin locking mechanism, all interacting with sidebar locking. Cylinders shall be Underwriters Laboratories Listed Standard--UL437--for key locks. Cylinders shall be certified under American National Standards Institute (ANSI)/Builder's Hardware Manufacturer's Association (BHMA) certification A156.30 2020 (High Security Cylinders Products), "Levels M1AAAM," and ANSI/BHMA A156.5 2020 (Certified Auxiliary Locks & Associated Products) "Grade 1."

All cylinders shall incorporate three locking elements, consisting of a sidepin mechanism with sidebar locking, tumbler rotation with sidebar locking, and split pin tumbler elevation. The critical parts of the locking mechanism such as pins, shear line, sidebar, and sidepin mechanism shall be afforded extra protection from drilling and other forceful attack by the strategic placement of hardened steel inserts in at least 8 possible locations within the cylinder. The lock tumblers shall combine a dual-axis action, with one axis utilized for pin tumbler rotation and the other axis utilized for positioning key cuts. Randomly selected tumbler pins shall incorporate a hardened steel insert or material hardening for additional drill protection.

The locking system is to be furnished in a restricted key section for which keys are not made available from the manufacturer's factory or any other source by normal distribution methods and without proper authorizations. The key and cylinder must have utility patent protection to protect against unlawful key duplication. The keys must have a movable element to further resist key duplication or replication. The key system, keys, and cylinders must be capable of being furnished to allow an upgrade to either of a dual mechanical and electronic cylinder and credential or a dual technology key by the single exchange of a field removable key bow. The key thickness should be no less than .125" (one hundred, twenty-five thousandths).

The manufacturer shall have the capability of establishing a key system with a minimum of six angle cuts in six possible pin positions with the capability of two distinct positions of cut per pin chamber, if required by the parameters of the key system. The system shall be capable of incorporating a key that is capable of more than one bitting per position to expand master keying and key changes. The key shall also incorporate the capacity to include up to four possible side bittings along the key blade. The system shall also have the capability to provide a single master key with over 1,000,000 (1 million) usable, non-interchanging, change keys on a single keyway profile.

The cylinders shall be immediately rekeyable to new combinations or a new key system as necessary and shall be serviceable in the field. Installation of cylinders shall be available for a majority of U.S. and international commercial grade lock brands and types, and require no modification to operate properly. Cylinder brand shall be supported by a nationwide US professional dealer network and worldwide distribution network. The locking system established for this project shall be proprietary and the owner shall furnish the manufacturer a list of those persons and their signatures that will be authorized and required to order additional pinned materials or duplicate keys. Orders not bearing authorized signatures shall not be filled.

All master keys and bitting lists for this project shall be sent using appropriate shipping carriers from the factory directly to the owner. Prior to shipment of keys, the owner shall verify in writing preference for shipping carrier.

Cylinders for new construction projects shall be available with construction keying or temporary interchangeable cores as appropriate and necessary.

## Medeco<sup>3</sup> Suggested Architectural Specifications

Furnished cylinders must provide the capability of a high security, patented, pick- and attack-resistant design with angled key cuts, rotating tumblers, a keyway side bitting, and a slider mechanism. Cylinders shall provide the option of certified listing to Underwriters Laboratories Listed Standard--UL437--for key locks. Cylinders shall provide the option of certification under American National Standards Institute (ANSI)/Builder's Hardware Manufacturer's Association (BHMA) certification A156.30 2007 (High Security Cylinders) "Levels M1AAAM," and ANSI/BHMA A156.5 2010 "Grade 1."

The furnished key system must allow the capability to combine within the same key system, and using the same patent-protected keys, high security rated cylinders as described above, with non-high security rated cylinders providing greater economy within a single master key system. Furthermore, the furnished key system shall allow the incorporation of software-controlled, electro-mechanical cylinders ("eCylinders") with the capability of utilizing the same credential and a single key system controlling both mechanical cylinders and eCylinders.

All cylinders with the high security option shall incorporate three locking elements, consisting of a slider mechanism, a sidebar mechanism with tumbler rotation, and pin tumbler elevation. The critical parts of the locking mechanism such as pins, shear line, sidebar, and slider mechanism shall be afforded extra protection from drilling and other forceful attack by the strategic placement of hardened steel inserts in a minimum of 7 possible locations within the cylinder. The lock tumblers shall combine a dual-axis action, with one axis utilized for pin tumbler rotation and the other axis utilized for positioning key cuts. Randomly selected tumbler pins shall incorporate a hardened steel insert for additional drill resistance.

All cylinders with the non-high security option shall incorporate two locking elements, consisting of a slider and sidebar combination, and conical tip, pin tumbler elevation.

The locking system is to be furnished in a restricted key section for which key blanks are not made available from the manufacturer's factory or any other source by uncontrolled distribution methods. The key and cylinder must have utility patent protection so as to hinder unlawful or unauthorized key duplication. Such patent protection shall be afforded in the United States of America, Canada, Mexico, and a plurality of other countries. The keys and key blanks must be capable of being furnished to allow an upgrade to a dual mechanical and electronic credential by the single exchange of a field removable key bow. The key blank thickness should be no less than .125" (one hundred twenty-five thousandths).

The manufacturer shall have the capability of establishing a key system with a minimum of six angled cuts in six possible pin positions with the capability of two distinct positions of cut per pin chamber, if required by the parameters of the system. The manufacturer shall have the capability of producing a patent-protected keying system in either of two distinct and different keying specifications and pinning specifications. The system shall be capable of incorporating a key which is capable of more than one bitting per position to expand master keying and key changes. The key shall also incorporate the capacity to include twelve possible side bittings along the key blade located on two different planes or surfaces of the key. The system shall also have the capability to provide a single master key with over 1,000,000 (1 million) usable, non-interchangeable change keys in a single profile.

The cylinders shall be immediately rekeyable to new combinations or a new system at any time desired and shall be serviceable on location in the field. Installation of cylinders shall require no modification to U.S. manufactured commercial-grade locksets.

The locking system established for this project shall be proprietary, and the owner will furnish the manufacturer a list of those persons and their signatures that will be authorized and required to order additional pinned materials or duplicate keys. Orders not bearing authorized signatures shall not be filled.

All master keys and bitting lists for this project shall be sent using appropriate shipping carriers from the factory directly to the owner. Prior to shipment of keys, the owner shall verify, in writing, preference for shipping carrier and destination.

## **Medeco X4 Architectural Product Specifications**

Cylinders shall be of the knob, rim, mortise, or interchangeable core type. All cylinder components (excluding tumbler pins) shall be constructed of machined extruded brass. All cylinders, cores and housings shall be available in all standard architectural finishes and shall match the cylinder housing and lock and door hardware. Further, cylinders and housings shall be plated, not scalped with the appropriate finish.

Cylinders to be of the 6- or 7-pin tumbler type, providing the maximum unique, non-interchangeable key combinations respectively. All cylinders shall incorporate two locking elements consisting of pin tumbler elevation and a slider mechanism. Further expansion of a master key system shall be available by use of additional multiplex keyways. Cylinders shall not lose any combinations due to MACs (maximum adjacent cut) loss.

All cylinders shall use a .150" space dimension between tumbler pin chambers and shall be capable of using industry-standard tumbler pins. Cylinder shall contain standard pins, a portion of which (both bottom and top pins) shall be spooled to resist pick attacks.

All non-I/C rim and mortise cylinders shall be so constructed to use threaded set screws, not staked covers or caps, to cover each individual tumbler pin chamber.

All cut keys, key blanks and cylinders (knob, rim, mortise, and interchangeable core-type) shall be so constructed to be capable of being keyed in the same system, allowing the convenience of one master key to operate all types of listed cylinders. Further, the key or key blank's tip shall be so constructed to correctly locate the bits of the key beneath the proper chamber of an interchangeable core cylinder by locating against a key stop on the rear core. Additionally, the key or key blank's shoulder shall serve as a stop to correctly locate the bits of the key beneath the proper plug chamber of rim, mortise and knob-type cylinders by locating against the front face of the cylinder. The key blank thickness should be no less than .093" (ninety-three thousandths).

All cut keys and key blanks shall be utility patented and controlled by a contract between the end user and the manufacturer. Key blanks for this project shall be delivered directly from the factory to the end user unless otherwise requested in writing by the end user.

All keys must be capable of being configured to allow an upgrade to a dual mechanical/electronic credential by the simple exchange of a field-removable key bow.

The key shall incorporate the capacity to include eight possible side bittings along the key blade, located on two different planes or surfaces of the key.

All key blanks shall be custom coined with the end user's name or other unique identification mark. All cut keys and key blanks are to be constructed from nickel silver.

All keys shall be capable of being cut by a punch machine that originates the exact cut in the key from the code sheet, instead of using patterns.

Cylinders shall be immediately rekeyable to new combinations or a new system at any time desired and shall be serviceable on location in the field. Installation of the cylinders shall require no modifications to U.S. manufactured commercial-grade locksets.

The locking system established for this project shall be proprietary, and the owner will furnish the manufacturer a list of those persons and their signatures that will be authorized and required to order additional pinned materials or duplicate keys. Orders not bearing authorized signatures will not be filled.

All cylinders, cores, housings, keys and key blanks shall be made in the USA.

# Medeco®

## Professional Services for Intelligent Key Systems


To achieve optimum performance of your new intelligent Key System, Medeco recommends professional design and implementation services. Services include system planning, system deployment, team training and on-going support.

Medeco Professional Services: Making the most out of your investment



Over our 50 year history, Medeco has established a reputation for developing high-quality products that provide unparalleled security. Yet, high-quality products alone do not guarantee a successful deployment. To achieve optimum performance of your new intelligent Key System, Medeco recommends professional design and implementation services.

Medeco Professional Services includes a variety of offerings that will help you gain additional value from your technology investment. Professional Services include:





## Professional Services – Intelligent Key Systems

## **System Planning Services**



Medeco Professional Services offers consulting services that leverage industry best-practice to plan, scope and help design Medeco solutions that meet your organization compliance, security and risk management needs. Our consulting services packages have been designed to be delivered under the leadership of a dedicated project manager.

All prices shown are U.S. LIST and subject to dealer software buying program discount.

Remote Planning Support	SW-501Remote	\$728.00/hr 1 hour minimum		
System Design Assistance	<ul> <li>Ensure that your system is designed with your current and future interests in mind.</li> </ul>			
• Hardware Requirements	<ul> <li>Determine the required hardware to meet your implementation §</li> </ul>			
Onsite Planning Support	SW-501Site	\$5,526.00/day plus T&E		
<ul> <li>Pre-Deployment Meetings</li> </ul>	– Live in person coordination of events and timeline planning.			
• Bench-Top Deployment and Validation	<ul> <li>Full functionality testing of hardware in a test environment to ensure complete satisfaction before deployment.</li> </ul>			

### System Deployment Services




The Medeco Professional Services team includes dedicated technical consultants and software engineers who will work closely with your in-house team to assist in the deployment and integration of Medeco solutions and third-party systems.

This highly skilled group of systems engineers, integrators and project management experts will oversee the implementation of your new Intelligent Key System from start to finish. All technical complexities and any risks will be identified up front so that your system is designed to grow according to your needs – now and into the future.

Remote Deployment Services	SW-502Remote	\$728.00/hr 1 hour minimum		
Remote Software Installation	<ul> <li>Live online assistance with software installation to ensure complete functionality.</li> </ul>			
<ul> <li>Remote Software Upgrades</li> </ul>	<ul> <li>Using our remote access software we will ensure that your software upgrades go without issue, including data conversions.</li> </ul>			
Onsite Deployment Services	SW-502Site	\$5,526.00/day plus T&E		
Onsite Deployment Services <ul> <li>Equipment Configuration</li> </ul>		l to get all of your equipment programmed		

### **Training & Support Services**



Prior to deployment of your new system, we highly recommend Medeco technical training for your business security team. We offer a variety of customized hands-on training courses to teach your team how to properly operate, customize and support your new Intelligent Key System.

Our experts will work side-by-side with your team to give them a running start, enabling your new system to operate at peak performance on Day One. If there's ever an issue, we'll provide fast, professional and cost-effective assistance by phone, email or online.

The Medeco Professional Services team can also help ensure your system's optimum performance by providing on-site support for long-term engagements on a day-to-day basis.

By providing ongoing expert consultancy, Medeco consultants can expedite troubleshooting and help you define risk mitigation strategies during upgrades of Medeco solutions, allowing you to reduce training costs for your staff.

Enterprise System Support	SW-504Platinum	Call for Quote	
• Enterprise System Support – Platinum	– Software System Remote resolution;	Support for Emergency/Severity 1 issue	
	<ul> <li>Extended phone support: available 24 hours a day,</li> <li>7 days a week (in English); Up to 75 tickets annually.</li> </ul>		
Remote Training	SW-503Remote	\$728.00/hr 1 hour minimum	
• Web Based Training	<ul> <li>Online training setup to meet your planning schedule.</li> </ul>		
<ul> <li>Additional Training Based on New Staff/Turnover</li> </ul>	– Online training to help you keep up with new staff requirements.		
Onsite Training	SW-503Site	\$5,526.00/day plus T&E	
• Hands-on Training	<ul> <li>In depth face to face training for our hardware and software applications allows for emergency support 24 hours a day, 7 days a week.</li> </ul>		
• Detailed Product Installation Classes – On site classes to train your employees on site specifi installation.			

All prices are U.S. LIST, and subject to dealer software discounting. T&E charges will be quoted upon request.

The Medeco Professional Services team will work closely with your company's in-house team to assist with your new system's planning and design, deployment & integration, and on-going support and training. Together, we will ensure that your new Medeco Intelligent Key System is up and running on Day One and operating at peak efficiency.

## Professional Services – Mechanical Security

#### Training Certification Classes

\$5,526.00/day plus T&E

#### Personalized on-site factory technical certification class(es).

Medeco will conduct field training, demonstrate sample equipment, and certify students on service, maintenance, and support. These are the same certification classes given at factory and trade shows. Various classes available including Medeco<sup>3</sup>, Medeco X4, Medeco XT, CLIQ and Medeco Master Keying — see training catalog for further details.

SW-505Site

SW-506Site

#### Master Key Consultation

#### Master key system design consultation with a Medeco key system design expert.

In person key system design consultation with a system design expert. We will assist you in the development of a master key system to meet your design specifications. The system will be uniquely tailored to your facility, resulting in custom Key System Schematics, bitting lists and pinning charts.

#### Key Management Consultation SW-507Site

\$5,526.00/day plus T&E

\$5,526.00/day plus T&E

#### Assistance in the design, implementation, customization, and best practices for sound key control.

Assistance in the design, implementation, customization, and best practices for sound key control products and key management policies and procedures that will minimize liabilities and extend key system lifespan. A key system investment will be maximized by deploying these sound key management practices.

#### Installation Inspection

SW-508Site

\$5,526.00/day plus T&E

Project product installation and operation inspection and certification.

## **Professional Services Warranty**

Professional Services Warranty. Deliverables Warranty. Medeco represents and warrants that: (a) the Professional Services will be performed in a professional and workmanlike manner with a degree of care, skill and competence that is consistent with generally accepted industry standards reasonably expected of similar types of engagements; and (b) free from defects in workmanship if applicable; and (c) the Deliverables will substantially conform to the description and specifications set forth in the Medeco published catalog, price book, or written quotation, for **a period of thirty (30)** days after the date of delivery ("Warranty Period"), provided Medeco receives written notification of the non-conformity during the applicable Warranty Period. To the extent any Professional Services or Deliverables do not, in Medeco's sole determination, substantially conform to the foregoing warranties Medeco shall promptly re-perform the Professional Services and/or re-submit the Deliverables. If, after receiving notice of non-conformity, Medeco determines that the Professional Services cannot be performed or the Deliverables cannot reasonably be delivered, pursuant to an accepted purchase order or written quotation, 100% due to Medeco's sole fault, Medeco may elect to promptly refund the fees paid (less accrued expenses) or waive the fees owed, with respect to such Professional Services or Deliverable, as Customer's sole and exclusive remedy. This warranty will apply only if: (a) the Deliverable(s) have been properly incorporated, installed, or utilized by or on behalf of Customer at all times and in accordance with all instructions or documentation; and (b) no modification, alteration or addition has been made to the Deliverable(s) other than with Medeco's written consent; and (c) Medeco receives written notification of and approves of the warranty claim during the applicable Warranty Period.

**THE EXPRESS** WARRANTIES FOR PROFESSIONAL SERVICES SPECIFIED HEREIN ARE EXCLUSIVE AND TAKE THE PLACE OF AND SUPERSEDE ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MER-CHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

# Medeco<sup>®</sup> XT

## Medeco<sup>®</sup> XT Intelligent Key System

Building on Medeco's 50-year history of creating high security key control products, the Medeco XT Intelligent Key Ecosystem takes key systems to a completely new level.

Medeco XT adds security, regulatory compliance and accountability to practically every opening in a fast, efficient way. A Medeco XT Ecosystem enhances businesses by providing the valuable data and tools needed to be more profitable or meet compliance requirements.

Overview: The Medeco XT Ecosystem consists of a robust electronic locking and access control system that is managed by state-of-the-art web based system software. Medeco XT overcomes current keying issues by keeping sec



Medeco XT overcomes current keying issues by keeping security high even if someone loses a key.

Medeco XT also adds access control capability in hard to reach areas such as safes, cabinets, gates (padlocks), etc. In addition, with the new AIM (Access Interface Module) Device, imagination is your only limitation regarding what to control next with your XT key.



#### Audit Accountability

Audit information recorded in both the lock and key shows a time- and date-stamped record of every event, including authorized accesses and unauthorized attempts.



#### **Uses Existing Hardware**

Medeco XT key provides all power to the cylinder, eliminating the need for any hardwiring or power supply. Simply remove the existing mechanical cylinder and install the Medeco XT cylinder.



#### **Reduces Risk of Lost Keys**

Respond quickly to security threats, lost or stolen keys, or personnel changes without the added cost of changing your locks and keys.



#### **Electronic Scheduling**

Keys are electronically programmed to open only specific locks during a designated schedule. Schedules may also contain an expiration point to completely disable the key until it is audited and reprogrammed.



#### Medeco Data Dashboard

System audit data is displayed in a new graphical way on the Medeco dashboard. The 'Glances' display consists of several mini-dashboards that provide insight into your system configuration and audit events.



#### Data Analytics

The Visual Audit feature of Medeco XT Web manager software converts audit data into a simple graphic dashboard. Security Administrators can see access trends and irregularities at a glance!

#### **Key Features:**

- Small, robust electronic key with stainless steel housing
- Intelligent key holds all access and schedule data
- Rechargeable battery, up to 1,800 openings per charge
- Heavy-duty stainless steel construction
- Stand-alone, network, Web and mobile programming options

#### Warranty:

Medeco Security Locks warrants Medeco XT products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase (except where noted). Extended warranty available at time of purchase, see page 15 (Warranty Information) for additional information.

### **Product Specifications:**

#### Lock / Cylinder Features

- No wiring required—all power provided by the key
- Indoor / outdoor use-stainless steel shell construction
- 2,000 audit events
- Unauthorized key list
- Variety of retrofit cylinder formats



## **XT Software and Options:**

**XT Software and Options:** The Medeco XT Web Manager software is an integral part of the Medeco XT Ecosystem. The software not only helps manage the XT Intelligent Key System in flexible and cost-effective manner, but also provides business-enhancing tools.

The XT Web Manager SaaS (Software as a Service) software is available as either a Medeco-hosted or End-user hosted option. The Medeco-hosted option



takes advantage of the power, convenience and security of Amazon Web Services (AWS) and is offered in several pricing levels. This option offers high-availability, secure web access, no start-up fees, and a multitude of AWS optional services to meet any customer's needs.

All Admin functions are handled by trained and certified IT personnel. Medeco holds ISO 27001 Certification for internal information and asset security.

Description	Part Number	Annual License Fee
<b>Enterprise:</b> Medeco can create a custom offering for large enterprise class systems that need more options to support their needs (see Web Hosting below). Speak to your local sales representative for more details.	Note: Depends on options and # of keys	Custom quoted
<b>Premium:</b> Includes all the functionality of Advanced plus, single-sign-on and Pro service Remote Training and support (4 hours annually — a \$2,660 value).	SW-500301-4	\$5,502.00
<b>Advanced:</b> Designed for mid-size systems. Adds Remote & Mobile programming & extended schedules to the Basic version. <b>Limit 750 keyholders.</b>	SW-500301-3	\$3,363.00
<b>Basic:</b> Designed for smaller systems: Effectively manage your XT Intelligent Key system with all the basic functionality which includes Schedules, Audit, Groups, Data Dashboard & Visual Audit. <b>Limit 250 keyholders.</b>	SW-500301-2	\$1,070.00

Web Hosting custom options available at additional cost include: Dedicated Server for very large systems, regulatory compliance configurations, database archiving, Country/Region customization and more. Please contact your local Medeco sales rep for more information.

Multi-year hosting available.

These offerings are billed annually.

#### Medeco XT Self-Hosted Software

**These systems are set up and hosted by the End-User:** End-User is responsible for supplying all necessary hardware & expertise for server set up, maintenance, backups, etc.

See Professional Services section for assistance with configuration and set up of your XT system.

00901-1R	23,343.00	\$7,660.00
	23,343.00	\$7,660.00
-600901 \$2	23,343.00	
500901-R		\$3,503.00
500301-1 \$	51,421.00	
00301-1R		\$284.00
5	500301-1R	500301-1R

Recurring maintenance is recommended and provides an additional license for test server, regular software program updates, maintenance releases, patches, and basic level technical telephone assistance.

Customers who are not paying the recurring maintenance fee but that wish to upgrade their XT Web Manager software must contact their dealer or Medeco Representative for a quote.

**Note:** Medeco Tech support cannot support software versions that are over two years old without the addition of Professional Services

\* Also requires the purchase of a system setup dongle. Part number EA-250059.

Note: API Interface for 3rd party integrations available. Contact your local sales representative for more details.

# **Medeco<sup>®</sup> XT Intelligent Keys**

## Medeco<sup>®</sup> XT Electronic Locking Systems

The Medeco XT keys are small, robust, convenient and portable. They are built to withstand even the toughest environments.

The Medeco XT keys have dynamic memory which can adjust the number of audit transactions and cylinder access the key can store. Medeco XT keys also utilize a rechargeable battery and can be purchased with a portable charger to ensure you are never locked out due to a dead battery. The key provides feedback to indicate when a charge is required.

There are two key models in the XT line. The 'Slim Line' key is designed for just about every application except those extreme and abusive environments, where the 'Rugged' key is recommended.



#### G3R Rugged\* Key Features:

- Hardened stainless steel housing that will stand up in the toughest environments
- Portable and rechargeable
- Top-mounted LED for convenient access feedback

### G3R Rugged\* Key Applications:

The XT Rugged key was designed for users that want a small, robust credential that will stand up to the most extreme environments. Tested for drop, shock and temperature extremes.

#### Slim Line Key Features:

- Polished, hardened stainless steel frame for strength and durability
- Soft-touch coating
- Dual-LED indicators for greater visibility
- Raised orientation dimples (allow for feeling the orientation of the key) for easier use
- High-capacity memory

## **NEW: Slim Rugged\***



- Intelligent to access up to 16k locks and store 10k audit events
- Extremely durable Stainless steel and
- aluminum construction • Support for remote and
- Rechargeable



- mobile programming

## Slim Line S

- Higher intelligence to support more advanced features
- experience with faster processing and programming speeds



See page 41 for additional details and technical information.

## Slim Line Key Applications:

The XT Slim Line key was designed for users that want a small, light credential that will not sacrifice on durability. Created to stand up to all but the most extreme environments but designed to be one of the most portable and desirable keys on the market!

### **Bluetooth Key Features:**

- Utilizes Bluetooth Smart Technology
- Program keys from any location (within cellular coverage area)
- No need to 'dock' key to program
- LED programming feedback indicates when key is connected to the mobile device
- Works with the latest XT Web Manager software



• All the Slim Line S features and... • Program anywhere • Bluetooth communication

- built-in Smartphone app support
- Immediate upload/ download of data (if desired)
- New version with 3 week battery life now available.







2-1

- Enhanced user
- Slim Line B **Bluetooth Key**

# Intelligent Key Cabinet (IKC)

The Intelligent Key Cabinet is a complete, electronicallycontrolled, key management solution that can secure, distribute and audit the use of XT Keys, mechanical keys, or other assets. Only authorized users can gain access to the cabinet via the included biometric fingerprint reader or PIN code pad, or a combination of both. An optional access card reader is also available. IKC is available in configurations to store mechanical keys, XT electronic keys or a combination of both. As an essential addition to any Medeco XT

Intelligent Key system, it locks XT keys in place and keeps them charged and ready for use. The IKC can improve employee efficiency and increase accountability which translates into a more secure facility with lower operating costs.

#### **Benefits:**

- Accountability: No more wondering who has checked out keys or for how long. Complete audit trail and reporting by user and key activity. User accountability reduces lost keys. Fewer lost keys leads to lower expenses and improved security.
- Analytics: Identify potential problems in removal and return patterns before they escalate. Complete reporting suite provides multiple reporting options to provide real-time data. Reports can be automatically generated and sent to multiple users by email. Custom reports can be configured and exported to Excel for added convenience.
- Security: Loose keys are vulnerable to being misplaced or stolen. Only authorized users are able to access the electronic key management system. Biometric Fingerprint, PIN, and/or Prox Card authentication (optional) allow access to the IKC for added security and control. The IKC supports dual authentication if desired. For added security, a digital photo capture of each login can be added.
- **Convenience:** Allow employees to retrieve keys quickly without waiting for a manager. Quick, easy-to-use webbased or locally hosted software shows what keys are in, what keys are out, and to whom they are issued. The IKC allows the return of any key to any location in the cabinet, and then learns the key's new location.
- **Productivity:** Eliminate time spent searching for, or replacing lost keys always know who took which key, and when.
- Efficiency: Pair with a full XT solution to identify patterns and workflows to gain even greater efficiency and security. XT version cabinets charge and program keys while they are secured and stored, ensuring keys are always ready to go.

#### **Features:**


- New and improved Graphical User Interface
- Available in 2 cabinet sizes in 32 and 64 port options
- Scalable solution with add-on cabinets and panels
- Integration with XT Web Manager (XT & Hybrid versions only) for complete control of XT key distribution and programming
- XT and iFob versions
- 32 port cabinets must be either all XT or all iFob ports
- 64 port cabinets can be all XT, all iFob or a combination of 32 XT plus 32 iFob
- Built-in XT IPD programmer
- Securely stores and charges XT keys (XT version)
- Identifies XT key serial number (XT version)
- Fingerprint reader
- Built-in LCD screen for ID
- Supports 2 factor authentication
- Audible and visual alarms
- SMS messages
- Email messages
- Camera for security photo capture
- Comprehensive reporting & analytics
- Emergency Fob Release System
- Multi-System Networking
- Medeco high security mechanical lock for manual override
- Optional: Smart card reader, stand



# Intelligent Key Cabinet (IKC)

## **Standard Cabinet**

## Add-On Cabinet



## **Scalability:**

The IKC system can grow as business needs grow by adding on additional secondary cabinets in either 32 or 64 port sizes and in a combination of technologies (iFob or XT).

- Each system requires one 'Main' touchscreen cabinet
- Add additional cabinets as needs require
- System can be any combination of 32 or 64 port cabinets
- 32 port cabinets support either XT or iFob ports
- 64 port cabinets support either all XT, all iFob, or a combination of 32 XT plus 32 iFob.
- Main and Secondary boxes can be configured with same technology or different
- Up to 7 Add-on units maximum (512 keys) for every Main unit

## Mini Cabinet (Image A):

- Main Cabinet (Image A) 27" W x 14.72" H x 12" D
- Can be stand alone or connected to Add-on cabinet
- Technology Select All XT or All iFob
- Main and Add-on cabinets can be configured with same technology or different

## Standard Cabinet (Image B):


- Main Cabinet (Image B), 32 or 64 ports, 27" W x 25.25" H x 12" D
- Can be stand alone or connected to secondary cabinet
- Technology Select All XT, All iFob, or 32 XT plus 32 iFob
- Main and Add-on cabinets can be configured with same technology or different

## Add-on Cabinet (Image C):

- Add-on Cabinet (Image C), 27"W x 25.25" H x 12"D
- Available with 32 or 64 ports
- 32 port option expandable to 64 with additional 32 port panel (sold separately)
- Must be connected to a Main cabinet

# Intelligent Key Cabinet (IKC)

## How to Order:



## Intelligent Key Cabinet



**Standard Cabinet** 

Add-On Cabinet

Part Number	Ports	Type Standard or Mini	Description	Price
EA-100237-M00	32	XT - mini	Mini-cabinet, 32 port XT main, no input, without stand	\$28,571.00
EA-100237-MD0	32	XT - mini	Mini-cabinet, 32 port XT main, Multi-class reader input, without stand	\$29,743.00
EA-100237-MU0	32	XT - mini	Mini-cabinet, 32 port XT main, customer-supplied input, without stand	\$29,040.00
EA-100237-M01	32	XT - mini	Mini-cabinet, 32 port XT main, no input, with stand	\$30,035.00
EA-100237-MD1	32	XT - mini	Mini-cabinet, 32 port XT main, Multi-class reader input, with stand	\$31,207.00
EA-100237-MU1	32	XT - mini	Mini-cabinet, 32 port XT main, customer-supplied input, with stand	\$30,504.00
EA-100236-M00	32	iFob - mini	Mini-cabinet, 32 port iFob main, no input, without stand	\$20,937.00
EA-100236-MD0	32	iFob - mini	Mini-cabinet, 32 port iFob main, Multi-class reader input, without stand	\$22,109.00
EA-100236-MU0	32	iFob - mini	Mini-cabinet, 32 port iFob main, customer-supplied input, without stand	\$21,406.00
EA-100236-M01	32	iFob - mini	Mini-cabinet, 32 port iFob main, no input, with stand	\$22,401.00
EA-100236-MD1	32	iFob - mini	Mini-cabinet, 32 port iFob main, Multi-class reader input, with stand	\$23,573.00
EA-100236-MU1	32	iFob - mini	Mini-cabinet, 32 port iFob main, customer-supplied input, with stand	\$22,870.00
EA-100199-M00	32*	XT	32 port XT main cabinet, no input, no stand	\$28,571.00
EA-100199-MD0	32*	XT	32 port XT main cabinet, Multi-class card reader input, no stand	\$29,743.00
EA-100199-MU0	32*	XT	32 port XT main cabinet, customer-supplied input, no stand	\$29,040.00
EA-100199-M01	32*	XT	32 port XT main cabinet, no input, with stand	\$30,035.00
EA-100199-MD1	32*	XT	32 port XT main cabinet, Multi-class card reader input, with stand	\$31,207.00
EA-100199-MU1	32*	XT	32 port XT main cabinet, customer-supplied input, with stand	\$30,504.00
EA-100199-A00	32*	XT	32 port XT add-on cabinet without stand	\$17,322.00
EA-100199-A01	32*	XT	32 port XT add-on cabinet with stand	\$18,787.00
EA-100247-M00	64	XT	64 port XT main cabinet, no input, without stand	\$34,486.00
EA-100247-MD0	64	XT	64 port XT main cabinet, Multi-class card reader input, without stand	\$35,658.00
EA-100247-MU0	64	XT	64 port XT main cabinet, customer-supplied input, without stand	\$34,955.00
EA-100247-M01	64	XT	64 port XT main cabinet, no input, with stand	\$35,950.00
EA-100247-MD1	64	XT	64 port XT main cabinet, Multi-class card reader input, with stand	\$37,122.00
EA-100247-MU1	64	XT	64 port XT main cabinet, customer-supplied input, with stand	\$36,419.00
EA-100247-A00	64	XT	64 port XT add-on cabinet without stand	\$26,373.00
EA-100247-A01	64	XT	64 port XT add-on cabinet with stand	\$27,837.00
EA-100248-M00	32*	iFob	32 port iFob main cabinet, no input, without stand	\$20,937.00
EA-100248-MD0	32*	iFob	32 port iFob main cabinet, Multi-class card reader input, without stand	\$22,109.00
EA-100248-MU0	32*	iFob	32 port iFob main cabinet, customer-supplied input, without stand	\$21,406.00
EA-100248-M01	32*	iFob	32 port iFob main cabinet, no input, with stand	\$22,401.00
EA-100248-MD1	32*	iFob	32 port iFob main cabinet, Multi-class card reader input, with stand	\$23,573.00
EA-100248-MU1	32*	iFob	32 port iFob main cabinet, customer-supplied input, with stand	\$22,870.00
EA-100248-A00	32*	iFob	32 port iFob add-on cabinet, without stand	\$14,878.00
EA-100248-A01	32*	iFob	32 port iFob add-on cabinet, with stand	\$16,343.00
EA-100249-M00	64	iFob	64 port iFob main cabinet, no input, without stand	\$29,158.00
EA-100249-MD0	64	iFob	64 port iFob main cabinet, Multi-class card reader input, without stand	\$30,330.00
EA-100249-MU0	64	iFob	64 port iFob main cabinet, customer-supplied input, without stand	\$29,627.00
EA-100249-M01	64	iFob	64 port iFob main cabinet, no input, with stand	\$30,622.00
EA-100249-MD1	64	iFob	64 port iFob main cabinet, Multi-class card reader input, with stand	\$31,794.00
EA-100249-MU1	64	iFob	64 port iFob main cabinet, customer-supplied input, with stand	\$31,091.00
EA-100249-A00	64	iFob	64 port iFob add-on cabinet, without stand	\$18,659.00
EA-100249-A01	64	iFob	64 port iFob add-on cabinet, with stand	\$20,124.00
EA-100250-M00	32/32 COMBO	XT/iFob	64 port combo main cabinet, no input, without stand	\$33,097.00
EA-100250-MD0	32/32 COMBO	XT/iFob	64 port combo main cabinet, Multi-class card reader input, without stand	\$34,269.00
EA-100250-MU0	32/32 COMBO	XT/iFob	64 port combo main cabinet, customer-supplied input, without stand	\$33,566.00
EA-100250-M01	32/32 COMBO	XT/iFob	64 port combo main cabinet, no input, with stand	\$34,561.00
EA-100250-MD1	32/32 COMBO	XT/iFob	64 port combo main cabinet, Multi-class card reader input, with stand	\$34,561.00
EA-100250-MU1	32/32 COMBO	XT/iFob	64 port combo main cabinet, while class card reader input, with stand	\$35,030.00
EA-100250-A00	32/32 COMBO	XT/iFob	64 port combo add-on cabinet, without stand	\$24,984.00
EA-100250-A01	32/32 COMBO	XT/iFob	64 port combo add-on cabinet, with stand	\$26,448.00

\* Expandable to 64 total ports with addition of 32 port panel (Sold separately). See page 31 for more details.

#### **IKC Software Options**

\$964.00
\$964.00
\$181.00

## Intelligent Key Cabinet Accessories





**Cabinet Stand** 

Multi-Class Reader

Description	Part Number	Price
Key Cabinet Stand	EA-300239	\$1,604.00
Medeco iFob	EA-300242	\$84.00
6" Cable Seals (price is per cable seal)	EA-300245	\$7.70
Multi-Class reader, includes install and configuration	EA-250066	\$1,282.00
Spare XT Panel	EA-300244	\$8,670.00
Spare iFob Panel	EA-300243	\$6,915.00

# Medeco<sup>®</sup> XT Access Interface Module (AIM)

The Medeco<sup>®</sup> XT Access Interface Module – known as "AIM" – allows the user to insert their Medeco XT key to trigger actions in other systems. Using both authorized and unauthorized event conditions, users can unlock doors with electric strikes or maglocks, initiate video cameras and bring attention to unauthorized event s by triggering access control or alarm panels.





#### **AIM Features:**

- Greatly enhances the capability of the Medeco XT Intelligent Key System
- Key audit tracks events just like an XT cylinder
- Two-person authentication option
- Uses NO Normally Open and NC Normally Closed relays to trigger different outputs for Access Granted or Access Denied events
- Can be powered by an XT key or 12-24V Power Supply depending on AIM connection


#### Medeco XT Access Interface Module (AIM):

#### Warranty:

Medeco Security Locks warrants Medeco<sup>®</sup> XT products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase.

### Applications:

Medeco XT AIM module can be used with other Access Control or Alarm Panels to trigger authorized and unauthorized event conditions.



# Medeco<sup>®</sup> XT

## Medeco XT Traffic Cabinet Lock

The Medeco XT Traffic Cabinet Lock helps to secure our critical infrastructure. The Intelligent Traffic System (ITS) cabinets located at every street corner contain hardware that control our cities streets. Cyber attack is a constant threat. A simple retrofit lock solution like the Medeco XT Traffic Cabinet Lock is the quickest, most cost-effective way to add the accountability necessary to help eliminate tampering with the advanced equipment contained within these cabinets.



Available through authorized resellers only.

#### Medeco XT Traffic Cabinet Lock:

Part Number	Price
EA-100221	\$450.00
EA-100220	\$472.00
490435	\$227.00
490436	\$227.00
	EA-100221 EA-100220 490435

\* Can be installed in left-hand or right-hand doors.

## XT Safe Lock

The Medeco XT Safe Lock is a direct replacement for physical security devices that utilize standard mechanical dial combination locks or digital keypad locks. XT Safe Lock includes a reader with key port mounted on the outside of the safe door, and is available three XT lock configurations deadbolt, spring bolt and swing bolt.

To access the safe, an XT Key is programmed via the Medeco XT Web Management Software system to only open a specific XT Safe Lock and the key is issued to a specific user. The user inserts the XT Key into the key port on the exterior reader. Power is supplied by the key to the lock PCB and authentication is initiated with a secure process over the interface communications cable.

An LED provides visual feedback to the user on the current state of the lock. If the lock PCB and XT Key are in agreement that access is granted,



the lock PCB will provide power to the internal motor/bolt blocker and the user is allowed to rotate the key to unlock the lock. If the XT Key is not authorized, the user will be prevented from unlocking the safe lock.

#### XT Safe Lock:

Description	Part Number	Price
XT Safe Lock – Deadbolt Lock Bundle	EA-100206	\$898.00
XT Safe Lock – Spring Bolt Lock Bundle	EA-100207	\$898.00
XT Safe Lock – Swingbolt Lock Bundle	EA-100208	\$898.00

# Medeco<sup>®</sup> XT

## **XT Guard Tour Reader**

The Medeco XT Guard Tour Reader is a simple, yet powerful, user tracking solution that can be added to any XT Intelligent Key system. The reader mounts easily to any interior or exterior flat surface and programs just like a standard XT cylinder. As the designated 'Tour' individual makes their rounds, they simply touch the reader with their XT key which creates an audit event that proves they completed this task. A record of activity is available for audit or reporting at any time.



#### **XT Guard Tour Reader**

Description	Part Number	Price
XT Guard Tour Reader	EA-100240	\$428.00

## **XT Cylinders**

For availability of cylinder formats not shown, contact Technical Support.

XT Rim and Mortise electronic cylinders are a simple and direct replacement for mechanical cylinders. Ideal for loss & liability management with flexible authorization and auditing capabilities.

Respond quickly to security threats, lost or stolen keys, or personnel changes without the added cost of changing your locks and keys. Medeco XT is a complete electronic locking system providing controlled access, accountability, physical security, and system management with no wiring requirements.

Cylinders are available in many popular lengths and finishes to fit nearly any application in your office, business and retail applications.



Mortise Cylinder



**Rim Cylinder** 

#### **XT Rim and Mortise Cylinders**

Description	Part Number	Price
Rim Cylinder, horizontal tailpiece	100400H G*	\$363.13
Rim Cylinder, vertical tailpiece	100400V G*	\$363.13
1 1/4" Mortise Cylinder	100500 G*	\$366.63
1 3/8" Mortise Cylinder	105100 G*	\$363.41

\*Must specify cam (mortise) or tailpiece (rim) when ordering. See pages 76-77 for cam and tailpiece part numbers and descriptions. If not specified, Z01 cam will be supplied for mortise, Y02 tailpiece will be supplied with rim cylinders.

## Medeco<sup>®</sup> XT Dual-Tech Cylinder

## For Rapid-Entry Applications

The patent-pending Medeco XT Dual-Tech retrofit cylinder is designed for both accountability and rapid-entry applications. It combines two cylinder technologies – the Medeco XT electronic cylinder and the Medeco X4 mechanical cylinder – in one mortise cylinder housing. Both cylinders operate independently of one another so access is provided using either the XT Key or the X4 key.



Allows fire department emergency facility access using a familiar mechanical key while the XT Intelligent key is used for daily accountability. In multi-family applications, tenants use the mechanical key and maintenance uses XT key for accountability. Ideal for any application requiring a mechanical key override.


#### Medeco Dual Tech Cylinder

Description	Part Number	Price
XT Dual Tech 1-1/4" Mortise Cylinder, with Medeco X4	490423 G	\$579.00
XT Dual Tech 1-1/4" Mortise Cylinder for Arrow/Best	490426 G	\$579.00
XT Dual Tech 1-3/4" Mortise Cylinder	490437 G	\$570.00
XT Dual Tech Rim Cylinder	490432 G	\$849.00

## **XT Dual-Tech Cams**

Dual Tech mortise cylinders come complete with a set of 2 specially designed cams, a direct-drive cam operated by the Medeco XT key and an Override cam operated by the Mechanical key. Cam type must be indicated when ordering (Z00, Z01, etc.) **Important Note:** The standard cams listed on pages 76-77 cannot be used in Dual-tech cylinders.

Replacement cams must be ordered using the chart below. One each direct drive and override cam required per cylinder.



#### **Dual Tech Cams**

Description	Part Number	Price
Direct Drive Cam – Russwin	CP-100771-Z00	\$11.10
Override Cam – Russwin Type	CP-100781-Z00	\$11.10
Direct Drive Cam – Yale Type	CP-100771-Z01	\$11.10
Override Cam – Yale Type	CP-100781-Z01	\$11.10
Direct Drive Cam – Adams Rite	CP-100771-Z02	\$11.10
Override Cam – Adams Rite Type	CP-100781-Z02	\$11.10
Direct Drive Cam – Sargent	CP-100771-Z20	\$11.10
Override Cam – Sargent Type	CP-100781-Z20	\$11.10
Direct Drive Cam – Schlage	CP-100771-Z34	\$11.10
Override Cam – Schlage Type	CP-100781-Z34	\$11.10

## Interchangeable Core Cylinders

XT Small Format Interchangeable Core (SFIC) is ideal for access management as a direct replacement for mechanical SFIC without any hardware modifications. An easy-to-upgrade solution, ready to install and use without wiring or power supply, XT SFIC is easily installed or removed to existing hardware with the simple use of a programmed control key. Users can audit keys, program a schedule and track who opens a lock and when – all while eliminating the cost of rekeying mechanical locks. Well suited for facilities with high turnover of employees, such as fast food restaurants, convenience stores, and similar businesses, but is also suitable for apartments, office buildings, schools, and hospitals. Available in custom finishes.



Available Finishes: 06 - Satin Brass, 12 - Satin Bronze, 13 - Dark Bronze/Oil rubbed, BB - Matte Black, 26 - Satin Chrome\* \*See finishes on page 223.

#### XT Small & Large Format Interchangeable Core

Description	Part Number	Price
Small Format Interchangeable Core (SFIC) Cylinder	EA-100108	\$394.00
Schlage Large Format Interchangeable Core (LFIC) Cylinder*	322201 G	\$370.52
Yale Large Format Interchangeable Core (LFIC) Cylinder* 6 pin	310100 G	\$374.03
Yale Large Format Interchangeable Core (LFIC) Cylinder* 7 pin	310100A G	\$374.03
Sargent Large Format Interchangeable Core (LFIC) Cylinder 6 pin	322401 G	\$376.33
Corbin Large Format Interchangeable Core (LFIC) Cylinder 6 and 7 pin (includes spacer)	322301 G	\$376.33

\* Fits LFIC format housing, but is a one-time installation and not removable.

## Key-In-Knob/Lever Cylinders

XT Key-in-Knob/Lever electronic cylinder is a direct replacement for mechanical KIK/ KIL cylinders and is ideal for access control management. The cylinder requires no wiring to the door and is powered by the XT rechargeable key. Audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system allow for fast response to security threats, lost or stolen keys, or personnel changes without the added cost of changing locks and keys. Designed for quick retrofit of nearly all popular brands of knob and lever-type cylindrical locksets, making them an ideal application for office doors, storage and file rooms, or residential doors: virtually any door where cylindrical hardware is used.

See page 108 for LFIC housings. See page 118 for SFIC housings.

#### **XT Arrow Cylinders**

Description	Part Number	Price
Medeco XT cylinder for all Arrow RK & MK series knobs and GL series levers. For RK & MK series, replace original spacer with Medeco CP-160321 (included)	20200A1 G	\$369.37

#### **XT Cylinders for Cal-Royal**

Description	Part Number	Price
Cylinder for Cal-Royal Apollo series SL00 knob lock and LX01 lever	<sup>.</sup> lock 2020049 G	\$367.26
Cylinder for Cal-Royal CLS03 classroom function Gr. 2 lever lock	20200V1 G	\$367.26

#### **XT Cylinders for Corbin Russwin**

Description	Part Number	Price
Cylinder for Corbin 800 lever lockset CL3300, CL3400,		
CL3500 & CL3600	2020073 G	\$367.26
Cylinder for Corbin Russwin CL3900 series leversets	20200V9 G	\$367.26

#### **XT Cylinders for Falcon**

Description	Part Number	Price
Cylinder for Falcon B, LY, X, S & T series. Includes: CT-V03, CT-Y49	),	
CT-Y54, CT-Y58, CTY68, CT-Y71, CT-Y72, CP-160311	20200F1 G	\$369.37
Cylinder for Falcon F521, F561, F581, and N series knobs	2020051 G	\$367.26
Cylinder for Falcon T-381 (inside)	2020073 G	\$367.26
Cylinder for Falcon T & RU series, T381 (exterior)	20200V3 G	\$367.26

#### XT Cylinders for KABA-Mas-Hamilton

Description	Part Number	Price
Cylinder for Kaba E-plex 5000	2020000 G	\$367.26
Cylinder for Mas-Hamilton Power Lever	20200V1 G	\$367.26

### **XT Cylinders for LSDA**

r Price
\$369.37

#### **XT Cylinder for Marks**

Description	Part Number	Price
Cylinder for Marks 110, 170, 180, 190, 195, 295 series Vestibule,		
Communicating, Classroom, & Classroom Security functions		
(DA, DC, SB, S).	20200V0 G	\$367.26
Cylinder for Marks Lever 110, 170, 180, 190, 195, 295 series		
in Entrance, Institution, Storeroom, and Corridor functions		
(AB, DW, F,T)	20200V1 G	\$367.26

#### **XT Cylinders for Olympus**

Description	Part Number	Price
Cylinder for Olympus 700 LCM & 800 LCM Key Retaining	20200S1 G	\$369.37

### XT Cylinders for PDQ

Description	Part Number	Price
Cylinder for PDQ Lever SP & ST Series, GT, XGT, & GP Series	20200V2 G	\$367.26

#### XT Cylinders for Sargent

Description	Part Number	Price
Cylinder for Sargent 10 line locksets, order with '30' option prefix		
(note: cylinder will extend from lever more than standard cylinder)	20200S1 G	\$369.37

### **XT Cylinders for Schlage**

Description	Part Number	Price
Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever		
includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth	h),	
CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs		
CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thic	k doors),	
and CTY74 (45-101 padlock)	20200S1 G	\$369.37
Cylinder for Schlage S Series Lever	2020097 G	\$369.37

### **XT Cylinders for TACO**

Description	Part Number	Price
Cylinder for Olympus 700 LCM & 800 LCM Key Retaining	20200S1 G	\$369.37

#### **XT Cylinders for Yale**

Description	Part Number	Price
Cylinder for Yale 6 pin 5300LN, 5400LN and 4300 Knobs	200503 G	\$367.26

## Padlocks

XT padlocks are ideal for access management at off site or hard to reach locations. The robust cylinder with stainless steel components is designed for interior and exterior use. Keys are electronically programmed to open only specific locks during a designated schedule and audit information is recorded in both the lock and key. With no wiring or power supply required, XT padlocks are an ideal application for perimeter fences and gates, or access to equipment storage areas where traditional EAC is practically impossible to install.



The All Weather Padlock (AWP) is recommended for all outdoor applications to provide maximum protection and reliability.

#### **XT Padlocks**

Description	Part No.	Price
All Weather Padlock, 5/16" SS shackle, 1 7/8" Clearance	5005511 G	\$564.78
All Weather Padlock. 5/16" SS shackle, 2 3/8" Clearance	5005521 G	\$564.78
All Weather Padlock, 5/16" Boron shackle, 1 7/8" Clearance	5005531 G	\$564.78
All Weather Padlock, 5/16" Boron shackle, 2 3/8" Clearance	5005541 G	\$569.78
All Weather Padlock, 7/16" SS shackle, 2" Clearance	5005711 G	\$564.78
All Weather Padlock, 7/16" SS shackle, 2 1/2" Clearance	5005721 G	\$569.78
All Weather Padlock, 7/16" Boron shackle, 2 " Clearance	5005731 G	\$564.78
All Weather Padlock, 7/16" Boron shackle, 2 1/2" Clearance	5005741 G	\$569.78
Hockey Puck Padlock	5293000 G	\$511.78
Indoor/Outdoor Padlock, Non-Key Retaining, 1 1/8" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder	5451500 G	\$502.91
Indoor/Outdoor Padlock, Key Retaining, 1 1/8"Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder	54515R0 G	\$502.91
Indoor/Outdoor Padlock, Non-Key Retaining,2 3/8" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder	5451F00 G	\$506.91
Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder	5451FR0 G	\$506.91
Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder	5452500 G	\$529.91
Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder	54525R0 G	\$529.91
Indoor/Outdoor Padlock, Non-Key Retaining, 1 3/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder	5471500 G	\$534.91
Indoor/Outdoor Padlock, Key Retaining, 1 3/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder	54715R0 G	\$534.91
Indoor/Outdoor Padlock, Non-Key Retaining,17/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder	5471F00 G	\$540.91
Indoor/Outdoor Padlock, Key Retaining, 1 7/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder	5471FR0 G	\$540.91
Shrouded Padlock, Non-Key Retaining,3/4" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder	5472500 G	\$579.91
Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder	54725R0 G	\$579.91
Protector II Large Body Padlock 7/16" shackle	5004732 G	\$613.14
Protector II Medium Body Padlock 5/16" shackle	5004734 G	\$583.09

#### Medeco XT Padlock Cylinders

Description	Part No.	Price
XT All Weather Padlock Cylinder	510800 G	\$321.92
XT System Series Padlock, Cylinder Only	510600 G	\$408.60
XT Pop-Out Cylinder for G8R Padlock – Round Deadbolt	EV-8501D	\$379.00
XT Pop-Out Cylinder for G8R Padlock – Round Springbolt	EV-8501S	\$379.00

## **Cam and Utility Locks**

Medeco® XT cam locks are built for strong physical security and offer all the benefits of the XT Electronic Locking System. XT cam locks are available in lengths of 7/8" and 1-1/8" with a wide variety of cams and security collars. The cylinder is designed for interior and exterior use and requires no wiring or modification to the door. Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts. A quick retrofit to existing hardware, XT cam locks are ideal for utility cabinets, retail fixtures, narcotics storage, safes and more.



#### **XT Cam Locks**

Description	Part Number	Price
7/8" Cam lock assembly, Key Retaining	EN-150002-XXX (Op Code)	\$379.00
1 1/8" Cam lock assembly, Key Retaining	EN-150003-XXX (Op Code)	\$379.00

#### Cam Lock Operation Codes

Description	Op Code
2 flat, 1 keypull, clockwise 90 degree	219
2 flat, 1 keypull, counter-clockwise 90 degree	239
2 flat, 1 keypull, clockwise 180 degrees	259

#### **XT T-bolt Cylinders**

Description	Part Number	Price
XT T-bolt – Key Retaining, unlocked at 180 degree	6280550 G -XX	\$369.35
XT T-bolt – Non-Key Retaining, unlocked at 360 degree	6282550 G -XX	\$369.35

#### XT Cam Lock

Description	Part Number	Price
1 1/8" Cam lock assembly, Non-Key Retaining	600650269 G -XX	\$372.84



#### **XT Switch Locks**

Description	Part Number	Price
2 Position, Key Retaining	6522560 G -121-XX	\$353.78
2 Position, Non-Key Retaining	6522560 G -122-XX	\$353.78

### **Retail/Showcase Locks**

Medeco<sup>®</sup> XT has an electronic cylinder for many types of retail applications. Ideal for loss & liability management with flexible authorization and auditing capabilities. Respond quickly to security threats, lost or stolen keys, or personnel changes without the added cost of changing your locks and keys. The cylinder is powered by the rechargeable key so no wiring or power supply is needed. Medeco XT Plunger Locks are specifically designed for use in wooden or metal sliding doors. Cabinet style locks are also available and along with the plunger locks are ideal applications for security merchandise showcases, metal cabinets, and laboratory and office furniture.



#### XT Retail/Showcase Locks

Part Number	Price
490359 G	\$460.00
490366 G	\$460.00
6210555 G XX	\$394.35
6212555 G XX	\$394.35
6211555 G XX	\$411.35
6280550 G	\$369.35
6282550 G	\$369.35
	490359 G 490366 G 6210555 G XX 6212555 G XX 6211555 G XX 6280550 G

## **International Cylinders**

The Medeco® XT Modular Half Profile, Euro Double & Thumb Turn electronic cylinders are a direct replacement for like mechanical cylinders and are ideal for loss and liability management. In addition to international uses, many of these cylinders fit imported hardware used in North America. The cylinder requires no wiring or modification to the door or frame and is designed for interior and exterior use. Attack-resistant design and tamper-proof features provide strong protection against forced entry. Flexible key programming and auditing capabilities allow for quick response to security threats, lost or



stolen keys, or personnel changes. Cylinders are widely used at government installations, airports, hotels, universities and schools. Medeco XT is a complete electronic locking system providing controlled access, accountability, physical security, and system management.

#### **XT International Cylinders**

Description	Part Number	Price
Lockwood Oval	2303015 G	\$314.00
Cylinder Module EURO 1/2 Module - 30mm	2322015 300 G	\$294.06
Cylinder Module EURO 1/2 Module - 35mm	2322015 301 G	\$298.31
Cylinder Module EURO 1/2 Module - 40mm	2322015 302 G	\$302.56
Single/Double cylinder Module EURO 1/2 Module - 30mm	2322025 300 G	\$298.31
Single/Double cylinder Module EURO 1/2 Module - 35mm	2322025 301 G	\$298.31
Single/Double cylinder Module EURO 1/2 Module - 40mm	2322025 302 G	\$302.56
Euro T/T Profile - 30mm/30mm Assembled	23230XS X00 G	\$379.59
Euro T/T Profile - 35mm/35mm Assembled	23230XS X11 G	\$388.09
Modular Profile Cylinder - 30mm Half Profile - Assembled	2323015 800 G	\$339.94
Modular Profile Cylinder - 35mm Half Profile - Assembled	2323015 801 G	\$344.19
Euro 1/2 Profile 30mm Assembled (True 30mm)	232301ST 800 G	\$339.94
Euro Double Profile - 30mm/30mm Assembled	23230E5 X00 G	\$448.30
Euro Double Profile - 35mm/35mm Assembled	23230E5 X11 G	\$456.80

## **Specialty Cylinder Formats**

The Medeco® XT Electronic T-handle Cylinders are an ideal for loss and liability management and are available for many specialty applications and formats. Pop-Out Cylinders are available in spring-latch and deadbolt configurations. Stainless steel shell and bolt for lasting strength, durability and strong protection against physical attack. Fits all NAMA Standard T-Handles. Ideal for vending & bottling, bill changers, ATM equipment or other custom OEM applications.



#### **Specialty Cylinder Formats**

Description	Part Number	Price
Ruko (inside)	230501S G	\$338.00
Ruko (outside)	230601S G	\$338.00
Snowman (padlock)	2308015 G	\$338.00
Safe Deposit Box Lock – Left Hand	490428 G	\$369.35
Safe Deposit Box Lock – Right Hand	490429 G	\$369.35
Mul-T-Lock padlock (G47 Series)	490431 G	\$339.00
XT Insert For Enclosure Lock	EA-100219	\$351.00

#### **Pop-Out Cylinders**

Description	Part Number	Price
Pop-Out Cylinder Deadbolt assembly, round bolt	EV-8501D	\$379.00
Pop-Out Cylinder, springbolt assembly, round bolt	EV-8501S	\$379.00

## **Keys and Accessories**

The Medeco® XT Key is a convenient, robust electronic key with a heavy duty stainless steel housing that fits right on your key ring. A portable key charger and rechargeable battery assures keys are always fully charged for up to 1,800 openings, eliminating the need for battery maintenance. Convenient key programming and flexible system management eliminates the need for removal of cylinder in order to make changes. This key holds operating and expiration schedule and flexible memory allocation lets the user decide how the memory is used; Access: up to 16,000 cylinders. Audit: up to 14,000 events. With Medeco XT, flexible authorization, auditing of use and quick retrofit to existing hardware are all available in one convenient package.



#### **XT Keys**

Description	Part Number	Price	
XT Industrial Key (G2)	EA-100107	\$193.00	
XT Slim Line Key Basic (G2)	EA-100156	\$146.00	
XT Slim Line Key Plus (G3S)	EA-100178	\$176.00	
XT Slim Line Key Bluetooth (G3B)	EA-100177	\$222.00	
XT Rugged Slim Key (G3R)*	EA-100254	\$234.30	
Slim Line Demo/Install Key (G2)	EA-100173	\$283.00	
Slim Line Demo/Install Control Key (G2)	EA-100174	\$283.00	

#### Medeco<sup>®</sup> XT Key Bundles

Description	Part Number	Price
XT Industrial Key (G2) & Charger Bundle. Includes XT Industrial Key, portable charger & USB cable	94-0239	\$244.00
XT Slim Line Key (G2) & Charger Bundle. Includes XT Slim Line Key, Charger and USB Cable	94-0271	\$215.00
XT Slim Line Key (G3S) Charger Bundle. Includes XT Slim Line Key, Charger and USB Cable	94-0307	\$235.00
XT Slim Line Key (G3B) & Charger Bundle. Includes XT Slim Line Key, Charger and USB Cable	94-0306	\$262.00
XT Rugged Key bundle (G3R)*	94-0325	\$284.70

	Slim Line (Gen 2)	Slim Line S (Gen 3)	Slim Line B (Gen 3)	Rugged (Gen 3R)*
Description	Redesigned to be smaller, lighter, increased LED visibility	Faster processor, faster communication, support for future functionality	Bluetooth version. Faster processor, faster communication, support for future functionality	Same functionality as G3S key with a rugged housing for increased durability.
Part Number	EA-100156	EA-100178	EA-100177	EA-100254
Size	2.65" x 1.25" x .55"	2.65" x 1.25" x .55"	2.65" x 1.25" x .55"	2.65" x 1.25" x .59"
Weight	1.25 oz.	1.25 oz.	1.25 oz.	1.25 oz.
Openings per charge	1500-1800	1500-1800	1500-1800	1500-1800
Durability	High	High	High	Very High
Memory	16,000 cylinders	14,000 cylinders	14,000 cylinders	14,000 cylinders
Audit	10,000 events	14,000 events	14,000 events	14,000 events
Battery Level Indicator	High/Low	Percentage	Percentage	Percentage
Warranty	2 years	2 years	2 years	2 years

\* Rugged key available April 2022



**Programming Device** 

#### Medeco XT Programmers

XT IPD - Identify, program and update Medeco XT Keys remotely via internet connection to Web Manager software

XT IPD	Part Number	Price
XT IPD Base unit with power supply	EA-100242-000	\$1,979.00
XT IPD Base unit, desktop mount and power supply bundle	EA-100242-010	\$2,110.00
XT IPD Base unit, wall mount and power supply bundle	EA-100242-100	\$2,110.00
XT IPD Standoff Retrofit Kit - spacer kit for replacing existing Remote Programmer when mounted in a custom enclosure	EA-300241	\$92.30
XT IPD Replacement Touchscreen assembly	EA-100245	\$923.00
7/8" Cam Lock – Can be added to IPD for users to test keys. (Optional)	EN-150002-XXX	\$379.00

Genetec IPD®	Part Number	Price
Genetec IPD w/power supply	EA-100242-00G	\$1,979.00
Genetec IPD w/power supply and desk mount bundle	EA-100242-01G	\$2,110.00
Genetec IPD w/power supply and wall mount bundle	EA-100242-10G	\$2,110.00



**Desktop Programmer** 

Desktop	Part Number	Price
XT Desktop USB Programming Station (order cable separately)	EA-100109	\$360.00



**Mobile Programmer** 

Mobile	Part Number	Price
XT Mobile Programmer	EA-100125	\$1,076.00



#### Multi-Key Programmer/Charger

Multi-key	Part Number	Price
XT Multi-key Programmer/Charger	EA-100232	\$4,995.00

#### Medeco<sup>®</sup> XT Kits & Accessories

Description	Part Number	Price
XT Multi-Key Charger - Charge up to 10 Medeco XT Keys simultaneously (does not program keys)	EA-100138	\$825.00
XT Portable Key Charging Adapter only (order cable separately)	EA-100088	\$75.20
XT Key Wall Charger Kit	94-0291	\$130.00
XT Key Vehicle Charger Kit	94-0292	\$129.00
XT Key PC Kit (USB Cable and Charging Adapter)	94-0290	\$98.60
Smart SFIC Solutions Demo Kit (Includes Arrow, Medeco X4, and Medeco XT SFIC cylinders, keys, charger and cable)	940261	\$1,620.00
XT Try Me Demo Industrial Keys & SFIC with charger and USB cable - NOT PROGRAMMABLE	940264	\$1,047.00

#### Medeco<sup>®</sup> XT Maintenance and Protective Products

Description	Part Number	Price
Fluid Film, 2.25 oz	PK-KYLUBE-02	\$21.90
Fluid Film, 11.75 oz	PK-KYLUBE-11	\$34.90
Small Bristle Brush (non-metallic bristles) for cleaning cylinder & key contacts	CP-286180	\$33.00
Deoxit Contact Cleaning Pen (gold contact cleaner)	CP-301290	\$78.70
Metal cylinder protector cover	CP-287260	\$99.60
Plastic cylinder protector cover	CP-170930	\$73.80

#### Self-Hosted Software - End User Startup Checklist:

Description	Quantity	Part Number	Price
XT Programming Device	1	EA-100109	\$360.00
USB Cable	1	EA-200058	\$34.90
Enhanced USB System Dongle	1	EA-250059	\$106.00

#### Web Hosted Service - End User Startup Checklist:

Description	Quantity	Part Number	Price
XT Programming Device	1	EA-100109	\$360.00
USB Cable	1	EA-200058	\$34.90

#### **Professional Services**

Planning, design and support are crucial to the successful deployment of an Intelligent Key System. Medeco offers professional services to ensure every installation is planned and executed seamlessly, and the system works effectively to meet current and future needs to protect the investment. See page 21 for details and pricing.

## Medeco M<sup>3</sup> & X4 CLIQ<sup>®</sup>

Medeco M<sup>3</sup> and X4 CLIQ merge the features of electronics with reliable mechanical technology – all in a retrofit cylinder. M<sup>3</sup> and X4 CLIQ offer end users audit trail, user access schedules and the ability to quickly and remotely change Intelligent Key authorizations with the CLIQ Web Remote or CLIQ Connect App.

M<sup>3</sup> and X4 CLIQ installs with no wiring in a matter of minutes. Intelligent Keys and digital cylinders reprogram wirelessly for electronic master keying. CLIQ can be combined with systems featuring Medeco<sup>3</sup>, X4 or BiLevel mechanical products to offer a blended security solution.



#### Audit Accountability

Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts.



#### **Uses Existing Hardware**

The CLIQ Intelligent Key provides all power to the cylinder, eliminating the need for any hard wiring or power supply. Simply remove the existing mechanical cylinder and install the M<sup>3</sup> or X4 CLIQ cylinder. CLIQ can be keyed in with Medeco mechanical systems featuring Medeco<sup>3</sup> or BiLevel, Original or X4 (not available in SFIC).



#### **Reduces Risk of Lost Keys**

Respond quickly to security threats, lost or stolen keys, or personnel changes utilizing expiring Intelligent Key validation intervals and remote programming.



#### **Electronic Scheduling**

Intelligent Keys are programmed for specific openings with fully flexible scheduling. Access profiles can be created where programming updates are generated automatically when an opening is added or removed.

### **Technical Information:**

- Audits: Key capacity 1,000 events Cylinder capacity – 750 events
- Management: CLIQ Web Manager with Medeco Hosted or Self-Hosted License
- **Power:** Power supplied by the key, no hard wiring required
- Weather Resistant: Can be used in indoor or outdoor applications.
  - Rated for -20°F to 122° F (cylinder)
- Security: Encrypted identification in cylinder and Intelligent Key
- Formats: Available in all common cylinder formats including KIK/KIL, LFIC, padlocks and deadbolts



#### **Key Features:**

- Mechanical and electronic technology are combined for superior security with Medeco patented key control
- Audit key that stores up to 1,000 audit records provides information unavailable in a mechanical system
- Powered by an easily replaceable coin cell battery with 20,000 cycle battery life
- Available with RFID/PROX coil insert for dual use with HID compatible systems
- Visible and audible status feedback
- Compact size in water resistant housing
- Bluetooth enabled option with iOS and Android App support.

#### Warranty:

Medeco<sup>®</sup> warrants the M<sup>3</sup> & X4 CLIQ products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase

#### **Finishes:**

• Available in several finish options

#### **CLIQ Web Manager Features:**

- Role based system administration
- Access Profiles
- Remote Programming
- Web Services Integration
- Key Revalidation
- Automated Change Notification

#### **Cylinder Technologies:**

- X4 CLIQ Technology code = "M"
- M<sup>3</sup> CLIQ Technology code = "S"
- Biaxial CLIQ Technology code = "V"
- Original CLIQ Technology code = "Z"



Example of a CLIQ configured part number						
Base Part # Example	Cylinder Variation	Technology	Finish	Keyway	Pinning	Cam or Tailpiece*
10 0200	lf none required, leave blank	S	26	LT	Р	Z01
Q=ATEX R=Delay S=Sequence U=Online M=X4 S=M <sup>3</sup> V=Biaxial Z=Original						

• ATEX (intrinsically safe certification) ATEX certified hardware reduces the risk of ignition and explosion in areas with possible exposure to flammable gases or vapors, or combustible dusts. Ideal for use in areas where ignition or explosion is a concern.

- Sequence (Dual Custody) When enabled, requires two keys to open. Keys must have different IDs and be inserted in within one minute of each other.
- Delay lock When enabled, a specified time is communicated to the key before opening. The time will be added to the keys activation and expiration time when checking the validity of the key and its LOAL entries, creating a time-delay sequence for opening within a specific schedule.
- Online Open When enabled, the access decision for a CLIQ Connect key is done during opening, providing real-time access management and audit trail. The key is automatically updated when inserted into the cylinder, and will only open the cylinder if allowed once the update has finished. The sequence takes 5-10 seconds.

Upcharge applies to special features: ATEX + \$50 List cylinders, + \$20 List for keys. Online Open, Sequence Lock, Delay Lock: + \$50 List Price for cylinders. Only one feature is available per cylinder at a time. Must be indicated at the time of order.

## **Rim and Mortise Cylinders**

A simple replacement of rim or mortise cylinders with M<sup>3</sup> or X4 CLIQ provides audit and scheduling along with expiration of credentials for any existing opening utilizing mortise hardware. Cylinders are available in all popular lengths and in any existing mechanical keyway. They are an ideal upgrade for offices requiring loss and liability control or as override for traditional EAC equipment.



#### Medeco M<sup>3</sup> & X4 CLIQ Mortise Cylinders

Priced as Pinned. Master Key Up-charge of \$47.50 applies.

Description	Part Number	Price	M <sup>3</sup>	X4
1 1/8" Mortise Cylinder	100200	\$828.66	٠	٠
1 1/4" Mortise Cylinder	100500	\$830.55	٠	٠
1 3/8" Mortise Cylinder	105100	\$828.59	٠	
1 1/2" Mortise Cylinder	105200	\$865.46	٠	
1 3/4" Mortise Cylinder	105400	\$945.96	٠	٠
2" Mortise Cylinder	105500	\$972.47	٠	

#### Medeco M<sup>3</sup> & X4 CLIQ Rim Cylinders

Description	Part Number	Price	M <sup>3</sup>	X4
Rim Cylinder, Horizontal Tailpiece	100400H	\$828.31	٠	•
Rim Cylinder, Vertical Tailpiece	100400V	\$828.31	٠	•
Rim Cylinder, Lazy Motion	100700	\$828.31	٠	
Rim Cylinder, Sargent Mounting Style, Horizontal Tailpiece	100403H	\$828.31	٠	
Rim Cylinder, Sargent Mounting Style, Vertical Tailpiece	100403V	\$828.31	٠	

\* Must specify cam (mortise) or tailpiece (rim) when ordering. See pages 76-77 for cam and tailpiece part numbers and descriptions. If not specified, Z01 cam will be supplied for mortise, Y02 tailpiece will be supplied with rim cylinders.

## Key-In-Knob/Lever Cylinders

M<sup>3</sup> & X4 CLIQ merges the flexibility of electronics with reliable mechanical technology – all in a key in knob or key in lever retrofit cylinder. Offers user audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system, allowing quick response to security threats or lost/stolen keys. These cylinders fit nearly all popular brands and styles of hardware and are therefore an ideal application for offices, storage and file rooms, as well as any door where cylindrical hardware is used.



#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Arrow

Description	Part Number	Price	M <sup>3</sup>	X4
Cylinder Package for Arrow RK & MK Series Knobs & GL Series levers. Includes CT-Y70, CTY73, & CP-160321. Original cylinder spacer must be replaced with Medeco cylinder spacer CP-160321	20200A1	\$858.86	•	•
6 Pin cylinder for Arrow D & E single cylinder deadbolts; and Revolution V2 Deadbolts. * Order CT-Y27 tailpiece separately.	200901	\$857.75	•	
6 Pin cylinder for Arrow D & E double cylinder deadbolts	200902	\$857.75	•	

escription	Part Number	Price	M <sup>3</sup>	X4
ylinder for Alarm Lock Trilogy T1, T2, T3	20200V1	\$856.75	•	•
ledeco M <sup>3</sup> & X4 CLIQ Cylinders for Cal-Royal				
escription	Part Number	Price	M <sup>3</sup>	X4
ylinder for Cal-Royal SL00 knob lock and LX01 lever lock	2020049	\$856.75	•	•
ylinder for Cal-Royal CLS03 Classroom function Grade 2 lever lock	20200V1	\$856.75	•	•
ledeco M <sup>3</sup> & X4 CLIQ Cylinders for Corbin Russwin				
escription	Part Number	Price	M³	X4
ylinder for Corbin Russwin CL3900	20200V9	\$856.75	٠	
ylinder for Corbin Russwin CL3300, CL3400, CL3500, & CL3600	2021173	\$856.75	•	•
ımbo Mortise Cylinder for Corbin Russwin	10M1350	\$850.97		•
ledeco M <sup>3</sup> & X4 CLIQ Cylinders for Dorma				
escription	Part Number	Price	M <sup>3</sup>	<b>X</b> 4
ylinder for Dorma CL853, CL860 (exterior), CL880, CL882, CL80EL, CL80EU Grade 1 ever, CK853, CK860 (exterior), CK880, CK882, CK80EL, & CK80EU Grade 1 knobs	20200V1	\$856.75	•	•
ylinder for Dorma CL860 (interior), CL870, CL872, CL873, CL877 Grade 1 Lever, K860 (interior), CK870, CK872, CK873 & CK 877 Grade 1 Knobs	20200V0	\$856.75	•	•
ylinder for Dorma CL700 Series	2020049	\$856.75	•	٠
ledeco M <sup>3</sup> & X4 CLIQ Cylinders for Embassy				
escription	Part Number	Price	M <sup>3</sup>	X4
ylinder for Embassy in Entrance, Institution, Storeroom, Corridor Functions. or Embassy Levers sold thru 9/06 and ALL Knobs	20200V1	\$856.75	•	•
ylinder for Embassy Vestibule, Communicating, Classroom & Classroom Security unctions. For Embassy Levers sold thru 9/06 & ALL Knobs	20200V0	\$856.75	•	•
ledeco M <sup>3</sup> & X4 CLIQ Cylinders for Falcon				
escription	Part Number	Price	M <sup>3</sup>	X4
ylinder for Falcon B Series	2020049	\$856.75	٠	•
ylinder for Falcon B (CT-Y49), LY (CT-Y72), X (CT-Y68, except H knob or CT-Y71 H knob), S (CT-Y54 - except H knob, or CT-Y58 - H knob) & F521, F561, F581, nd N Series Knobs (CT-Y49 horizontal)	20200F1	\$858.86	•	•
ylinder for Falcon Inside Cylinder T-381	2020073	\$856.75	٠	•
	20200V3	\$856.75		

Description	Part Number	Price	M³	X4
Cylinder for Kaba E-plex 5000	2020000	\$856.75	٠	•
Cylinder for Mas-Hamilton Power Lever	20200V1	\$856.75	٠	•

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for LSDA

Description	Part Number	Price	M³	X4
LSDA Cylinder package fits 100, , L100, LH1000, LX1000 Series. Includes: CT-Y49, CT-Y70, CTY73, CT-Y78	20200L1	\$858.86	•	

Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Marks Priced as	s Pinned. Master Key	Up-charge of	\$47.50	applies
Description	Part Number	Price	M <sup>3</sup>	X4
Cylinder for Marks 110, 170, 180, 190, 195, 295 Series DA-Vestibule, DC & SB Communicating, S-Classroom & Classroom Security functions	20200V0	\$856.75	•	•
Cylinder for Marks Lever 110, 170, 180, 190, 195 & 295 Series in AB-Entrance, DWInstitution, F-Storeroom, & T-Corridor Functions	20200V1	\$856.75	٠	•
Medeco M <sup>3</sup> & X4 CLIQ Cylinder for Olympus				
Description	Part Number	Price	M <sup>3</sup>	X4
Cylinder for Olympus 700LCM & 800 LCM Key Retaining	2020051	\$858.86	٠	٠
6 Pin Cylinder for Olympus 700LCM & 800LCM Non-Key retaining	2000954	\$862.29	٠	•
Medeco M <sup>3</sup> & X4 CLIQ Cylinders for PDQ				
Description	Part Number	Price	M³	X4
Cylinder for PDQ Lever SP & ST Series, GT, XGT, & GP Series	20200V2	\$856.75	٠	
Medeco M <sup>3</sup> & X4 CLIQ Cylinder for Sargent				
Description	Part Number	Price	M³	X4
Cylinder for Sargent 6, 7 and 10 Line KIK Series	2080147	\$857.75	٠	•
Cylinder for Sargent 11 Line KIK Series	2080148	\$857.75	٠	
Cylinder for Sargent 10X Series and Sargent 6 Line (B knob only)	2020173	\$856.75		•
Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Schlage				
Description	Part Number	Price	M³	X4
Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs, includes: CT-Y- (A, AL, & D Olympiad Lever & C & D Plymouth), CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only), CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & thick doors), and CTY74 (45-101 padlock)	2020051	\$858.86	•	•
Cylinder for Schlage S Series Lever	2020097	\$858.86	•	•
Cylinder for Schlage B, E & F160 Series	2000954	\$862.29	٠	٠
Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Yale				
Description	Part Number	Price	M <sup>3</sup>	X4
6 pin cylinder for Yale 5300LN, 5400LN and 4300 Series	200503	\$856.75	٠	•
Medeco M <sup>3</sup> & X4 CLIQ Cylinders for TACO				
	Part Number	Price	M <sup>3</sup>	X4
Description				

Medeco Large Format Interchangeable Core (LFIC) cylinders are designed so that cores can quickly and easily be changed by non-technical personnel using a special control key. Locks can, in effect, be "rekeyed" without having a working knowledge of the lock or having to take the lock apart. Medeco M<sup>3</sup> & X4 CLIQ format additionally provides the benefits of audit and scheduling features. LFIC cylinders fit many of the industry standard formats making them appropriate for almost any door/hardware application.



#### Medeco M<sup>3</sup> & X4 CLIQ LFIC Cylinders

Description	Part Number	Price	M³	X4
Cylinder for Medeco 6 pin LFIC	320201	\$862.24	٠	
Cylinder for Yale 6 pin LFIC	310100	\$862.24	٠	٠
Cylinder for Yale 7 pin LFIC	310100A	\$862.24	٠	•
Cylinder for Schlage LFIC	322201	\$870.24		•

Cylinder Technologies are represented by the following letters:  $S = M^3$  CLIQ, M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original CLIQ

## Deadbolts

In addition to the physical security of the Maxum deadbolt, the M<sup>3</sup> and X4 CLIQ cylinder provides an audit trail, the ability to schedule user access rights and the freedom to quickly add or remove a key from the system. The M<sup>3</sup> and X4 CLIQ deadbolt installs with no wiring in a matter of minutes and is available in existing mechanical keyways. Attack-resistant design and tamper-proof features provide strong protection against forced entry and allow for flawless integration into any home or business application.



\*All Medeco M<sup>3</sup> and X4 CLIQ Double Cylinder Deadbolts use Mechanical Cylinders on the inside of the deadbolt.

Medeco M <sup>3</sup> & X4 CLIQ Deadbolt Cylinders	Priced as Pinned. Master Key Up-charge of \$47.50 app			
Description	Part Number	Price	M <sup>3</sup>	X4
Cylinder for Arrow D, E & DB Series Single Cylinder Deadbolts	200901	\$946.00	٠	
Cylinder for Sargent 470 & 480 single cylinder deadbolt	200901	\$946.00	٠	
Cylinder for Sargent 470 & 480 double cylinder deadbolt	200902	\$946.00	٠	
Lazy Motion Cylinder for Schlage B series (old style) deadbolt	200904	\$946.00	•	

#### Medeco M<sup>3</sup> & X4 CLIQ Maxum Deadbolts - Commercial Trim

Description	Part Number	Price	M <sup>3</sup>	X4
<ul> <li>Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset</li> </ul>	11C601	\$993.78	•	
• Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11C602	\$993.78	•	
• Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11C603	\$993.78	•	
• Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11C604	\$993.78	•	
• Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11C605	\$993.78	٠	
• Single Cylinder Maxum, Drive In Front, 2 3/4" Backset	11C606	\$993.78	•	
Single Cylinder Maxum Deadbolt, Less Bolt	11C60L	\$911.69	٠	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11C621	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11C622	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11C623	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11C624	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11C625	\$1,097.78	•	
Double Cylinder Maxum, Drive In Front, 2 3/4" Backset	11C626	\$1,097.78	•	
Double Cylinder Maxum Deadbolt, Less Bolt	11C62L	\$1,015.69	٠	
Also Available in Classroom Eunstion, 11C61X				

•Also Available in Classroom Function, 11C61X

#### Medeco M<sup>3</sup> & X4 CLIQ Maxum Deadbolts - Residential Trim

Description	Part Number	Price	M³	X4
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11R601	\$993.78	٠	
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11R602	\$993.78	•	
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11R603	\$993.78	٠	
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11R604	\$993.78	٠	
Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11R605	\$993.78	٠	
Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset	11R606	\$993.78	•	
Single Cylinder Maxum Deadbolt, Less Bolt	11R60L	\$911.69	٠	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11R621	\$1,097.78	•	
Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11R622	\$1,097.78	•	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11R623	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11R624	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11R625	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset	11R626	\$1,097.78	٠	
Double Cylinder Maxum Deadbolt, Less Bolt	11R62L	\$1,015.69	٠	

## **Padlocks**

Medeco M<sup>3</sup> & X4 CLIQ padlocks are available to provide accountability in a weather resistant padlock that can be used in indoor or outdoor applications. Padlocks have robust reprogramming abilities, as well as audit and scheduling capabilities. Outstanding performance for your perimeter fences and gates, or access to equipment storage areas where traditional EAC is practically impossible to install.



Medeco M <sup>3</sup> & X4 CLIQ Padlock Cylinders	Priced as Pinned. Master Key Up-charge of \$47.50 app			applies.
Description	Part Number	Price	M³	X4
Cylinder for AWP Series Padlock	510800	\$850.69	٠	٠
Cylinder for Medeco Protector II (50) Series Padlock	500020	\$864.25	•	
Cylinder for Medeco System (54) Series Padlock	510600	\$1,055.41	•	•
Cylinder for Abus Padlock Series 83KNK/45, 83KNK/50 & 83KNK/55. (Use Ab	us driver M) 2020000	\$856.75	٠	•
Cylinder for American 3600/3700 Padlock (Use American driver DR-MED6)	2020000	\$856.75	٠	•
Cylinder for New Standard Padlock	2020052	\$856.75	٠	
Cylinder for Master 20 and 6600, 6700 Pro Series (Use Master driver 0298-62	27) 2020000	\$856.75	•	•
Cylinder for Schlage 45-101 padlock	2020074	\$856.75	•	•

#### Medeco M<sup>3</sup> & X4 CLIQ AWP Series Padlocks (Includes Cylinder)

Description	Part Number	Price	M³	X4
AWP - 5/16" dia Stainless Steel shackle, 1 7/8" clearance	5005511	\$1,029.58	•	•
AWP - 5/16" dia Stainless Steel shackle, 2 3/8" clearance	5005521	\$1,034.58	•	•
AWP - 5/16" dia Boron shackle, 1 7/8" clearance	5005531	\$1,029.58	•	•
AWP - 5/16" dia Boron shackle, 2 3/8" clearance	5005541	\$1,034.58	٠	•
AWP - 7/16" dia Stainless Steel shackle, 2" clearance	5005711	\$1,029.58	٠	•
AWP - 7/16" dia Stainless Steel shackle, 2 1/2" clearance	5005721	\$1,034.58	٠	•
AWP - 7/16" dia Boron shackle, 2" clearance	5005731	\$1,029.58	٠	•
AWP - 7/16" dia Boron shackle, 2 1/2" clearance	5005741	\$1,034.58	•	•

#### Medeco M<sup>3</sup> & X4 CLIQ Protector II Padlocks (Includes Cylinder)

Description	Part Number	Price	M³	X4
Large Body - 7/16" dia shackle, 1 3/8" clearance	5004732	\$1,244.59	•	
Large Body - 7/16" dia shackle, 1 3/8" clearance, Dust cover	50047321	\$1,263.54	•	
Large Body - 7/16" dia shackle, 1 7/8" clearance	5004832	\$1,248.59	•	
Large Body - 7/16" dia shackle, 1 7/8" clearance, Dust cover	50048321	\$1,267.54	•	
Med Body - 5/16" dia shackle, 1 3/8" clearance	5004734	\$1,214.54	•	
Med Body - 5/16" dia shackle, 1 3/8" clearance, Dust cover	50047341	\$1,233.49	•	
Med Body - 5/16" dia shackle, 1 7/8" clearance	5004834	\$1,218.54	•	
Med Body - 5/16" dia shackle, 1 7/8" clearance, Dust cover	50048341	\$1,237.49	•	

Cylinder Technologies are represented by the following letters: S = M<sup>3</sup> CLIQ, M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original CLIQ

#### Medeco M<sup>3</sup> & X4 CLIQ System Series Padlocks (Includes Cylinder)

Description	Part Number	Price	M³	X4
Padlock 5/16" Shackle - KIK				
Indoor/Outdoor Padlock, 1 1/8" Shackle Clearance	54515X0	\$1,142.04	•	•
Indoor/Outdoor Padlock, 2 3/8" Shackle Clearance	5451FX0	\$1,146.04	•	٠
Shrouded Padlock, 3/4" Shackle Clearance	54525X0	\$1,169.04	•	٠
Padlock 5/16" Shackle - 6 Pin LFIC				
Indoor/Outdoor Padlock, 1 1/8" Shackle Clearance	54615X0	\$1,148.48	•	
Indoor/Outdoor Padlock, 2 3/8" Shackle Clearance	5461FX0	\$1,156.48	•	
Padlock 7/16" Shackle - KIK				
Indoor/Outdoor Padlock, 1 3/8" Shackle Clearance	54715X0	\$1,174.04	•	٠
Indoor/Outdoor Padlock, 1 7/8" Shackle Clearance	5471FX0	\$1,180.04	•	٠
Shrouded Padlock, 3/4" Shackle Clearance	54725X0	\$1,219.04	•	٠
Padlock 7/16" Shackle - 6 Pin LFIC				
Indoor/Outdoor Padlock, 1 3/8" Shackle Clearance	54815X0	\$1,187.48	•	
Indoor/Outdoor Padlock,1 7/8" Shackle Clearance	5481FX0	\$1,196.48	٠	

\* 0 = Non-key retaining and R = key retaining

#### Medeco M<sup>3</sup> CLIQ 50 Series Brass Body Padlock

Priced as Pinned. Master Key Up-charge of \$47.50 applies.

Description	Part Number	Price	M <sup>3</sup>	X4
Brass Body CLIQ® Padlock, key retaining, hardened steel shackle, dust cover, less cylinder	50762011	\$207.40		
Brass Body CLIQ® Padlock, key retaining, stainless steel shackle, dust cover, less cylinder	50762111	\$207.40		
Brass Body CLIQ® Padlock, non-key retaining, hardened steel shackle, dust cover , less cylinder	50772011	\$207.40		
Brass Body CLIQ <sup>®</sup> Padlock, non-key retaining, stainless steel shackle, dust cover, less cylinder	50772111	\$207.40		
Brass Body CLIQ <sup>®</sup> Padlock, key retaining, hardened steel shackle, dust cover, case cover (rubber), less cylinder	50762014	\$232.70		
Brass Body CLIQ <sup>®</sup> Padlock, key retaining, stainless steel shackle, dust cover, case cover (rubber), less cylinder	50762114	\$232.70		
Brass Body CLIQ <sup>®</sup> Padlock, non-key retaining, hardened steel shackle, dust cover, case cover (rubber), less cylinder	50772014	\$232.70		
Brass Body CLIQ® Padlock, non-key retaining, stainless steel shackle, dust cover, case cover (rubber), less cylinder	50772114	\$232.70		
Chain assembly for CLIQ <sup>®</sup> 50 Series Brass Body Padlock	CP-280271	\$37.30		
Cylinder for CLIQ <sup>®</sup> 50 Series Padlock: Medeco 6 pin LFIC (M <sup>3</sup> technology)	320201	\$862.24	•	

## **International Cylinders**

Medeco's international cylinders are designed to fit in locksets of major world manufacturers. In addition to international uses, many of these cylinders fit imported hardware used in North America. These M<sup>3</sup> CLIQ cylinders can be installed into standard hardware with no wiring or other modifications, as power is supplied by the key. Reprogramming, audit and key scheduling capabilities are available with easy to use software. Cylinders are widely used at high security government installations, industrial and institutional organizations, airports, hotels, power plants, palaces, museums, universities and schools, and office buildings.



#### Medeco M<sup>3</sup> CLIQ International Cylinders

Description	Part Number	Price	M³	X4
Cylinder Module Single/Double 36 mm	2322016 300 S	\$728.56	٠	
Cylinder Module Single/Double 41mm	2322016 301 S	\$732.81	٠	
Euro Single Assembled 36mm/36mm*	23230X6 X00 S	\$812.80	•	
Euro Double Assembled 36mm/36mm**	23230E6 X00 S	\$866.52	•	
Euro Half Omm	2323016 800 S	\$812.80	٠	
Euro Half 5mm Extended	2323016 801 S	\$817.05	٠	

\* Standard sizes available from the factory.

\*\* Only one side is electronic, the other is mechanical.

# Medeco CLIQ<sup>®</sup> CONNECT Key

## **Bluetooth Low Energy Enabled Keys**

Medeco M<sup>3</sup> and X4 CLIQ Intelligent Keys are now available with BLE connectivity. The CLIQ CONNECT Key offers CLIQ remote updates when paired with supported iOS and Android smartphones. The CLIQ CONNECT APP is available as a free download from either App Store and manages the CONNECT Key(s) pairing to the smartphone while reporting key battery level, marking, and system number. Keys are user friendly with visible and audible status feedback, compact in size with water resistant housing, and are powered by an easily replaceable CR2330 battery. Utility patented key control provides protection against unauthorized key duplication.

### **Connect Key Features:**

- Available with RFID/PROX coil
- Visible and audible status feedback
- Compact size in water resistant housing
- New key design, easy battery access
- Powered by an easily replaceable CR2330 coin cell battery, with up to one year battery life
- Available in M<sup>3</sup>, X4 and Original/Biaxial Keyways

### **CONNECT App Features:**

- Bluetooth (BLE) enabled with iOS & Android Apps
- Free App download from Apple or Play Stores
- Obtain remote updates via supported Apple and Android Smartphones
- Key audit report via CONNECT App
- Pair and manage multiple CONNECT keys



#### Medeco M<sup>3</sup> & X4 CLIQ CONNECT Keys

Description	Part Number	Price
X4 CLIQ. Dynamic/E3 User Key	KEC 49XB03	\$189.70
M <sup>3</sup> CLIQ. Dynamic/E3 User Key	KEC 48XB03	\$189.70
Original/Biaxial CLIQ Dynamic/E3 User Key	KEC 47XB03	\$189.70

Visit www.cliqkey.tips for additional information

Cylinder Technologies are represented by the following letters:  $S = M^3 CLIQ$ , M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original CLIQ




## How to Order Medeco CLIQ Keys:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.

## KEC 48 6 003 LT – base part # example

#### BUILD A CLIQ KEY PART #:



0 =Standard Key

1 = Yale Control Key

2 = LFIC Control Key

4 = Schlage Control Key

## Medeco M<sup>3</sup> & X4 CLIQ<sup>®</sup>

## **Keys and Accessories**

M<sup>3</sup> and X4 CLIQ Intelligent Keys operate both CLIQ cylinders as well as compatible mechanical cylinders for unmatched system flexibility and security. Maintaining and ensuring system integrity by means of key audit to obtain historic user access information, as well as the ability to schedule access to doors, is an invaluable tool. M<sup>3</sup> and X4 CLIQ keys are also mechanically compatible with M<sup>3</sup>, M<sup>3</sup> BiLevel, and X4 products with the potential to integrate

into an already existing key system. Keys are user friendly with visible and audible status feedback, are compact in size with water resistant housing and are powered by an easily replaceable CR2330 battery. Utility patented key control provides protection against unauthorized key duplication.

#### Visit www.cliqkey.tips for additional information

#### Medeco M<sup>3</sup> & X4 CLIQ Cut Keys

Description	Part Number	Price
X4 CLIQ_E2 Normal User Key	KEC 49X002	\$147.00
X4 CLIQ_E3 Dynamic User Key	KEC 49X003	\$147.00
X4 CLIQ_E2 Prox Normal User Key	KEC 49XP02	\$160.10
X4 CLIQ_E3 Prox Dynamic User Key	KEC 49XP03	\$160.10
X4 CLIQ Yale LFIC Control Key*	KEC 49X013	\$147.00
X4 CLIQ Schlage LFIC Control key**	KEC 497043	\$147.00

\*Yale Control Key required if ordering 31 Series IC. Indicate "6" or "7" pin at first "X". Example: KEC49**6**013 Note: For ATEX certified keys, contact customer service. \*\* Schlage Control key is required if ordering 322201 IC.

M <sup>3</sup> CLIQ E2 Normal User Key	KEC 48X002	\$147.00
M <sup>3</sup> CLIQ E3 Dynamic User Key	KEC 48X003	\$147.00
M <sup>3</sup> CLIQ E2 Normal Prox User Key	KEC 48XP02	\$160.10
M <sup>3</sup> CLIQ E3 Dynamic Prox User Key	KEC 48XP03	\$160.10
M <sup>3</sup> CLIQ LFIC Control	KEC 48X023	\$147.00
M <sup>3</sup> CLIQ Yale LFIC Control Key*	KEC 48X013	\$147.00
*Yale Control Key required if ordering 31 Series IC. Indicate "6" or "7" pin	at first "X". Example: KEC48 <b>6</b> 013	

Note:For ATEX certified keys, contact customer service.

Original/Biaxial CLIQ E2 Normal User Key	KEC 47X002	\$147.00
Original/Biaxial CLIQ E3 Dynamic User Key	KEC 47X003	\$147.00
Original/Biaxial CLIQ E2 Prox Normal User Key	KEC 47XP02	\$160.10
Original/Biaxial CLIQ E3 Prox Dynamic User Key	KEC 47XP03	\$160.10
Original/Biaxial CLIQ LFIC Control Key	KEC 47X023	\$147.00
Original/Biaxial CLIQ Yale LFIC Control Key*	KEC 47X013	\$147.00

\*Yale Control Key required if ordering 31 Series IC. Indicate "6" or "7" pin at first "X". Example: KEC47**6**013 Note: For ATEX certified keys, contact customer service.

• Normal Key systems require Loading Authorizations On Lock via the system C-Key.

• Dynamic Key systems require Loading Authorizations On Key via a desktop or remote programming device.

Please consult with your Medeco representative to determine which strategy is best for the desired application/installation.

C-Key for M <sup>3</sup> CLIQ	KEB 48600C	\$188.70
C-Key for Original or Biaxial CLIQ	KEB 47600C	\$188.70
C-Key X4 CLIQ	KEB 49600C	\$188.70
V -Prox Battery Cap Programmed - Black (25)	94-0304-M0P	\$625.00
V- Prox Battery Cap Programmed - Blue (25)	94-0304-MBP	\$625.00
V -Prox Battery Cap, No Programming - Black (25)	94-0305-M0P	\$522.00
V - Prox Battery Cap, No Programming - Blue (25)	94-0305-MBP	\$522.00
Prox Battery Cap, Programmed - Black	E A-500054-M0P	\$39.00
Prox Battery Cap, Programmed - Blue	EA-500054-MBP	\$39.00
CR2330 Replacement Battery (for use in M <sup>3</sup> and X4 CLIQ keys)	EA-350084	\$5.81
Note: For ATEX certified keys, contact customer service		

Note: For ATEX certified keys, contact customer service.

## Medeco M<sup>3</sup> & X4 CLIQ<sup>®</sup>

### **Programming and Management**

CLIQ<sup>®</sup> Web Manager is a robust and versatile software used by administrators to efficiently manage their CLIQ<sup>®</sup> System. The CLIQ<sup>®</sup> Web Manager Hosting Service is cloud-based, giving administrators the ability to manage their system from anywhere with internet access and have the benefit of the latest software enhancements. In addition, it offers secure 24/7 web access and no start-up fees, making it a costeffective solution to meet a wide variety of needs. Choose the offering that best fits your CLIQ<sup>®</sup> system size and requirements.



#### CLIQ<sup>®</sup> Web Hosting Service

Description	Part Number	Annual License Fee
<b>Basic:</b> Designed for smaller systems and includes desktop/local key and cylinder programming only, Domain Administration. Limit 750 keys.	SW-500101-1	\$1,070.00
<b>Remote Plus:</b> Designed for mid-sized systems and includes Basic features plus remote, mobile and BLE programming, key revalidation, cylinder groups, access profiles, temporary access groups. Limit 750 keys.	SW-500101-3	\$3,363.00
<b>Enterprise:</b> Designed for large systems and includes all Remote Plus features plus web services for 3rd party applications. Limit 1500 keys.	SW-500101-5	\$5,502.00
<b>Enterprise Plus:</b> Designed for systems larger than 1500 keys. Options available for purchase include custom server configuration.		Call for pricing
<b>LenelS2 Onguard:</b> Middleware add-on designed for integration of LenelS2 Onguard with CWM.	SW-601201	Call for pricing
<b>LenelS2 Onguard:</b> Recurring maintenance fee for middleware add-on designed for integration of LenelS2 Onguard with CWM.	SW-601201-R	Call for pricing
AD/LDAP Interface add-on designed for integration of AD/LDAP with CWM.	SW-500150-R	\$2,190.00
Analytics and reporting add-on designed for analytics of CLIQ data and reporting.	SW-500160-R	\$2,190.00

#### CLIQ<sup>®</sup> Self-Hosted Software

Description	Part Number	One-time License Fee	Annual Maintenance Fee
Enterprise Self-Hosted One-Time Fee. Includes all Remote Plus features plus web services for 3rd party applications.	SW-600801	\$51,065.00	
Enterprise Self-Hosted Annual Recurring Maintenance Fee.	SW-600801-6R		\$7,660.00
CLIQ Web Server customer-hosted advance. One-time license fee.	SW-600801-7	\$23,343.00	
CLIQ Web Server customer-hosted maintenance (advance)	SW-600801-7R		\$3,503.00

Self-hosted software purchase entitle the user to a single user license with annual license fees. Software maintenance fee provides regular software program updates, maintenance releases, patches, and technical telephone assistance.

An additional license is required for both Medeco- and Self-hosted customer test server environments.

Multi-year hosting available. Contact your sales representative.

The CLIQ service offerings are billed annually. Annual subscription includes maintenance releases, patches, and normal business hours of basic technical telephone support (M-F). Maintenance fees are billed annually. Annual maintenance subscription includes basic technical telephone support (M-F). For extended technical support, please refer to page 21 for advanced support programs including extended hours and guaranteed response times.

CLIQ Web Manager Client PC minimum requirements: Windows 10 and a modern browser. CLIQ Web Manager is a licensed product for both Medeco Hosted Services and End-User Self Hosted Software.

#### **CLIQ® Local Manager**

The locally installed CLIQ Local Manager software is used for the day-to-day management of the CLIQ system. With it, system managers can perform a variety of tasks based on the specific needs of their environment, managing access rights of user keys locally via desktop programming devices.

Description	Part Number	Purchase	Annual Rental
CLIQ Local Manager Stand-alone Software version with perpetual license option: Single system application license – One system can be imported into the software with C-key and ELS files. Two years of tech support is included.		\$2,190.00	
Choose the Purchase Option 🔺 OR	The Annual Rental	Option 🔻	
CLIQ Local Manager Stand-alone Software version with recurring license option: Single system application license with Annual maintenance fee.	SW-500170-R		\$657.00

Self-hosted software purchase entitles the user to a single user license with annual license fees. Software maintenance fee provides regular software program updates, maintenance releases, patches, and technical telephone assistance.

#### Medeco M<sup>3</sup> & X4 CLIQ Programming Devices

Description	Part Number	Price
M <sup>3</sup> CLIQ Local Programming Device (Includes USB Cable)	EA-100168	\$705.00
M <sup>3</sup> CLIQ Remote Wall PD	EA-100126	\$1,159.00
M <sup>3</sup> CLIQ Mobile Programmer	EA-100142	\$1,103.00
M <sup>3</sup> CLIQ Outdoor, Vandal Resistant, Wall Programmer	EA-100160	\$2,088.00
X4 CLIQ Local Programming Device (Includes USB Cable)	EA-100179	\$705.00
X4 CLIQ Remote Wall PD	EA-100180	\$1,159.00
X4 CLIQ Mobile Programmer	EA-100181	\$1,103.00
X4 CLIQ Outdoor, Vandal Resistant, Wall Programmer	EA-100182	\$2,088.00
X4 CLIQ local programming device with one plug (for end users - no plug for C key)	EA-100222	\$609.00
X4 CLIQ Connect mobile programming device	EA-100230	\$1,136.00
M3 CLIQ Local Programming Device with one plug (for end users - no plug for C key)	EA-100210	\$609.00
M3 CLIQ Connect mobile programming device	EA-100229	\$1,136.00

#### Medeco M<sup>3</sup> & X4 CLIQ Kits & Accessories

Description	Part Number	Price
Biaxial and M <sup>3</sup> Bottom Pin Kit for use with M <sup>3</sup> CLIQ (Original Product uses standard pin kit)	.KW5401	\$851.00
Metal Cylinder Protector Cover	CP-287260	\$99.60
Plastic cylinder protector cover	CP-170930	\$73.80

#### **End-User Startup Checklist:**

- CLIQ Web Manager
- CLIQ Local Programmer
- CLIQ C Key
- Remote Wall and/or Mobile Programmers
- User Keys

#### **Professional Services**

Planning, design and support are crucial to the successful deployment of an Intelligent Key System. Medeco offers professional services to ensure every installation is planned and executed seamlessly, and the system works effectively to meet current and future needs to protect the investment. See page 21 for details and pricing.

Medeco Classic CLIQ merges the features of electronics with reliable mechanical technology – all in a retrofit cylinder. Medeco CLIQ offers end users audit trail, user access schedules and the ability to quickly and remotely change Intelligent Key authorizations with the CLIQ Web Manager and Remote.

Medeco Classic CLIQ installs with no wiring in a matter of minutes, and Intelligent Keys and digital cylinder reprogram for electronic master keying.



#### Audit Accountability

Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts.



#### **Uses Existing Hardware**

The Medeco CLIQ Intelligent Key provides all power to the cylinder, eliminating the need for any hard wiring or power supply. Simply remove the existing mechanical cylinder and install the Medeco Classic CLIQ cylinder.



#### **Reduces Risk of Lost Keys**

Respond quickly to security threats, lost or stolen keys or personnel changes utilizing expiring Intelligent Key validation intervals and remote programming.



#### **Electronic Scheduling**

Intelligent Keys are programmed for specific openings with fully flexible scheduling. Access profiles can be created where programming updates are generated automatically when an opening is added or removed.

#### **Technical Features:**

- Audits: Key capacity 1,000 events Cylinder capacity – 750 events
- Management: CLIQ Web Manager with Medeco Hosted or Self-Hosted License
- Power: Power supplied by the key, no hard wiring required
- Lockcase: Fits standard Rim & Mortise Housing as well as other various platforms
- Weather Resistant: Can be used in indoor or outdoor applications
  - Rated for -20° F to 122° F (cylinder)
- Security: Encrypted identification in cylinder & Intelligent Key
- Formats: Available in all common cylinder formats including KIK/KIL, LFIC, padlocks and deadbolts



### **Key Information:**

- Audit key holds up to 1,000 audit records and provides information unavailable in a mechanical system
- Self-cleaning electronic contact point for a long lasting key and reliable connection
- Powered by an easily replaceable CR2025 Battery with 20,000 cycle battery life
- Available with HID Prox coil insert for dual use with HID compatible EAC systems
- Visible status feedback
- Compact size in water resistant housing

#### Warranty:

Medeco<sup>®</sup> warrants the Medeco Classic CLIQ products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase

#### **Finishes:**

• Available in several finish options

#### CLIQ Web Manager Features:

- Role based system administration
- Access Profiles
- Remote Programming Web
- Services Integration
- Key Revalidation
- Automated Change Notification

#### **Cylinder Technologies:**

• Classic CLIQ Technology code = "C"



## **Rim and Mortise Cylinders**

A simple replacement of rim or mortise cylinders with Classic CLIQ cylinders provides audit and scheduling along with expiration of credentials for any existing opening utilizing mortise hardware. Cylinders are available in all popular lengths and are an ideal upgrade for offices or as override for traditional EAC equipment.

#### Medeco Classic CLIQ Mortise Cylinders

Part Number	Price
100500 C	\$943.09
105100 C	\$939.87
105200 C	\$1,013.81
105400 C	\$1,105.83
105500 C	\$1,106.76
105700 C	\$1,105.79
	100500 C 105100 C 105200 C 105400 C 105500 C

Medeco Classic CLIQ mortise cylinders are not available longer than 2 1/2"

#### **Medeco Classic CLIQ Rim Cylinders**

Description	Part Number	Price
Rim Cylinder - Horizontal Tailpiece	100400H C	\$940.87
Rim Cylinder - Vertical Tailpiece	100400V C	\$940.87
Rim Cylinder - Sargent Mounting Style, Horizontal Tailpiece	100403H C	\$940.87
Rim Cylinder - Sargent Mounting Style, Vertical Tailpiece	100403V C	\$940.87
Rim Cylinder - 180 Degree Lazy Motion	100700 C	\$940.87

## Key-In-Knob/Lever Cylinders

Medeco's Key-in-Knob cylinders are designed to retrofit knob type cylindrical locksets, lever type cylindrical locksets, padlocks and bored type auxiliary deadlatches and deadlocks. Medeco Classic CLIQ KIK/KIL cylinders additionally offer user audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system, allowing fast response to security threats or lost/stolen keys. These cylinders fit nearly all popular brands and styles of hardware and are therefore an ideal application for office doors, storage and file rooms, or residential doors; virtually any door where cylindrical hardware is used.



#### Medeco Classic CLIQ Cylinders for Alarm Lock

Description	Part Number	Price
Cylinder for Alarm Lock Trilogy T1, T2, T3	20200V1 C	\$945.00

\*Due to possible variances in hardware tolerance and door preparation, Classic CLIQ KIK cylinders should be field tested in lever or knob applications where the key retracts the latch directly to ensure proper hardware operation.

#### Medeco Classic CLIQ Cylinders for Arrow

Description	Part Number	Price
Cylinder Package for Arrow MK Series include CT-Y70, CT-Y73,		
CP-160321	20200A1 C	\$947.11
Cylinder for Arrow RK Series & MK Series (Except Ball),		
original cylinder spacer must be replaced with		
Medeco spacer CP-160321	2020070 C	\$945.00
Cylinder for Arrow MK Series (Ball knob only) and GL series	2020073 C	\$945.00
Cylinder for Arrow H & S Knob Series, L, ML, Q, & W Series Lever	2020249 C	\$945.00
Cylinder for Arrow JL Series Interconnected lock, deadbolt cylinder		
also necessary	2020249 C	\$945.00

#### Medeco Classic CLIQ Cylinder for Cal-Royal

Description	Part Number	Price
Cylinder for Cal-Royal SL00 Knob Lock and LX01 Lever Lock	2020049 C	\$945.00
Cylinder for Cal-Royal CLS03 Classroom Function Grade 2 Lever Lock	20200V1 C	\$945.00

#### Medeco Classic CLIQ Cylinder for Corbin Russwin

Description	Part Number	Price
Cylinder for Corbin Russwin CL3900	20200V9 C	\$945.00
Cylinder for Corbin Russwin 800, CL3300, CL3400, CL3500, CL3600	2021173 C	\$945.00
Cylinder for Corbin Russwin CK4200 (new style)	205005 C	\$945.00

#### Medeco Classic CLIQ Cylinder for Dorma

Description	Part Number	Price
Cylinder for Dorma <sup>®</sup> CL700 series	2020049 C	\$945.00
Cylinder for Dorma® CL860 (Interior), CL870, CL872, CL873, CL877 Grade 1 Lever, CK860 (Interior), CK870, CK872, CK873, & CK877		
Grade 1 Knobs	20200V0 C	\$945.00
Cylinder for Dorma <sup>®</sup> CL853, CL860 (exterior), CL880, CL882, CL80EL,		
CL80EU Grade 1 Lever, CK853, CK860 (exterior), CK880, CK882, CK80EL, & CK80EU Grade 1 Knobs	20200V1 C	\$945.00

#### Medeco Classic CLIQ Cylinder for Embassy

Description	Part Number	Price
Cylinder for Embassy lockset in Entrance, Institution, Storeroom,		
Corridor functions.	20200V1 C	\$945.00

#### Medeco Classic CLIQ Cylinder for Hager

Description	Part Number	Price
Cylinder for Hager Lever Locksets, Model 3553,3570,3579,3580	2020249 C	\$945.00

#### Medeco Classic CLIQ Cylinder for KABA - Mas-Hamilton

Description	Part Number	Price
Kaba E-plex 5000	2020000 C	\$945.00
MAS-Hamilton Power Lever	20200V1 C	\$945.00

#### Medeco Classic CLIQ Cylinder for LSDA

Description	Part Number	Price
LSDA Cylinder Package Fits 100, L100, LH1000, LX1000 Series.		
Includes: CT-Y49, CT-Y70 (for 100 Series Knob, except B		
and L100 Series Lever), CT-Y73 (for 100 Series B knob), CT-Y78		
(for LX1000 Lever)	20200L1 C	\$947.11

\*Due to possible variances in hardware tolerance and door preparation, Classic CLIQ KIK cylinders should be field tested in lever or knob applications where the key retracts the latch directly to ensure proper hardware operation.

#### Medeco Classic CLIQ Cylinder for Marks

Description	Part Number	Price
(DA, DC, SB, S).	20200V0 C	\$945.00
Cylinder for Marks Lever 110, 170, 180, 190, 195, 295 series in Entrance, Institution, Storeroom, and Corridor functions		
(AB, DW, F, T)	20200V1 C	\$945.00
Medeco Classic CLIQ Cylinder for Olympus		
Description	Part Number	Price
Cylinder for Olympus 700 LCM and 800 LCM Key Retaining cabinet		
lock, includes: CTY49, CT-Y52, CT-Y53, CT-Y54	20200S1 C	\$947.11

#### Medeco Classic CLIQ Cylinder for PDQ

Description	Part Number	Price
Cylinder for PDQ Lever SP & ST series, GT, XGT & GP Series	20200V2 C	\$945.00

#### Medeco Classic CLIQ Cylinder for Sargent

Description	Part Number	Price
Cylinder for Sargent 10 line locksets order with '30' option prefix		
(note: cylinder will extend from lever more than standard cylinder)	20200S1 C	\$947.11

#### Medeco Classic CLIQ Cylinders for Schlage

Description	Part Number	Price
Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs	1	
includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth),		
CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only),		
CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thick doors	),	
and CTY74 (45-101 padlock)	20200S1 C	\$947.11
Cylinder for Schlage D Series Lever, Athen, Rhodes, & Sparta designs	2020249 C	\$945.00

#### Medeco Classic CLIQ Cylinder for TACO

Description	Part Number	Price
Cylinder for TACO LXV lever lockset	2020078 C	\$856.75

#### Medeco Classic CLIQ Cylinder for Yale

Description	Part Number	Price
Cylinder for Yale 6 pin 5300LN, 5400LN and 4300 Knobs	200503 C	\$945.00

\*Due to possible variances in hardware tolerance and door preparation, Classic CLIQ KIK cylinders should be field tested in lever or knob applications where the key retracts the latch directly to ensure proper hardware operation.

## Interchangeable Core Cylinders

Medeco Classic CLIQ LFIC cores offer end users the ability to obtain an audit trail, schedule user access rights and quickly and easily remove a key electronically from a system. This cylinder installs into standard Schlage-style LFIC housing hardware with no wiring or other modifications. It is drill and tamper resistant, and ideal for indoor or outdoor installations. Common applications include business entrances such as banks and shopping centers, as well as many school and university applications.

#### Medeco Classic CLIQ Cylinders for Schlage

Description	Part Number	Price
Classic CLIQ cylinder for Schlage style LFIC	322201 C	\$946.98

## Padlocks

Medeco Classic CLIQ retrofit cylinders are available for the Medeco System Series and G8R padlocks, as well as several other popular brands such as American, Schlage or Master. These locks are weather resistant and can be used in indoor or outdoor applications. Padlocks have simple reprogramming abilities, as well as audit and scheduling capabilities for perimeter fences and gates, or for equipment storage areas where traditional EAC is practically impossible to install.



#### Medeco Classic CLIQ Padlock Cylinders

Description	Part Number	Price
Medeco System Series padlock cylinder (padlock body sold sep	arately) 510600 C	\$1,129.59
G8R Padlock popout cylinder, deadbolt function (padlock body sold separately)	641201 C	\$933.00
G8R Padlock popout cylinder, springbolt function (padlock body sold separately)	641200 C	\$933.00
Cylinder for American 3600/3700 padlock (Use American driver DR-MED6)	2020000 C	\$945.00
Cylinder for New Standard padlocks	2020052 C	\$945.00
Cylinder for Master 20 and 6600, 6700 Pro Series (Use Master driver 0298-627 for Pro Series)	2020000 C	\$945.00
Cylinder for Schlage 45-101 padlock	2020074 C	\$856.75
Cylinder for Abus Padlock Series 83KNK/45, 83KNK/50 & 83KNł (Use Abus driver M)	K/55. 2020000 C	\$945.00

#### Medeco Classic CLIQ Padlock Options

Refer to the Padlock Section for System Series and G8R Padlock part numbers and options.

## Deadbolts

The Medeco Classic CLIQ Maxum Deadbolt provides a loss and liability solution in Medeco's Maxum deadbolt platform. In addition to the physical security of the Maxum deadbolt, the Medeco Classic CLIQ cylinder provides an audit trail, the ability to schedule user access rights and the freedom to quickly add or remove a key from the system. The Medeco Classic CLIQ deadbolt installs in a matter of minutes without cumbersome wiring. Attack-resistant design and tamper-proof features provide strong protection against forced entry and allow for flawless integration into any home or business application.



#### Medeco Classic CLIQ Deadbolt Cylinders

Description	Part Number	Price
Cylinder for Arrow D, E & DB Series Single Cylinder Deadbolts	200901 C	\$946.00
Cylinder for Arrow Revolution deadbolt	200901 C	\$946.00
Cylinder for Sargent 470 & 480 single cylinder deadbolt	200901 C	\$946.00
Cylinder for Sargent 470 & 480 double cylinder deadbolt	200902 C	\$946.00
Lazy Motion Cylinder for Schlage B series (old style) deadbolt	200904 C	\$946.00

#### Medeco Classic CLIQ Maxum Deadbolts - Commercial Trim

Description	Part Number	Price
• Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11C601 C	\$1,093.53
• Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11C602 C	\$1,093.53
• Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11C603 C	\$1,093.53
• Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11C604 C	\$1,093.53
• Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11C605 C	\$1,093.53
• Single Cylinder Maxum, Drive In Front, 2 3/4" Backset	11C606 C	\$1,093.53
Single Cylinder Maxum Deadbolt, Less Bolt	11C60LC	\$1,011.44

• Available Classroom Function, 11C61X C.

#### Medeco Classic CLIQ Maxum Deadbolts - Residential Trim

Description	Part Number	Price
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset	11R601 C	\$1,093.53
Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset	11R602 C	\$1,093.53
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset	11R603 C	\$1,093.53
Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset	11R604 C	\$1,093.53
Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset	11R605 C	\$1,093.53
Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset	11R606 C	\$1,093.53
Single Cylinder Maxum Deadbolt, Less Bolt	11R60L C	\$1,011.44

## **Cam and Utility Locks**

Medeco<sup>®</sup> Classic CLIQ Cam Locks are recognized throughout the world as the standard for protection. Medeco offers a complete line of various cam lock sizes and functions to meet your specific needs. In addition to providing the ultimate defense against drilling, pulling, and other forms of vandal attacks, locks have both electronic auditing and scheduling capabilities that offer further security in many applications. Storage cabinets, vending machines, lockers and tool boxes can all be accommodated without any wiring and be utilized in either indoor or outdoor use.



#### Medeco Classic CLIQ Cam Locks

Description	Part Number	Price
7/8" Cam lock	60810 XXX C	\$937.00
7/8" Cam lock with hardened plug face	60810D XXX C	\$1,015.23
1 1/8" Cam lock	60820 XXX C	\$937.00
1 1/8" Cam lock with hardened steel plug face	60820D XXX C	\$1,015.23

#### Medeco Classic CLIQ Cam Lock Codes

Description	Op Code
1 Flat, 1 Key Pull, Clockwise 90 degree	119
2 Flat, 1 Key Pull, Clockwise 90 degree	219
2 Flat, 2 Key Pull, Clockwise 90 degree	229
2 Flat, 1 Key Pull, Counterclockwise 90 degree	239
2 Flat, 2 Key Pull, Counterclockwise 90 degree	249
2 Flat, 1 Key Pull, Clockwise 180 degree	259
2 Flat, 2 Key Pull, Clockwise 180 degree	269

## **Retail/Showcase Cylinders**

Medeco Classic CLIQ Showcase and Cabinet Locks offer end users audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system. Installs with no wiring in a matter of minutes, and electronic keys and cylinders reprogram for instant changes. With ease of tracking capabilities, in a retail environment these locks are ideal to protect against both customer and employee theft, and to allow efficient access for sales associates with full audit accountability. Available to fit many types of display cases, as well as cash drawers and inventory cabinets.



#### Medeco Classic CLIQ Cabinet Locks

Description	Part Number	Price
Plunger Lock, Round Bolt	490358 C	\$1,074.00
Plunger Lock, T- Bolt	490368 C	\$1,074.00
Cabinet Lock, Latchbolt	490359 C	\$1,067.51
Cabinet Lock, Deadbolt	490366 C	\$1,067.51
Showcase Ratchet Lock	490361 C	\$1,036.91

## **International Cylinders**

Medeco's International Cylinders are designed to fit in locksets of major world manufacturers. In addition to international uses, many of these cylinders fit imported hardware used in North America. These Medeco Classic CLIQ cylinders can be installed into standard hardware with no wiring or other modifications, as power is supplied by the key. Reprogramming, audit and key scheduling capabilities are available with easy to use software. These cylinders are widely used at high security government installations, industrial and institutional organizations, airports, hotels, power plants, palaces, museums, universities and schools, and office buildings.



#### Medeco Classic CLIQ International Cylinders

Description	Part Number	Price
Thumbturn Profile - Assembled 30/30mm	2325005 C	\$1,120.00
Double Cylinder Profile - Assembled 30/30mm	2325025 C	\$1,602.00

• Other lengths available, please inquire.

## **Vending Cylinder Formats**

Medeco Classic CLIQ specialty cylinders offer industrial or route management vendors electronic control over their assets. Medeco Classic CLIQ offers end users audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system. Installs with no wiring in a matter of minutes and electronic keys and cylinders reprogram for instant changes. Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts. Medeco Classic CLIQ products add a wide variety of intelligent features without compromising on physical security. Attack-resistant design and tamper-proof features provide strong protection against forced entry.



#### Medeco Classic CLIQ Pop-Out Cylinders

Description	Part Number	Price
CLIQ Pop-out Cylinder, Springbolt	641200 C	\$933.00
CLIQ Pop-out, Springbolt, Hardened Plug	641200D C	\$1,011.23
CLIQ Pop-out Cylinder, Deadbolt	641201 C	\$933.00
CLIQ Pop-Out Cylinder, Deadbolt, Hardened Plug	641201D C	\$1,011.23

## **Keys and Accessories**

Medeco Classic CLIQ Intelligent Keys operate Classic CLIQ cylinders for system flexibility and security they maintain and ensures system integrity by means of key audit to obtain historic user access information, as well as the ability to schedule access to doors. Keys are user friendly with visible LCD status feedback, compact in size with water resistant housing and are powered by an easily replaceable CR2025 battery.



#### Medeco Classic CLIQ Keys

Description	Part Number	Price
E2/Normal User Key - Key Only	KEC 42602B	\$163.61
E3/Dynamic User Key - Key Only	KEC 42603B	\$163.61
С-Кеу	KEC 4260CR	\$209.31
E2/Normal User Key with 125kHz PROX Cover	KEC 426P2B	\$176.71
E3/Dynamic User Key with 125kHz PROX Cover	KEC 426P3B	\$176.71
CLIQ Battery Cover w/Proximity-upgrade standard Medeco Classic CLIQ keys to RFID Proximity Keys (sold in pack of 25) - Black only	94-0249	\$456.00

• Normal Key systems require Loading Authorizations On Lock via the system C-Key.

• Dynamic Key systems require Loading Authorizations On Key via a desktop or remote programming device.

Please consult with your Medeco Intelligent Key representative to determine which strategy is best for the desired application/installation.

#### Medeco Classic CLIQ Programming Devices

Description	Part Number	Price
Medeco Classic CLIQ Local Programming Device (Includes USB Cable)	EA-100167	\$705.00
Remote Wall PD for Medeco Classic CLIQ	EA-100121	\$1,208.00
Medeco Classic CLIQ Mobile Programmer	EA-100145	\$1,103.00
Outdoor, Vandal Resistant, Wall Programmer for Medeco Classic CLIQ keys	EA-100159	\$2,088.00
CLIQ Connect Mobile PD	EA-100258	\$1,136.00

#### Medeco Classic CLIQ Kits & Accessories

Description	Part Number	Price
Plastic Cylinder Protection Cover	CP-170930	\$73.80
Metal Cylinder Protection Cover	CP-287260	\$99.60

#### End-User Startup Checklist:

- CLIQ Web Manager
- CLIQ Local Programmer
- CLIQ C Key
- Remote Wall and/or Mobile Programmers
- User Keys

#### **Professional Services**

Planning, design and support are crucial to the successful deployment of an Intelligent Key System. Medeco offers professional services to ensure every installation is planned and executed seamlessly, and the system works effectively to meet current and future needs to protect the investment. See page 21 for details and pricing.

### **Programming and Management**

CLIQ<sup>®</sup> Web Manager is a robust and versatile software used by administrators to efficiently manage their CLIQ<sup>®</sup> System. The CLIQ<sup>®</sup> Web Manager Hosting Service is cloud-based, giving administrators the ability to manage their system from anywhere with internet access and have the benefit of the latest software enhancements. In addition, it offers secure 24/7 web access and no start-up fees, making it a costeffective solution to meet a wide variety of needs. Choose the offering that best fits your CLIQ<sup>®</sup> system size and requirements.



#### CLIQ<sup>®</sup> Web Hosting Service

Description	Part Number	Annual License Fee
<b>Basic:</b> Designed for smaller systems and includes desktop/local key and cylinder programming only, Domain Administration. Limit 750 keys.	SW-500101-1	\$1,070.00
<b>Remote Plus:</b> Designed for mid-sized systems and includes Basic features plus remote, mobile and BLE programming, key revalidation, cylinder groups, access profiles, temporary access groups. Limit 750 keys.	SW-500101-3	\$3,363.00
<b>Enterprise:</b> Designed for large systems and includes all Remote Plus features plus web services for 3rd party applications. Limit 1500 keys.	SW-500101-5	\$5,502.00
<b>Enterprise Plus:</b> Designed for systems larger than 1500 keys. Options include custom server configuration, FedRAMP compliance.		Call for pricing
These offerings are billed annually.		

#### CLIQ<sup>®</sup> Self-Hosted Software

Description	Part Number	One-time License Fee	Annual Maintenance Fee
Enterprise Self-Hosted One-Time Fee. Includes all Remote Plus features plus web services for 3rd party applications.	SW-600801	\$51,065.00	
Enterprise Self-Hosted Annual Recurring Maintenance Fee.	SW-600801-6R		\$7,660.00
CLIQ Web Server customer-hosted advance. One-time license fee.	SW-600801-7	\$23,343.00	
CLIQ Web Server customer-hosted maintenance (advance)	SW-600801-7R		\$3,503.00
Maintenance fees are billed annually.			

Self-hosted software purchases entitle the user to a single user license with no annual license fees. However, the software maintenance fee is recommended and provides regular software program updates, maintenance releases, patches, and technical telephone assistance.

CLIQ Web Manager Client PC minimum requirements: Windows 10 and a modern browser. CLIQ Web Manager is a licensed product for both Medeco Hosted Services and End-User Self Hosted Software.

## Medeco 4

## **High Security Locking System**

Medeco builds on more than 50 years of lock engineering innovation and takes security to the next level, offering the highest level of protection against physical attack and unauthorized key duplication with Medeco 4 (M4).

M4 cylinders are UL 437 listed for physical strength and high security components, using solid brass construction with strategically placed hardened-steel inserts to thwart drilling attacks. In addition to tumbler pins that lift and rotate, M4's design includes up to 4 side pins: 3 finger pins and 1 lift pin, which must all interact with the sidebar to open, providing a high level of pick resistance. The patent-pending M4 key design, with its shuttle pin movable element, also protects against the emerging threat of 3D printing for added credential security.





#### **Key Control**

Patent-pending key control protects against unauthorized duplication of keys.



#### Protection Against 3D Printing

A patent-pending movable element in the key deters against unauthorized 3D printed copies of keys or blanks.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a shuttle lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Uses Existing Hardware**

M4 cylinders are available in a wide variety of formats, retrofitting most hardware on the market.



#### Protection From Physical Attack

M4 cylinders are UL 437 listed and UL test lab proven to stand up to drilling, picking and other forms of physical attack.



#### **Special Angled Cut Keys**

A special key cutting machine and access to Medecospecific blanks are required to duplicate M4 keys, which are available in multiple levels of restriction to support every need.



#### Master Keying Capabilities

M4 cylinders can be master keyed into a system that includes M4, M4 BiLevel, and M4 CLIQ keys and cylinders. Extremely large systems are possible.

## **Technical Information**

#### **Cylinders:**

- UL 437: Underwriters Laboratory Standard for a locking cylinder's ability to resist physical attack.
- ANSI/BHMA A156.30 & 156.5 rated meets or exceeds criteria for strength and durability, key control, and surreptitious entry resistance.
- Solid brass machined construction
- Biaxial-style split pin tumblers
- 100,000 cycle endurance tested

#### **Keys:**

- Angled, offset cuts on key blade
- Movable element on blade provides 3D key and key blank copy protection
- Patent-pending protection against duplicate keys
- Unique keyway pre-cuts using side cuts
- Secondary bitting/side pins in four positions
- Expanded master keying capability

#### **Applications:**

• M4 cylinders are available in a wide variety of formats and are ideal for any application requiring key control and a high level of physical security. They are upgradeable to electronics with M4 CLIQ.

#### Warranty:

M4 cylinders are warranted for two years against manufacturer's defects. M4 keys have a lifetime warranty against breakage. See the Medeco limited warranty for details.



## **Medeco BiLevel**

Medeco 4 BiLevel cylinders offer affordable key control through patent-pending protected keys. Standard locking systems without utility patent protected keys allow anyone who gains possession of a key to easily and inexpensively make a copy. With an unauthorized duplicate key, a thief has complete access to a building, its physical and intellectual property, and the people inside. BiLevel locking systems ensure that the keys to a facility can only be duplicated by certified Medeco dealers and only with the proper authorization.

Medeco BiLevel cylinders can tie in with other Medeco mechanical and Intelligent Key products for master keying purposes.



#### Patented -pending Key Control

Protects against unauthorized duplication of keys.

#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Uses Existing Hardware**

Medeco offers the largest selection of retrofit cylinders that reduce cost by eliminating the need to replace your existing hardware.



#### Can Be Master Keyed

Can be master keyed into a system containing M4 BiLevel and M4 mechanical as well as the M4 CLIQ<sup>\*\*</sup> Intelligent Key system.

### **Technical Information:**

• Can be keyed with M4 and M4 CLIQ products

#### **Applications:**

BiLevel retrofit cylinders are ideal for any application requiring patented key control where physical high security is not necessary.

#### Warranty:

Medeco BiLevel cylinders are warranted for two years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Cylinder Formats:**

- Rim & Mortise
- Key in Knob/Lever Cylinders
- Large Format Interchangeable Cores
- Padlocks
- Deadbolts



## Medeco X4

All facilities need patented key control to effectively secure exterior and interior openings. This strength of integrity allows security managers to have peace of mind when it comes to managing the system. Unfortunately, instituting a new key system is not always easy... or economical.

Medeco X4 is an economic and efficient solution to rekeying needs. Medeco X4 has one of the largest master key capabilities on the market, allowing facility managers to tie everything together under one key for ease, convenience and efficiency. Additionally, Medeco X4 easily retrofits into existing systems, significantly reducing installation time.



Medeco X4 is the perfect security upgrade for small format interchangeable core (SFIC) installations In addition to SFIC cylinders, Medeco X4 is also available in many other styles of retrofit cylinders that can all be keyed into a single system.



#### Patented Key Control

Protects against unauthorized duplication of your keys.



#### **Uses Existing Hardware**

Medeco X4 is available in a large selection of retrofit cylinder formats that can all be keyed into a single system.



#### **Quickly Change Cores**

Medeco X4 SFIC cylinder provides quick and easy cylinder changes in the event keys are lost or stolen.



#### Can be Master Keyed

Available in Small Format Interchangeable Cores (SFIC) and other retrofit cylinder formats which can be master keyed together, eliminating the need to replace your existing hardware.



### **Technical Information:**

- Superior master key capabilities, up to four (4) times that of similar style cylinders
- One key flexibility for different cylinder styles compatible
- Patented system lasting until the year 2030
- Custom key coining for added security

#### **Applications:**

The Medeco X4 retrofit cylinders are ideal for any application requiring key control and physical security of your cylinders

#### Warranty:

Medeco X4 cylinders are warranted for two years against manufacturer's defects. See the Medeco® limited warranty for full details

#### **Cylinder Formats:**

- Rim & Mortise
- Key in Knob/Lever Cylinders
- Small Format Interchangeable Cores
- Large Format Interchangeable Cores
- Padlocks
- Deadbolts



## **Rim & Mortise Cylinders**

FEATURES	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	CLIQ	Medeco XT
Utility patented key control provides protection from unauthorized duplication of keys	(pending)	•	•	•	•
UL 437 Listing and BHMA Certification provide validation of high security from recognized, independent testing laboratories	•				
Pick resistance and large numbers of combinations for master keying flexibility to accommodate systems of virtually any size	•				
Hardened steel inserts in the cylinder face provide proven drill resistance	•				
Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance	•				
Solid nickel silver bottom pins provide exceptional wear resistance			•		
Retrofits into virtually any manufacturers' locksets for cost effective improved security	•	•	•	•	•
High security and key control may be incorporated in a single system for cost effective system flexibility		•		•	
Keys may be integrated with Hybrid proximity head for greater system retrofit		•	•	•	

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### X4 Patented Key Control

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco 4 BiLevel Key Control**

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.

# **Rim & Mortise Cylinders**

Medeco mortise cylinders are precision-machined solid brass and retrofit into virtually any industry standard hardware. Rim cylinders can be used with auxiliary locking devices such as: surface mounted deadbolts, night latches, panic devices and jimmy proof locks (also known as vertical dropbolts or interlocking deadbolts). Medeco high security rim and mortise cylinders are UL 437 listed for drill and pick resistance, and the those that incorporate the Medeco 4 (M4), M4 BiLevel, or Medeco X4 technologies, offer utility patented key control.



#### Patented Key Control

Protects against unauthorized duplication of keys.



#### Picking and Bumping Protection

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### Protection From Physical Attack

M4 rim & mortise cylinders are UL 437 listed and stand up to drilling, picking and other forms of physical attack.



#### Special Angle Cut Keys

Requires a special key cutting machine and access to Medeco specific blanks, available in multiple levels of restriction to support every need.



#### Uses Existing Hardware

Medeco offers the largest selection of retrofit Rim & Mortise cylinders that reduce cost by eliminating the need to replace existing hardware.



#### **Master Keying Capabilities**

M4 can be master keyed into a system containing M4 BiLevel and M4 CLIQ eCylinders. Extremely large systems are possible.

## ey control.

Applications Flexible options designed to retrofit various manufacturers

## mortise and rim locks Warranty:

Warranted for two (2) years against manufacturers' defects. See the Medeco<sup>®</sup> limited warranty for full details

### **Technical Features:**

- BHMA A156.30 Certification assures patent protected key control and physical strength (M4, M3)
- BHMA A156.5 Grade 1 Certification assures consistent quality for heavy use applications (M4, M3)
- Solid brass construction provides high quality and long cylinder life
- Set screw pin chamber caps allow quick and easy pinning and re-keying without the need to take the cylinder apart
- Large variety of cylinder lengths and cam/tailpiece configurations provide excellent retrofit capability and reduce the need to replace the entire locking device

#### **Finishes:**

• Available in all standard finishes to match existing hardware

### Available Key Technologies:

#### Mechanical:

- M4/M4 BiLevel
- M<sup>3</sup>/M<sup>3</sup> BiLevel
- -X4
- M<sup>3</sup> CLIQ – Classic CLIQ

– M4 CLIQ


**Intelligent Key:** 

– X4 CLIQ – XT



### How To Order Rim & Mortise Cylinders

Complete part numbers are required for all orders. To determine the correct part number, fill in the "X's" in sequential order.



### Rim & Mortise Cylinders

#### **Standard Mortise Cylinders**

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
1" 5 Pin Mortise Cylinder	100100 (P)	\$170.00	\$92.48	\$115.74	\$179.30	\$123.64
– (6 pin for Medeco X4)	100100(S)	\$155.00	\$84.48	\$100.74	\$164.30	\$108.64
1" 5 Pin Mortise Cylinder with 120° notch	100101 (P)	\$170.00	\$92.48		\$179.30	
along top of shell for alternate retaining location	100101 (S)	\$155.00	\$84.48		\$164.30	
1-1/8" 6 Pin Mortise Cylinder	100200 (P)	\$170.00	\$92.48	\$115.74	\$179.30	\$123.64
	100200(S)	\$155.00	\$84.48	\$100.74	\$164.30	\$108.64
	100500(P)	\$177.00	\$96.29	\$117.95	\$186.72	\$125.91
1-1/4" 6 Pin Mortise Cylinder	100500(S)	\$162.00	\$88.29	\$102.95	\$171.72	\$110.91
	105100(P)	\$184.00	\$100.11	\$130.32	\$194.14	\$139.06
1-3/8" 6 Pin Mortise Cylinder	105100(S)	\$169.00	\$92.11	\$115.32	\$179.14	\$124.06
	105200(P)	\$249.00	\$135.53	\$176.14	\$263.04	
1-1/2" 6 Pin Mortise Cylinder	105200(S)	\$234.00	\$127.53	\$161.14	\$248.04	
	105300(P)	\$256.00	\$139.35	\$183.14	\$270.46	\$195.74
1-5/8" 6 Pin Mortise Cylinder	105300(S)	\$241.00	\$131.35	\$168.14	\$255.46	\$180.74
	105400 (P)	\$263.00	\$143.16	\$190.14	\$277.88	\$203.16
1-3/4" 6 Pin Mortise Cylinder	105400(S)	\$248.00	\$135.16	\$175.14	\$262.88	\$188.16
	105500 (P)	\$278.00	\$151.34	\$205.14	\$293.78	\$219.06
2" 6 Pin Mortise Cylinder	105500(S)	\$263.00	\$143.34	\$190.14	\$278.78	\$204.06
D. 1/4# C. Dive Manuface C. Lin Jac	105600(P)	\$293.00	\$159.97		\$309.62	
2-1/4" 6 Pin Mortise Cylinder	105600(S)	\$278.00	\$151.97		\$294.62	
	105700(P)	\$309.00	\$168.23	\$236.14	\$326.64	\$251.92
2-1/2" 6 Pin Mortise Cylinder	105700(S)	\$294.00	\$160.23	\$221.14	\$311.64	\$236.92
	105904(P)	\$300.00			\$317.10	
2-3/8" 6 Pin Mortise Cylinder	105904(S)	\$285.00			\$302.10	
	105104(P)	\$326.00			\$344.66	
2-3/4" 6 Pin Mortise Cylinder	105104(S)	\$311.00			\$329.66	
3-1/4" 6 Pin Mortise Cylinder	105900 (P)	\$353.00		\$353.00	\$373.28	
	105900(S)	\$338.00		\$338.00	\$358.28	
	105800 (P)	\$404.00			\$427.34	
4-1/8" 6 Pin Mortise Cylinder	105800(S)	\$389.00			\$412.34	
	105901 (P)	\$453.00			\$479.28	
5" 6 Pin Mortise Cylinder	105901 (S)	\$438.00			\$464.28	

#### **Residential Mortise Cylinders**

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
1"E pip Thip head mortice edinder	1014506(P)	\$170.00			\$179.30	
1" 5 pin, Thin head mortise cylinder	1014506(S)	\$155.00			\$164.30	
1 1/9" E pip Thip head montice a diador	1014500(P)	\$170.00			\$179.30	
1-1/8" 5 pin, Thin head mortise cylinder	1014500(S)	\$155.00			\$164.30	
1-1/4" 5 pin, Thin head mortise cylinder	1014501 (P)	\$177.00			\$186.72	
1-1/4 5 pm, minnead moruse cylinder	1014501(S)	\$162.00			\$171.72	
1-3/8" 5 pin, Thin head mortise cylinder	1014502(P)	\$184.00			\$194.14	
	1014502(S)	\$169.00			\$179.14	
1-1/2" 5 pin, Thin head mortise cylinder	1014503 (P)	\$249.00			\$263.04	
	1014503(S)	\$234.00			\$248.04	
1 E/9" E pip Thip head mortice edindor	1014504(P)	\$254.00			\$268.34	
1-5/8" 5 pin, Thin head mortise cylinder	1014504(S)	\$239.00			\$253.34	
1-3/4" 5 pin, Thin head mortise cylinder	1014505(P)	\$261.00			\$275.76	
1-3/4 5 pm, minnead moruse cylinder	1014505(S)	\$246.00			\$260.76	
2" 5 pin, Thin head mortise cylinder	1014507 (P)	\$270.00			\$285.30	
	1014507(S)	\$255.00			\$270.30	
	1014508(P)	\$280.00			\$295.90	
2-1/4" 5 pin, Thin head mortise cylinder	1014508(S)	\$265.00			\$280.90	
1 1/0" C pip Thip head martice a linder	1014600(P)	\$170.00			\$179.30	
1-1/8" 6 pin, Thin head mortise cylinder	1014600(S)	\$155.00			\$164.30	
1-1/4" 6 pin, Thin head mortise cylinder	1014601 (P)	\$177.00			\$186.72	
1-1/4 opin, minnead moruse cyinder	1014601(S)	\$162.00			\$171.72	
1.2/9" ( pip Thip head martice a linder	1014602(P)	\$184.00			\$194.14	
1-3/8" 6 pin, Thin head mortise cylinder	1014602(S)	\$169.00			\$179.14	
1 1/2" C pip Thip head martice a linder	1014603 (P)	\$249.00			\$263.04	
1-1/2" 6 pin, Thin head mortise cylinder	1014603(S)	\$234.00			\$248.04	
1-5/8" 6 pin, Thin head mortise cylinder	1014604(P)	\$254.00			\$268.34	
1-5/8 6 pm, min nead mortise cylinder	1014604(S)	\$239.00			\$253.34	
1.2/4" C pip. This head mortice a linder	1014605(P)	\$261.00			\$275.76	
1-3/4" 6 pin, Thin head mortise cylinder	1014605(S)	\$246.00			\$260.76	
2" 6 pip. Thip hard martica adjudan	1014607 (P)	\$270.00			\$285.30	
2" 6 pin, Thin head mortise cylinder	1014607 (S)	\$255.00			\$270.30	
2 1/4" 6 pip Thip head mention or linder	1014608 (P)	\$280.00			\$295.90	
2-1/4" 6 pin, Thin head mortise cylinder	1014608(S)	\$265.00			\$280.90	

#### Jumbo/Mogul Mortise Cylinders

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
6 Pin Jumbo Mortise Cylinder (1-19/64" Long, 1-3/8" Shell Dia.)	101350(P)	\$223.00	\$121.36	\$176.34	\$235.48	\$187.53
Corbin Russwin <sup>®</sup> Master Ring Cylinder Replacement	101350(S)	\$208.00	\$113.36	\$161.34	\$220.48	\$172.53
6 Pin 1-1/4" Mogul Cylinder for Prison	104001 (P)	\$233.00			\$246.08	
6 Pin 1-1/4" Mogul Cylinder for Prison Locks (1-1/4" Long, 2" Shell Dia.)	104001 (S)	\$218.00			\$231.08	

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.

#### **Limited Rotation Mortise Cylinders**

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
6 Pin 1-1/4" Mortise Cylinder with Raised Plug,Limited Rotation: CK 145° CW and	100500H(P)	\$222.37			\$232.09	
145° CCW	100500H(S)	\$207.37			\$217.09	
6 Pin 1-1/4" Mortise Cylinder Hotel Function, Uses Spring Loaded Stop Pins with Notched	100501 (P)	\$211.00			\$222.76	
and Un-Notched Keys to Provide Directional and Limited Rotation	100501(S)	\$196.00			\$207.76	
6 Pin 1-3/16" Length Mortise Cylinder Limited Rotation: CK 145° CCW, MK 360°	490078(P)	\$194.00			\$204.74	
CCW and CW	490078(S)	\$179.00			\$189.74	
6 Pin 1-3/16" Length Mortise Cylinder, Limited Rotation: CK 145° CW, MK 360°	490079(P)	\$194.00			\$204.74	
CCW and CW	490079(S)	\$179.00			\$189.74	

#### **Specialty Mortise Cylinders**

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
5 Pin Otis® Elevator Mortise Cylinder,	100903 (P)	\$189.00			\$199.44	
1 Key Pull Position	100903(S)	\$174.00			\$184.44	
5 Pin Otis <sup>®</sup> Elevator Mortise Cylinder,	100909(P)	\$216.00			\$228.06	
2 Key Pull Positions (not used in MK systems)	100909(S)	\$201.00			\$213.06	
1-7/32" 6 Pin Mortise Cylinder with Mini Micro Switch, 7 Amp, SPDT, 1 Kay Pull	100200A(P)	\$272.90	\$195.38	\$191.98	\$282.20	\$199.88
Micro Switch, 7 Amp, SPDT, 1 Key Pull (requires quick connect leads: CP-270511)	100200A(S)	\$257.90	\$187.38	\$176.98	\$267.20	\$184.88
1-1/8" 6 Pin Concealed Face Mortise Cylinder for Schlage® "K" Locks, Trim Style 712, 714, 202	100202 (P)	\$194.00	\$105.56	\$138.45	\$204.74	\$147.56
	100202(S)	\$179.00	\$97.56	\$123.45	\$189.74	\$132.56
1-1/8" 6 Pin Mortise Cylinder with Extended Plug & Second Cam Washer Reversed to	104207 (P)	\$205.00	\$100.11		\$194.14	
Close Bottom of Keyway	104207 (S)	\$169.00	\$92.11		\$179.14	
1-1/8" 6 Pin Mortise Cylinder with	104207A(P)	\$184.00	\$100.11		\$194.14	
Extended Plug	104207A(S)	\$169.00	\$92.11		\$179.14	
6 Pin LFIC Mortise Cylinder with 15 Amp Micro Switch	320200B(P)	\$426.65			\$443.21	
	320200B(S)	\$411.65			\$428.21	
1 1/4" 6 Pin Mortise Cylinder for	490214 (P)	\$177.00	\$96.29		\$186.72	
VingCard® Persona®	490214(S)	\$162.00	\$88.29		\$171.72	

#### **Mortise Cylinder Plugs**

Description	Part Number	Price
Plug for 10-0200 (Medeco Original®)	12005002 -	\$66.30
Plug for 10W0200 (Medeco Biaxial®)	12005006 W	\$66.30
Plug for 10T0200 (Medeco <sup>3®</sup> )	1200500 T	\$66.30
Plug for 10-0500 (Medeco Original®)	12020002 -	\$70.28
Plug for 10W0500 (Medeco Biaxial®)	12020006 W	\$70.28
Plug for 10T0500 (Medeco <sup>3®</sup> )	1202000 T	\$66.30
Plug for 10-0100 (Medeco Original®)	12021002 -	\$70.28
Plug for 10W0100 (Medeco Biaxial®)	12021006 W	\$70.28
Plug for 10T0100 (Medeco <sup>3®</sup> )	1202100 T	\$66.30
Plug for 10J0500 (Medeco <sup>3</sup> BiLevel <sup>®</sup> )	1239000 J	\$66.30
Plug for 10J0100 (Medeco <sup>3</sup> BiLevel <sup>®</sup> )	1239100 J	\$66.30
Plug for 10J0200 (Medeco <sup>3</sup> BiLevel <sup>®</sup> )	1251300 J	\$66.30

Include finish and keyway with all part #'s. Medeco<sup>3</sup> or Medeco BiLevel Slider package sold separately.

#### **Mortise Cams**

Mortise Ca	Description	Part Number	Price
	Corbin Russwin® Type	CT-Z00	\$5.02
	Standard Yale® Type	CT-Z01	\$5.02
	Adams Rite® Type	CT-Z02	\$5.02
	Keil® Norwalk Type	CT-Z04	\$5.02
	Schlage® Type	CT-Z05	\$5.02
	Medium Yale® Type	CT-Z06	\$5.02
	Segal® Type	CT-Z07	\$5.02
	Lockwood® Type	CT-Z08	\$5.02
	Corbin Russwin® Type	CT-Z09	\$5.02
	Segal® Deadbolt Type	CT-Z16	\$5.02
	Corbin Russwin® Oversized Jumbo	CT-Z17	\$5.02
	For Night Deposit Lock	CT-Z18	\$5.02
	General® Lock	CT-Z19	\$5.02
	Sargent® Type	CT-Z20	\$5.02
	Ruko® Type	CT-Z21	\$5.02
$\bigcirc$	Falcon® Type	CT-Z22	\$5.02

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.

#### **Mortise Cams**

	Description	Part Number	Price
$\bigcirc$	Schlage® Type	CT-Z34	\$5.02
	Mogul Lock	CT-Z45	\$5.02
	Yale® Mortise After 1982	CT-Z47	\$5.02
	Dominion <sup>®</sup>	CT-Z48	\$5.02
	Corbin Russwin <sup>®</sup> Jumbo	CT-Z55	\$5.02
	Yale® Medium After 1982	CT-Z56	\$5.02
	Medeco Residential	CT-Z57	\$5.02
	Falcon <sup>®</sup> Type	CT-Z58	\$5.02
	Corbin Russwin® Master Ring clover leaf for deadbolt function locks made since 6/93	CT-Z59	\$5.02
	Hook Type for Detention Locks	CT-Z61	\$5.89
	Mogul clover leaf	CT-Z69	\$14.00
	Best® Hotel Function Reversible Lock	CT-Z70	\$5.02
	Marks® J Type	CT-Z84	\$5.02
	VingCard <sup>®</sup> Persona <sup>®</sup>	CT-Z87	\$5.02
<b>S</b>	Falcon <sup>®</sup> Type	CT-Z99	\$5.02
	Sargent Mogul	CT-ZA6	\$4.57

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.

#### **Mortise Components**

Description	Part Number	Price				
1-1/2" Dia. Threaded Adapter Ring for Corbin® Jumbo Mortise Cylind	er					
(converts conventional size Mortise Cylinder to Jumbo thread size)						
Contains: CP-050131 Adapter Ring and CP-011013-030						
# 8-32 x 3/16" Set Screws	940010	\$59.60				
M <sup>3</sup> Slider Package, Includes Slider & Spring	94-0174-XX	\$15.00				
# 2-56 UNC x 5/16" Length Phillips® Head Screws- Stainless Steel						
(used to attach cams to Mortise Cylinders)	CP-010203-050	\$0.27				
Set Screws (for Medeco X4 pin chamber) # 6-32 x1/8"	CP-011011-020	\$0.28				
Set Screws (for High Security pin chambers) #8-32 x 1/8"	CP-011013-020	\$0.33				
Cam Washer for Mortise Cylinders	CP-021011	\$0.88				
Sidebar Spring-Stainless Steel	CP-030018	\$0.11				
Mounting Nut for Mortise Cylinder 1.150"-32 UNS Inside Dia.	CP-050120	\$13.20				
5 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders	CP-084571	\$9.04				
6 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders	CP-084671	\$9.04				

#### **Rim Cylinders**

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
5 Pin 1-1/16" Rim Cylinder	100300H(P)	\$175.00	\$95.20	\$126.12	\$184.60	\$134.44
- Horizontal Tailpiece	100300H(S)	\$160.00	\$87.20	\$111.12	\$169.60	\$119.44
5 Pin 1-1/16" Rim Cylinder - Vertical Tailpiece	100300V(P)	\$175.00	\$95.20	\$126.12	\$184.60	\$134.44
	100300V(S)	\$160.00	\$87.20	\$111.12	\$169.60	\$119.44
5 Pin 1-1/16" Rim Cylinder, Sargent®	100305H(P)	\$175.00	\$95.20	\$126.12	\$184.60	\$134.44
Mounting Style, Horizontal Tailpiece	100305H(S)	\$160.00	\$87.20	\$111.12	\$169.60	\$119.44
5 Pin 1-1/16" Rim Cylinder, Sargent®	100305V(P)	\$175.00	\$95.20	\$126.12		
Mounting Style, Vertical Tailpiece	100305V(S)	\$160.00	\$87.20	\$111.12		
5 Pin 1-1/16" Rim Cylinder,	100600 (P)	\$185.00	\$100.65		\$195.20	
180 Degree Lazy Motion	100600(S)	\$170.00	\$92.65		\$180.20	
6 Pin,1-1/8" Rim Cylinder	100400H(P)	\$185.00	\$100.65	\$124.42	\$195.20	\$133.23
Horizontal Tailpiece	100400H(S)	\$170.00	\$92.65	\$109.42	\$180.20	\$118.23
6 Pin, 1-1/8" Rim Cylinder	100400V(P)	\$185.00	\$100.65	\$124.42	\$195.20	\$133.23
Vertical Tailpiece	100400V(S)	\$170.00	\$92.65	\$109.42	\$180.20	\$118.23
6 Pin 1-1/8" Rim Cylinder- Sargent®	100403H(P)	\$185.00	\$100.65	\$124.42	\$195.20	\$133.23
Mounting Style, Horizontal Tailpiece	100403H(S)	\$170.00	\$92.65	\$109.42	\$180.20	\$118.23
6 Pin 1-1/8" Rim Cylinder- Sargent®	100403V(P)	\$185.00	\$100.65	\$124.42	\$195.20	\$133.23
Mounting Style, Vertical Tailpiece	100403V(S)	\$170.00	\$92.65	\$109.42	\$180.20	\$118.23
6 Pin 1-1/8" Rim Cylinder,	100700(P)	\$185.00	\$100.65	\$124.42	\$195.20	\$133.23
180 Degree Lazy Motion	100700(S)	\$170.00	\$92.65	\$109.42	\$180.20	\$118.23
6 Pin Jumbo Rim Cylinder Corbin Russwin®	101355 (P)	\$237.00			\$250.32	
Master Ring Cylinder Replacement	101355(S)	\$222.00			\$235.32	
6 Pin 1-15/32" Rim Cylinder with	104407HA(P)	\$185.09			\$193.85	
Extended Plug and Horizontal Tailpiece	104407HA(S)	\$170.09			\$178.85	

6 Pin high security cylinders are available in 7 Pin in Medeco X4.

#### **Rim Cylinder Plugs**

Description	Part Number	Price
Plug for 10-0300H or 10-0300V (Medeco Original®)	12001002 -	\$70.28
Plug for 10W0300H & 10W0300V (Medeco Biaxial®)	12001006 W	\$66.30
Plug for 10T0300 (M <sup>3®</sup> )	1200100 T	\$66.30
Plug for 10-0400H or 10-0400V (Medco Original®)	12030002 -	\$70.28
Plug for 10W0400H & 10W0400V (Medeco Biaxial®)	12030006 W	\$70.28
Plug for 10T0400 (Medeco <sup>3</sup> ®)	1203000 T	\$66.30
Plug for 10J0300 (M <sup>3</sup> BiLevel <sup>®</sup> )	1238900 J	\$66.30
Plug for 10J0400 (M <sup>3</sup> BiLevel®)	1251200 J	\$66.30

Add finish and keyway to all part #'s.

M<sup>3</sup> or Medeco BiLevel Slider package sold separately.

#### **Rim Components**

Description	Part Number	Price
M <sup>3</sup> Slider Package, Includes Slider & Spring	94-0174-XX	\$15.00
Set Screws (for Medeco X4 pin chamber) #6-32 x 1/8"	CP-011011-020	\$0.28
Set Screws (for HS pin chambers) #8-32 x 1/8"	CP-011013-020	\$0.33
Rim Cylinder Mounting Screws (#12-24 UNF x 1-7/8" Length)	CP-012917-000	\$0.63
Rim Cylinder Plug Retainer	CP-020010	\$0.73
Screw-on Cap Rim Tailpiece Retainer	CP-021121	\$16.20
Sidebar Spring-Stainless Steel	CP-030018	\$0.11
Back of Plug Roll Pin 3/32" Dia. x .437" Length	CP-060203	\$0.49
5 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders	CP-084571	\$9.04
6 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders	CP-084671	\$9.04
Rim Cylinder Mounting Plate	CP-180031	\$2.00

#### **Collars & Cylinder Rings**

	Description	Part Number	Price
M	Tapered Cylinder Collar	94-0188-XX	\$18.70
	1/4" Thick Spacer Ring 1.165" Inside Diameter x 1.375 Outside Diameter	CP-070011	\$31.50
$\bigcirc$	1/8" Thick Spacer Ring 1.165" Inside Diameter x 1.375 Outside Diameter	CP-070451	\$25.10
	Raised Cylinder Ring	CP-180021	\$11.30
$\bigcirc$	Flush Cylinder Ring	CP-180041	\$11.10
	Adjustable Cylinder Collar	CP-160180	\$31.50

#### **Rim Tailpieces**

	Description	Part Number	Price
	Tailpiece for Rim Cylinder (155/64") Before 1980, After 1983	CT-Y02	\$5.02
F	Lazy Motion Tailpiece (2 29/64")	СТ-Ү08	\$5.02
511111111111	Tailpiece for Rim Cylinder (2 9/16")	CT-Y32	\$5.02

# **Key-in-Knob/Lever Cylinders**

FEATURES	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	CLIQ	Medeco XT
Utility patented key control provides protection from unauthorized duplication of keys	(pending)	•	•	•	•
UL437 Listing and BHMA Certification provide validation of high security from recognized, independent testing laboratories					
Triple locking principle provides pick resistance and large numbers of combinations for master keying flexibility to accommodate systems of virtually any size	•				
Hardened steel inserts in the cylinder face provide proven drill resistance	•				
Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance	•				
Solid nickel silver bottom pins provide exceptional wear resistance			•		
Retrofits into virtually any manufacturers' locksets for cost effective improved security	•	•	•	•	•
High security and key control may be incorporated in a single system for cost effective system flexibility		•		•	
Keys may be integrated with Hybrid proximity head for greater system retrofit	•	•	•	•	

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### X4 Patented Key Control

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### Medeco 4 BiLevel Key Control

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# **Key-in-Knob/Lever Cylinders**

Medeco Key-in-Knob cylinders are designed to retrofit knob type cylindrical locksets, lever type cylindrical locksets, padlocks and bored type auxiliary deadlatches and deadlocks. Medeco 4 (M4) Key-in-Knob cylinders are UL437 listed for drill and pick resistance, and utility patented pending key control. Medeco offers one of the largest ranges of retrofit cylinders in the industry, supporting the most popular security hardware.





#### **Key Control**

Patent-pending key control Protects against unauthorized duplication of keys.



#### **Protection Against 3D Printing**

A patent-pending movable element in the key deters against unauthorized 3D printed copies of keys or blanks.



#### Picking and Bumping Protection

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Uses Existing Hardware**

M4 cylinders are available in a wide variety of formats, retrofitting most hardware on the market.



#### **Protection From Physical Attack**

M4 cylinders are UL 437 listed and UL test lab proven to stand up to drilling, picking and other forms of physical attack.



#### **Special Angled Cut Keys**

A special key cutting machine and access to Medecospecific blanks are required to duplicate M4 keys, which are available in multiple levels of restriction to support every need.



#### Master Keying Capabilities

M4 cylinders can be master keyed into a system that includes M4, M4 BiLevel, and M4 CLIQ keys and cylinders. Extremely large systems are possible.

#### **Applications:**

Over 100 different cylinder designs and tailpiece configurations enable Medeco to offer the largest retrofit capability in the industry.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details.

#### **Technical Information:**

- ANSI A156.30 Level A certification assures patent protected key control and physical strength (M4, M3)
- ANSI A156.5 Grade 1 certification assures consistent quality for heavy use applications (M4/M4 BiLevel, M3)
- Medeco cylinders are constructed of durable machined brass components

#### Finishes:

• Available in all standard finishes to match existing hardware


#### Available Key Technologies:


	-
Mechanical:	Intelligent Key:
– M4/M4 BiLevel	– M4 CLIQ
– M³/M³ BiLevel	– M <sup>3</sup> CLIQ
– X4	– Classic CLIQ
	– XT
	– X4 CLIQ



#### How To Order Key-in-Knob/Lever Cylinders

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.





#### Alarm Lock Cylinder

Alal III LUCK Cy	IIIuci						
Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Alarm Lock	20200V1 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o I	Trilogy <sup>®</sup> T1, T2, T3	20200V1(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9
Anderson® Cy	linder						
Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMar
	5 Pin Cylinder for Anderson® Doors	20110039(P)	\$161.00	\$87.57		\$169.76	
	Frenchwood Hinged and Out Swinging Doors Estate and Metro Design	20110039(S)	\$146.00	\$79.57		\$154.76	
Arrow Cylinde	21						
Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMar
	6 Pin Cylinder Package for Arrow® "MK" Series includes CT-Y70, CT-Y73, CP-160321	20200A1 (P)	\$163.11	\$89.68	\$104.06	\$171.87	\$111.0
о р		20200A1(S)	\$148.11	\$81.68	\$89.06	\$156.87	\$96.0
	Arrow <sup>®</sup> and Schlage <sup>®</sup> Packages Combined	20200H1(P)	\$171.25	\$97.82	\$112.20	\$180.01	\$119.2
c I		20200H1(S)	\$156.25	\$89.82	\$97.20	\$165.01	\$104.2
	6 Pin Cylinder for Arrow <sup>®</sup> "MK" Series (Except Ball) Original Cylinder Spacer must be replaced with Medeco Cylinder Spacer CP-160321	2020070(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.9
c I		2020070(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9
		2020071(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.9
•	6 Pin Cylinder for Arrow RK Series	2020071(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9
	6 Pin Cylinder for Arrow <sup>®</sup> "MK" Series	2020073(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.9
o I	(B Knob Only) & GL Series Levers	2020073(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9
	6 Pin Cylinder for Arrow® "H", "S", & "HK" Knob	2020249(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.9
۹ ۱	Series, "Q", "L" Series Lever	2020249(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9
	6 pin cylinder for Arrow "QL" and "MLX"	2020049(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.9
о Т	Series Levers	2020049(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9
	6 Pin Cylinder for Arrow <sup>®</sup> "M" Series	208008 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.9
	(Tulip or Tudor) Knobs	208008(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9
		2080700(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.9
o 9	6 Pin Cylinder for Arrow <sup>®</sup> "RL" Series Levers	2080700(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.9

#### Baldwin<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
5 Pin Cylinder for Baldwin <sup>®</sup> for 5245,	2001300(P)	\$161.00	\$87.57		\$169.76	
	5250, 5255 Levers & 5215, 5225 Knobs	2001300(S)	\$146.00	\$79.57		\$154.76
	5 Pin Cylinder for Baldwin® for 5205, 5210	2001200(P)	\$161.00	\$87.57		\$169.76
	5 Pin Cylinder for Baldwin® for 5205, 5210 Knobs & 5270, 5280 Levers, (Not available in Original Technology)	2001200(S)	\$146.00	\$79.57		\$154.76

#### **Cal-Royal Cylinders**

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Cal-Royal SL00 Knob	2020049(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
о П	Lock and LX01 Lever Lock	2020049(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
A Constant	6 Pin Cylinder for Cal-Royal CLS03	20200V1 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
о 	Classroom Function Grade 2 Lever Lock	20200V1(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
6 Pin Cylinder for K200, L100, LX100,	20200S1(P)	\$163.11	\$89.68	\$104.06	\$171.87	\$111.06	
° 1	L200, LX200, Levers	20200S1(S)	\$148.11	\$81.68	\$89.06	\$156.87	\$96.06

#### Corbin Russwin® Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
H H	6 Pin Cylinder for Corbin Russwin® CL3900	20200V9(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
٥ ا		20200V9(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
A A A A A A A A A A A A A A A A A A A	6 Pin Cylinder for Corbin Russwin®	2020575(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
٥ ا	old style 3300 & 3400 Series	2020575(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
E B	6 Pin Cylinder for Corbin Russwin® 6600 Old Series, CK3400, CK4400 Knob	2020777 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
		2020777 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Corbin Russwin <sup>®</sup> 800, CL3300, CL3400, CL3500, CL3600	20211730(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o		20211730(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	5 Pin Cylinder for Corbin Russwin® Knob	205003 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•	(Old Style)	205003 (S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
	6 Pin Cylinder for Corbin Russwin <sup>®</sup> 5460A,	205004(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
°	5460E (Old Style), 46 F97, 46 F29, 83 F05	205004(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Corbin Russwin®	205005 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
	CK 4200 (New Style) UT5251	205005 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Corbin Russwin <sup>®</sup> 5460 B,	205006 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
	C, D, G, M (Old Style)	205006(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	5 Pin Cylinder for Corbin Russwin <sup>®</sup> 5600	205008(P)	\$161.00		\$101.95	\$169.76	\$108.95
	Series Signet <sup>®</sup> & Ensign <sup>®</sup>	205008(S)	\$146.00		\$86.95	\$154.76	\$93.95
		20000(0)	÷110.00		200.22	÷151.10	÷55,55

#### Dorma<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Dorma® CL700 Series	2020049(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
٥ ا	Grade 2 Levers	2020049(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
6 Pin Cylinder for Dorma <sup>®</sup> CL860 (Interior), CL870, CL872, CL873, CL877 Grade 1 Lever,		\$161.00	\$87.57	\$101.95	\$169.76	\$108.95	
о р	CK860 (Interior), CK870, CK872, CK873, & CK877Grade 1 Knobs	20200V0(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
6 Pin Cylinder for Dorma® CL853, CL860 (exterior), CL880, CL882, CL80EL, CL80EU	20200V1 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95	
a p	Grade 1 Lever, CK853, CK860 (exterior), CK880, CK882, CK80EL, & CK80EU Grade 1 Knobs	20200V1 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Emtek<sup>®</sup> Cylinders

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
5 Pin Cylinder for Emtek® Knobs	2051100(P)	\$161.00	\$87.57		\$169.76
	2051100(S)	\$146.00	\$79.57		\$154.76
5 Pin Cylinder for Emtek <sup>®</sup> Levers,	2051200(P)	\$161.00	\$87.57		\$169.76
Except Hanover and Helios	2051200(S)	\$146.00	\$79.57		\$154.76
5 Pin Cylinder for Emtek Hanover	2052000(P)	\$161.00			\$169.76
and Helios Levers	2052000(S)	\$146.00			\$154.76

#### Falcon<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Falcon® Single Cylinder	200903 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•	Deadbolt Lock (New Style)	200903 (S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
		2020049(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
c p	6 Pin Cylinder for Falcon® "B" Series	2020049(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Falcon® F521, F561, F581	2020051 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
c p	and "N" Series Knobs	2020051(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Falcon® "S" Series	2020054(P)			\$101.95		\$108.95
o 1	(Except "H" Knob)	2020054(S)			\$86.95		\$93.95
	6 Pin Cylinder for Falcon® "S" Series ("H" Knob Only)	2020058(P)			\$101.95		\$108.95
o 1		2020058(S)			\$86.95		\$93.95
	6 Pin Cylinder for Falcon® "X" Series (Except "H" Knob)	2020068(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0		2020068(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
e e e e e e e e e e e e e e e e e e e	6 Pin Cylinder for Falcon® "X" Series ("H" Knobs Only) Original Cylinder Spacer must	2020071 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
a	be replaced with Medeco Cylinder Spacer CP-160321	2020071(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Din Culinder for Folgon® "IV" Lover	2020072(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
°	6 Pin Cylinder for Falcon® "LY" Lever	2020072(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Falcon® Inside	2020073(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o	Cylinder T-381	2020073(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
E E E E E E E E E E E E E E E E E E E	6 Pin Cylinder for Falcon® "B", "LY", "X", "S", & "T" series includes: CT-Y49, CT-Y54, CT-Y58,	20200F1 (P)	\$163.11	\$89.68	\$104.06	\$171.87	\$111.06
a	CT-Y68, CT-Y71, CT-Y72, CT-V03, CP-160311	20200F1 (S)	\$148.11	\$81.68	\$89.06	\$156.87	\$96.06
	6 Pin Cylinder for Falcon® "RU" Series and	20200V3 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
٥ ا	T381 Óutside Cylinder	20200V3(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Hager<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Hager® Lever Locksets,	2020249(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
3500 Series	2020249(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95	

#### KABA<sup>®</sup> Mas-Hamilton Cylinders

Description	-	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
MAS-Hamilton <sup>®</sup> Power Lever	MAC Llow: Iton® Downer Lover	20200V1 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
	MAS-Hamilton Power Level	20200V1(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 pin cylinder for Kaba E-plex 2000 (18 bow key reg. for Orig/Biax)	2051500(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
		2051500(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Lockwood<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
5 Pin Cylinder for Lockwood® 530	201006 (P)	\$161.00					
	201006(S)	\$146.00					
6 Pin Cylinder for Lockwood®	2020169(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95	
	2020169(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95	

#### LSDA<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin cylinder for LSDA® 100 Series Knob	2020070(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
•	(Except "B" Knob), L100 Series Lever	2020070(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for LSDA® 100 (B Knob Only) -	2020073 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o 1		2020073(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
		2020078(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0	6 Pin Cylinder for LSDA <sup>®</sup> LX1000 Lever	2020078(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
		20200L1 (P)	\$163.11	\$89.68	\$104.06	\$171.87	\$111.06
0	LH1000, LX1000 Series. Includes: CT-Y49, CTY70, CT-Y73, CT-Y78	20200L1 (S)	\$148.11	\$81.68	\$89.06	\$156.87	\$96.06

#### Marks<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
190, 195, 295 Series DA-Vestibule, DC 8	6 Pin Cylinder for Marks® 110, 170, 180, 190, 195, 295 Series DA-Vestibule, DC & SB	20200V0(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
	Communicating, S-Classroom & Classroom Security Functions	20200V0(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
6 pin Cylinder for Marks 110, 170, 180, 190, 195, 295 Series in AB-Entrance, DW Instutution, F-Storeroom, & T Corridor Functions	20200V1 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95	
	20200V1(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95	

#### Marvin<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
		2000827 (P)	\$161.00	\$87.57		\$169.76
0	5 Pin Cylinder for Marvin® Auxiliary Locks	2000827 (S)	\$146.00	\$79.57		\$154.76

#### Medeco Embassy® Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
6 Pin Cylinder for Embassy® Vestibule, Communicating, Classroom & Classroom Security Functions. For Embassy Levers sold thru 9/06 & ALL Knobs	Communicating, Classroom & Classroom	20200V0(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
	20200V0(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95	
	6 Pin Cylinder for Embassy® in Entrance, Institution, Storeroom, Corridor Functions. For Embassy Levers sold thru 9/06 & ALL Knobs	20200V1 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0		20200V1(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Embassy Levers All Functions after 9/2006	2020249(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0		2020249(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Olympus<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
6 Pin Cylinder for Olympus <sup>®</sup> 700LCM, 800LCM Non-key Retaining Cabinet Lock Includes: CT-F34-CT-F38	6 Pin Cylinder for Olympus® 700LCM,	20009S4(P)	\$166.54	\$93.11	\$107.49	\$175.30	\$114.49
	20009S4(S)	\$151.54	\$85.11	\$92.49	\$160.30	\$99.49	
6 Pin Cylinder for Olympus <sup>®</sup> 700LCM, 800LCM Key Retaining Cabinet lock, Includes: CT-Y49, CT-Y52, CT-Y53, CT-Y54	20200S1 (P)	\$163.11	\$89.68	\$104.06	\$171.87	\$111.06	
		20200S1(S)	\$148.11	\$81.68	\$89.06	\$156.87	\$96.06

#### PDQ<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	C Dia Culia dar far DDO® "CV" Carias	2020149(P)	\$161.00	\$87.57		\$169.76	
0	6 Pin Cylinder for PDQ <sup>®</sup> "SX" Series	2020149(S)	\$146.00	\$79.57		\$154.76	
	6 Pin Cylinder for PDQ <sup>®</sup> "SV" Knob/Lever	203000 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
		203000 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin cylinder for PDQ <sup>®</sup> Lever SP & ST Series, CT XCT & CP Series	20200V2(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o 1		20200V2(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Pella<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
	5 Pin Knob cylinder to fit popular Pella storm and patio doors	2000827 (P)	\$161.00	\$87.57		\$169.76
		2000827 (S)	\$146.00	\$79.57		\$154.76
	5 Pin profile type cylinder to fit popular Pella _	490258(P)	\$205.00			\$216.40
		490258(S)	\$190.00			\$201.40

#### Sargent<sup>®</sup> Cylinders

Description			Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	Ъ	6 Pin Cylinder for Sargent <sup>®</sup> 6 Line (Except for B Knob) & 6500 Lever	2020170 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0		- For Original Design, otherwise use 20*80147	2020170(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	Ŧ	6 Pin cylinder for Sargent® 6 Line (B Knob Only) Original Cylinder Spacer must be replaced with Medeco Cylinder Spacer	2020173 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
	replaced with Medeco Cylinder Spacer CP-160321 (Included) - For Original Design, otherwise use 20*80147	2020173 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95	
	ar.	6 Pin Cylinder for Sargent <sup>®</sup> 10 Line, Levers	2020349(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
		7L & 8L - For Original Design, otherwise use 20*80147	2020349(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
			208005 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o	ļļ	6 Pin Cylinder for Sargent® 7600 Integra®	208005 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	1	6 Die Gulieder for Corgoet® 9.9.0 Lies knobe	208006 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0	•	6 Pin Cylinder for Sargent <sup>®</sup> 8 & 9 Line knobs	208006(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	h_4	5 Pin Cylinder for Sargent <sup>®</sup> 6 Line Includes:	208007 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
٥		CT-Y35, CT-Y37, CT-Y47, CT-Y55	208007 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
		6 Pin Cylinder for Sargent® 6, 7, & 10 line, 6500 Series (Not Available in Original	2080147 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
		Technology) Includes: CT-Y35- CT-Y37- CTY47 & CT-Y55	2080147 (S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
		6 Pin Cylinder for Sargent <sup>®</sup> 11 Line	2080148(P)	\$162.00	\$88.12		\$170.82	
		(Not Available in Original Technology)	2080148(S)	\$147.00	\$80.12		\$155.82	
		6 Pin Cylinder for Sargent <sup>®</sup> 6, 7, & 10 line, 6500 Series (Not Available in Original Technology) Includes: CT-Y35- CT-Y37- CTY47 & CT-Y55 6 Pin Cylinder for Sargent <sup>®</sup> 11 Line	2080147 (P) 2080147 (S) 2080148 (P)	\$162.00 \$147.00 \$162.00	\$88.12 \$80.12 \$88.12	\$102.95	\$170.82 \$155.82 \$170.82	\$110.01

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.

#### Schlage<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	5 Pin Knob Cylinder for Schlage® "E" Sories Divrocuth & Ball Knob	2000400(P)	\$161.00	\$87.57		\$169.76	
•	"F" Series Plymouth & Ball Knob (Mfg prior to 2004)	2000400(S)	\$146.00	\$79.57		\$154.76	
	6 Pin Cylinder for Schlage®	2000700(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
۹ 	"F" Series Orbit Design Only (Manufactured Prior to 2004)	2000700(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	5 Pin Cylinder for Schlage® "F" Coriae Lover (Monufectured	2001400(P)	\$161.00	\$87.57		\$169.76	
	"F" Series Lever (Manufactured Prior to 2004)	2001400(S)	\$146.00	\$79.57		\$154.76	
	5 Pin Cylinder for Schlage® "E" Sories Lover (Mapufactured	2001700(P)	\$161.00	\$87.57		\$169.76	
	"F" Series Lever (Manufactured 2004 through 2007)	2001700(S)	\$146.00	\$79.57		\$154.76	
	5 Pin Knob Cylinder for Schlage®	200700(P)	\$161.00	\$87.57		\$169.76	
o 1	"A" Series (Ply Only)	200700(S)	\$146.00	\$79.57		\$154.76	
	5 Pin Knob Cylinder for Schlage®	200701 (P)	\$161.00	\$87.57		\$169.76	
0	"A" Series (Except Ply)	200701 (S)	\$146.00	\$79.57		\$154.76	
	6 Pin Cylinder for Schlage <sup>®</sup> "A",	2020049(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o 1	"AL", & "D", Series Olympiad® Lever (Use CT-Y73, for "AL" thick doors)	2020049(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
H H	6 Pin Cylinder for Schlage®	2020051 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o p	"C, D" Series (Ply Only)	2020051(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Cylinder for Schlage® "C", & "D" Series Heavy Duty Knobs	2020052(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0	Ball, Globe & Sphere Designs Only	2020052(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
H H	6 Pin Cylinder for Schlage®	2020053 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o p	"A" Series (Orbit® Only)	2020053 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
e e e e e e e e e e e e e e e e e e e	6 Pin Knob Cylinder for	2020073 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o p	Schlage <sup>®</sup> "ND" & "AL" Series Grade 1 Lever. **See note	2020073(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Knob Cylinder for	2020097 (P)	\$163.11	\$89.68	\$104.06	\$171.87	\$111.06
0	Schlage <sup>®</sup> "S" Series	2020097 (S)	\$148.11	\$81.68	\$89.06	\$156.87	\$96.06
e e e e e e e e e e e e e e e e e e e	6 Pin Knob Cylinder Assembly for Schlage® & Arrow <sup>®</sup> (Except Arrow "H" & "S" Series)	20200H1(P)	\$171.25	\$97.82	\$112.20	\$180.01	\$119.20
o p	Includes: CT-Y49, CT-Y52, CTY53, CT-Y70, CT-Y73, CT-Y74, CP-160321 **See note	20200H1(S)	\$156.25	\$89.82	\$97.20	\$165.01	\$104.20

#### Schlage<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs, includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth), CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only), CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thick doors), and CT-Y74 (45-101 padlock) (Use CT-Y73 for thick doors) ** See note	20200S1 (P) 20200S1 (S)	\$163.11 \$148.11	\$89.68 \$81.68	\$104.06 \$89.06	\$171.87 \$156.87	\$111.06 \$96.06
	6 Pin Cylinder for Schlage D Series Lever,	2020249(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
۰ ۱	Athens, Rhodes & Sparta Designs	2020249(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

\*\* The ND series with Sparta trim is not compatible with 17 bow (Biaxial large bow) keys. 12 bow (small bow) or 18 bow (large bow/ extended throat) keys must be used instead.

#### Taco<sup>®</sup> Cylinders

Description	Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
C Dip Culinder TACO® LV/Lever Leskeet	2020078(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
6 Pin Cylinder TACO <sup>®</sup> LXV Lever Lockset	2020078(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Yale<sup>®</sup> Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Yale® Knobs 5300, 5400, 6100, 6200	200500(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
۰ ۱		200500 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
6 Pin Cylinder for Yale® 5300LN, 5400LN ,	200503 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95	
٩٩		200503 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Dia gulia dar far Vala® VMCI 100 VMCI 200	2020073 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0	6 Pin cylinder for Yale® YMCL100, YMCL200	2020073(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
		2080700(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o 1	6 Pin cylinder for Yale® 4600LN	2080700(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Arrow<sup>®</sup> Deadbolt Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	5 Pin Cylinder for Arrow  L Interconnected	1065140(P)	\$166.00	\$90.30	\$105.42	\$175.06	\$113.09
	lock. Separate cylinder required for lever.	1065140(S)	\$151.00	\$82.30	\$90.42	\$160.06	\$98.09
	5 Pin Cylinder (6 Pin KeyMark) for Arrow D &	200801 (P)	\$162.00	\$88.12		\$170.82	
٥	E Series Single Cylinder Deadbolt	200801(S)	\$147.00	\$80.12		\$155.82	
5 Pin Cylinder for Arrow D & E	200802(P)	\$158.00	\$85.94		\$166.58		
•	Series Double Cylinder Deadbolt	200802(S)	\$143.00	\$77.94		\$151.58	
	6 Pin Cylinder for Arrow D & E	200901 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•	Series Single Cylinder Deadbolt	200901(S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
	6 Pin Cylinder for Arrow D & E	200902(P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
c	Series Double Cylinder Deadbolt	200902(S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
	6 Pin Cylinder for Arrow Revolution	200903(P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
о ]	Deadbolt*Order CT-Y27 tailpiece separately	200903(S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01

#### Baldwin<sup>®</sup> Deadbolt Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
5 Pin Rim Type Lazy Motion Single Cylinder	1075127 (P)	\$194.30	\$114.50	\$110.33	\$203.90	\$118.29	
	handlesets and deadbolts	1075127 (S)	\$179.30	\$106.50	\$95.33	\$188.90	\$103.29
	5 Pin Lazy Motion Cylinder for Baldwin 2 point lock bandleset (lower cylinder)	2001851(P)	\$161.00	\$87.57		\$169.76	
a		2001851(S)	\$146.00	\$79.57		\$154.76	

#### Cal-Royal<sup>®</sup> Deadbolt Cylinder

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Cal-Royal T-300 Series Grade 2 Deadbolt, Includes: CT-F34, DT-F35,	20009S4(P)	\$166.54	\$93.11	\$107.49	\$175.30	\$114.49
		20009S4(S)	\$151.54	\$85.11	\$92.49	\$160.30	\$99.49

#### Corbin Russwin<sup>®</sup> Deadbolt Cylinder

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Corbin Russwin DL2100,	2051027 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
	DL3100 Deadbolt	2051027 (S)				\$154.76	

#### Emtek<sup>®</sup> Deadbolt Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
5 Pin Rim Lazy Motion Rim Type Cylinder to fit Emtek® Handleset & Deadbolt	1065140(P)	\$166.00	\$90.30	\$105.42	\$175.06	\$113.09	
	Outside Cylinder	1065140(S)	\$151.00	\$82.30	\$90.42	\$160.06	\$98.09
	5 Pin Rim Lazy Motion Rim Type Cylinder	1065244(P)	\$175.00	\$95.20		\$184.60	
	To Inside Cylinder w/Emtek Tailpiece	1065244(S)	\$160.00	\$87.20		\$169.60	

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
6 Pin Cylinder for Falcon Single Cylinder Deadbolt Lock (New Style)	200903 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01	
	200903(S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01	
5 Pin Cylinder for Falcon Single	5 Pin Cylinder for Falcon Single	206005(P)	\$162.00	\$88.12		\$170.82	
0	Cylinder Deadbolt Lock (Old Style)	206005(S)	\$147.00	\$80.12		\$155.82	
5 Pin Cylinder for Falcon Double Cylinder Deadbolt Lock (Old Style)	206100(P)	\$161.00	\$87.57		\$169.76		
	Cylinder Deadbolt Lock (Old Style)	206100(S)	\$146.00	\$79.57		\$154.76	

#### Kwikset<sup>®</sup> Deadbolt Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
6 Pin Lazy Motion Rim Type for Kwikset® Single Cylinder deadbolts, except Powerbolt	1012040(P)		•		\$179.30	
	1012040(S)	\$155.00	\$84.48		\$164.30	

#### PDQ<sup>®</sup> Deadbolt Cylinder

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for PDQ KV Series Deadbolt		\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•		200903 (S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01

#### Sargent<sup>®</sup> Deadbolt Cylinder

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for 470 & 480	200901 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•	Single Cylinder Deadbolt Lock	200901(S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
	6 Pin Cylinder for Sargent 470 &	200902(P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•	480 Double Cylinder Deadbolt Lock	200902(S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
	5 Pin Cylinder for Sargent 470 &	200801 (P)	\$162.00	\$88.12		\$170.82	
°	480 Single Cylinder Deadbolt	200801(S)	\$147.00	\$80.12		\$155.82	
	5 Pin Cylinder for Sargent 470 &	200802(P)	\$158.00	\$85.94		\$166.58	
•	480 Double Cylinder Deadbolt	200802(S)	\$143.00	\$77.94		\$151.58	
	5 Pin cylinder for Sargent 460	200807 (P)	\$162.00			\$170.82	
°	Single Cylinder deadbolt	200807 (S)	\$147.00			\$155.82	
	6 Pin cylinder for Sargent 460	200907 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
°	Single Cylinder deadbolt	200907 (S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
5 Pin cylinder for Sargent	5 Pin cylinder for Sargent	200808(P)	\$162.00			\$170.82	
•	460 Double Cylinder deadbolt	200808(S)	\$147.00			\$155.82	

#### Schlage<sup>®</sup> Deadbolt Cylinder

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	5 Pin Lazy Motion Schlage <sup>®</sup> Outside Cylinder for "E", "H", B200, B400 Series Deadbolt	·10651S4(P)	\$190.09	\$114.39	\$129.51	\$199.15	\$137.18
	(Rim Type Cylinder) includes CT-F34-CT-F38	10651S4(S)	\$175.09	\$106.39	\$114.51	\$184.15	\$122.18
	5 Pin Lazy Motion Schlage® Inside Cylinder for B200/B400 Series Deadbolt Lock (Rim	10652S4(P)	\$188.23	\$89.32	\$121.92	\$200.35	\$134.04
	Type Cylinder) includes CT-F34-CTF38	10652S4(S)	\$173.23	\$81.32	\$106.92	\$185.35	\$119.04
	6 Pin Lazy Motion Schlage <sup>®</sup> Outside Cylinder for "E", "H", B200, B400 Series Deadbolt Lock	10661S4 (P)	\$190.90	\$111.10	\$130.32	\$200.50	\$138.53
	(Rim Type Cylinder) includes: CT-F34-CT-F38		\$175.90	\$103.10	\$115.32	\$185.50	\$123.53
	6 Pin Lazy Motion Schlage® Inside Cylinder for B200 and B400 Series Deadbolt Lock	10662S4(P)	\$188.23	\$89.32	\$121.92	\$200.35	\$134.04
	Rim Type Cylinder) includes: CT-F34-CT-F38	10662S4(S)	\$173.23	\$81.32	\$106.92	\$185.35	\$119.04
	5 Pin Laz Motion Cylinder for Schlage B	2000800(P)	\$161.00	\$87.57		\$169.76	
•	Series Deadbolt Lock (less tailpiece)	2000800(S)	\$146.00	\$79.57		\$154.76	
	5 Pin Knob Cylinder for Schlage B, E, and F160 Series Deadbolt lock, includes CT-F34,	20008S4(P)	\$166.54	\$93.11		\$175.30	
•	CT-F38	20008S4(S)	\$151.54	\$85.11		\$160.30	
	6 Pin Lazy Motion Cylinder Schlage B Series	200904(P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•	(Old Style) deadbolt	200904(S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
	6 Pin Lazy Motion Cylinder for Schlage B Series Deadbolt (less tailpiece) except B662	2000900(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
a		2000900(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95
	6 Pin Lazy Motion Knob Cylinder for Schlage® "B", "E", and F160 includes:	20009S4(P)	\$166.54	\$93.11	\$107.49	\$175.30	\$114.49
a	CT-F34, CTF35, CT-F36, CT-F37, CT-F38	20009S4(S)	\$151.54	\$85.11	\$92.49	\$160.30	\$99.49

#### Weiser® Deadbolt Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	5 Pin Lazy Motion Outside Cylinder for Weiser® Prestige Series Deadbolt and	100602 (P)	\$159.00	\$86.48	\$107.67	\$167.64	\$116.31
	Entryset/Handleset	100602(S)	\$144.00	\$78.48	\$92.67	\$152.64	\$101.31
	6 Pin Lazy Motion Outside Cylinder for	100702 (P)	\$166.00	\$90.30	\$110.34	\$175.06	\$119.40
	Weiser Prestige Entryset/Handleset	100702(S)	\$151.00	\$82.30	\$95.34	\$160.06	\$104.40
	6 Pin Cylinder for Weiser® Single Cylinder	200903 (P)	\$162.00	\$88.12	\$102.95	\$170.82	\$110.01
•	Deadbolt, including powerbolt	200903 (S)	\$147.00	\$80.12	\$87.95	\$155.82	\$95.01
	5 Pin Cylinder for Weiser® Single	206005(P)	\$162.00	\$88.12		\$170.82	
•	Cylinder Deadbolt	206005(S)	\$147.00	\$80.12		\$155.82	
	5 Pin Cylinder for Weiser® Double	206100(P)	\$161.00	\$87.57		\$169.76	
a	Cylinder Deadbolt	206100(S)	\$146.00	\$79.57		\$154.76	
	5 Pin Cylinder for Weiser® 4000, 4200	207001 (P)	\$162.00	\$88.12		\$170.82	
•	Single Cylinder Deadbolt	207001(S)	\$147.00	\$80.12		\$155.82	

#### Yale<sup>®</sup> Deadbolt Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for Yale 3300, 3500,	2051027 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
•	& 3600 Series Deadbolt Locks	2051027 (S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Abus<sup>®</sup> Padlock Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
H H	6 Pin Cylinder for Abus® Padlock Series	2020000 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
o 1	83KNK/45, 83KNK/50 & 83KNK/55	2020000(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### American<sup>®</sup> Padlock Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Cylinder for American® 3600/3700 Padlock (Note: Use American® Driver	2020000 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
٥ ]	DR-MED6)	2020000(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Master<sup>®</sup> Padlock Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	,	2020000 (P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
•	6700 Pro Series (Note: Use Master® Driver 0298-627 for Pro Series)	2020000(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Medeco System Series Padlock Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
	6 Pin cylinder for System Series KIK style	510600(P)	\$132.00	\$72.01	\$114.69	\$139.02	\$121.25
	padlocks	510600(S)	\$117.00	\$64.01	\$99.69	\$124.02	\$106.25

#### New Standard Mfg. Co.<sup>®</sup> Padlock Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
		2020052(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
о <sub>в</sub>	6 Pin Cylinder for New Standard® Padlocks	2020052(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### Schlage<sup>®</sup> Padlock Cylinders

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig	KeyMark
		2020074(P)	\$161.00	\$87.57	\$101.95	\$169.76	\$108.95
0	6 Pin Cylinder for Schlage® 45-101 Padlock	2020074(S)	\$146.00	\$79.57	\$86.95	\$154.76	\$93.95

#### **KIK/KIL Cylinder Components**

Description	Part Number	Price
M <sup>3</sup> slider package. (Includes slider & spring)	94-0174	\$15.00
Flat Head Machine Screw, 5/16" -#2-56 UNC, Phillips with Nylok Patch for 20-200XX Cylinders. Sold in Bags of 100	CP-010203-050	\$0.27 each
Pan Head Machine Screw, 1/4" - #2-56 UNC, Phillips with Nylok Patch for most Lazy Motion Cylinders. Sold in Bags of 100	CP-010503-040	\$0.40 each
Retaining Ring, Knob Cylinder "E" Clip	CP-020020	\$1.89
Retaining Ring, Knob Cylinder, Full Clip	CP-020040	\$3.63
Retaining Ring, Knob Cylinder Plug Retainer, "C" Clip	CP-020100	\$1.17
Lazy Motion Tailpiece Retainer for 20*090X cylinders	CP-021031	\$2.39
Tailpiece Retainer ring for Arrow and Sargent clip on tailpieces	CP-021130	\$3.39
Plug Retainer, Standard Knob	CP-021370	\$9.17
Castle Nut Retainer for Schlage type lazy motion cylinders	CP-021651	\$14.10
Compression Spring for Schlage type lazy motion cylinders	CP-030670	\$1.89
Drive Disk for Schlage -type Lazy Motion Cylinders	CP-041200	\$4.76
Detent Pin for Schlage type lazy motion cylinders	CP-064490	\$2.26

#### KIK/KIL Cylinder Plugs

Description	Part Number	Price
Plug for 20-200XX- (Medeco Original)	12126002 -	\$70.28
Plug for 20W200XX (Medeco Biaxial)	12126156 W	\$70.28
Plug for 20T200XX (Medeco <sup>3</sup> )	1212633 T	\$66.30

#### **Mailbox Lock Cylinders**

Description	Part Number	(S) Pricing	(P) Pricing
6 Pin M <sup>3</sup> Key in Knob Style Mailbox cylinder, less slider	490375 T	\$169.00	N/A
6 Pin Mailbox cylinder. Medeco KM only	200155 K	\$130.92	\$145.92

#### KIK/KIL Cylinder Tailpieces

			D :
Description		Part Number	Price
	Tailpiece for Schlage® B200, B400, B500, Series (Double Cylinder)	CT-F34	\$5.02
	Tailpiece for Schlage® F160, B100, B200, B400, B500 Series (Double Cylinder)	CT-F35	\$5.02
	Tailpiece for Schlage® B200, B400 Series (Double Cylinder)	CT-F36	\$5.02
₽ <u></u> 0	Tailpiece for Schlage® F160, B100, B200, B400, B500 Series (Double Cylinder)	CT-F37	\$5.02
\$ <u>F</u>	Tailpiece for Schlage® "E", F160, "H", B100, B200, B400, B500 Series (Single Cylinder)	CT-F38	\$5.02
£	Tailpiece for Baldwin <sup>®</sup> Images Series	CT-F40	\$15.40
	Tailpiece for Marks® 190S Lever Lockset	CT-V00	\$5.02
	Tailpiece for Marks® 190AB Lever Lockset	CT-V01	\$5.02
$ \qquad \qquad$	Tailpiece for PDQ <sup>®</sup> SP	CT-V02	\$5.02
[	Tailpiece for Falcon®® "T" Series	CT-V03	\$5.02
(	Tailpiece for Corbin <sup>®</sup> Russwin <sup>®</sup> 3900 Series Lever Lock	CT-V19	\$5.02
	Tailpiece for Sargent <sup>®</sup> 11 Line TZone	CT-V35	\$10.60
[]	Tailpiece for Anderson® Door Locks	CT-V39	\$5.02
	Tailpiece for Kwikset®	CT-V40	\$21.10
KI	<sup>1</sup> Tailpiece for Schlage <sup>®</sup> Lazy Motion	CT-Y08	\$5.02

# 100 Key-in-Knob/Lever Cylinders

#### KIK/KIL Cylinder Tailpieces

Description		Part Number	Price
	Tailpiece for Schlage <sup>®</sup> Deadbolt Lock (.542")	CT-Y24	\$5.02
(F)	Tailpiece for Baldwin®, Falcon®, Marvin®, Weiser® & Yale® (Lazy Motion)	CT-Y27	\$5.02
F	Tailpiece for Schlage® "G" Series Knob Lock	CT-Y28	\$24.00
	Tailpiece for Weiser® 4370 Deadbolt Lock	CT-Y29	\$5.02
	Tailpiece for Dexter® Double Cylinder Deadbolt Lock 4209	CT-Y31	\$5.02
	Tailpiece for Sargent <sup>®</sup> 6 Line (.685" Length)	CT-Y35	\$5.02
	Tailpiece for Sargent <sup>®</sup> 6 Line	CT-Y37	\$5.02
	Tailpiece for Russwin <sup>®</sup> Forum (20-5008) Line	CT-Y46	\$5.02
	Tailpiece for Arrow <sup>®</sup> 151 Knob and Sargent <sup>®</sup> 10 Line	e CT-Y47	\$5.02
	Tailpiece for Schlage <sup>®</sup> "C", "D", & Olympiad <sup>®</sup> Lever & Falcon <sup>®</sup> "B", "F" Series	CT-Y49	\$5.02
	Tailpiece for Schlage® "A" Series & "C", "D" Series (Ball, Globe, Sphere Design)	CT-Y52	\$5.02
	Tailpiece for Schlage <sup>®</sup> "A" Series (Orbit Design Only)	) CT-Y53	\$5.02
<b>}</b> _	Tailpiece for Falcon® "S" Series Knob (Except "H" Knob)	CT-Y54	\$5.02
	Tailpiece for Sargent <sup>®</sup> 10 Line	CT-Y55	\$5.02
	Tailpiece for Yale <sup>®</sup> AU5400 Lever Handle (Old Style)	CT-Y57	\$5.02

#### KIK/KIL Cylinder Tailpieces

Description		Part Number	Price
[	Tailpiece for Falcon <sup>®</sup> "S" Series "H" Knob	CT-Y58	\$5.02
°	Tailpiece for Yale® 5400LN Series Lever Lockset	CT-Y67	\$5.02
	Tailpiece for Falcon® "X" Series Knob (Except "H" Knob)	CT-Y68	\$5.02
	Tailpiece for Lockwood® Knob Lock	CT-Y69	\$5.02
	Tailpiece for Arrow <sup>®</sup> "M" Series, LSDA <sup>®</sup> 100 Series & Sargent <sup>®</sup> 6 Line	CT-Y70	\$5.02
	Tailpiece for Falcon <sup>®</sup> "X" Series "H" Knob	CT-Y71	\$5.02
	Tailpiece for Falcon <sup>®</sup> "X" Series Lever Lock	CT-Y72	\$5.02
	Tailpiece for Arrow <sup>®</sup> "M" Series, LSDA <sup>®</sup> 100 Series & Sargent <sup>®</sup> 6 Line (B Knob Only), Schlage ND lever	CT-Y73	\$5.02
	Tailpiece for Schlage <sup>®</sup> 45-101 Padlock	CT-Y74	\$5.02
	Tailpiece for Russwin <sup>®</sup> 3300 & 4300 Series	CT-Y75	\$5.02
	Tailpiece for Russwin® 3400 Series & Corbin®® 6600 Series	CT-Y77	\$5.02
	Tailpiece for LSDA <sup>®</sup> LX1000 Lever Lockset	CT-Y78	\$5.02
	Tailpiece for Schlage "S" Series	CT-Y97	\$34.40

#### KIK/KIL Tailpiece Packages

Description	Part Number	Price
	94-0034	\$14.60
Tailpiece Package for Schlage®: Listed as S1 in cylinder part number. Includes CT-Y49, CT-Y52, CT-Y53, CT-Y73, CT-Y74	94-0036	\$14.60
Tailpiece Package for Falcon®: Listed as F1 in cylinder part number. Includes CT-Y49, CT-Y54, CT-Y58, CT-Y68, CT-Y71, CT-Y72 & CP-160311	94-0035	\$14.60
Tailpiece Package for LSDA®: Listed as L1 in cylinder part number. Includes CT-Y49, CT-Y70, CT-Y73, CT-78	94-0272	\$14.60
Tailpiece Package for Schlage® "S" Series: Includes CT-Y97 & CP-021370	94-0051	\$36.80
Tailpiece package for Arrow®, Schlage® & Sargent®: Listed as H1 in cylinder part number. Includes CT-Y49, CT-Y52, CT-Y53, CT-Y54, CTY70, CT-Y73, & CP-160321	94-0061	\$25.80
Tailpiece Package for Sargent® & Arrow®: Includes CT-Y35, CT-Y37, CT-Y47, CT-Y55	94-0067	\$4.22
Tailpiece Package for Schlage® Deadbolt Cylinders: Listed as S4 in cylinder part number. Includes CT-F34, CT-F35, CT-F36, CT-F37, CT-F38	94-0098	\$14.60

# Large Format Interchangeable Cores

FEATURES	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	CLIQ	Medeco XT
Utility patented key control provides protection from unauthorized duplication of keys	(pending)	•	•	•	•
UL437 Listing and BHMA Certification provide validation of high security from recognized, independent testing laboratories	•				
Triple locking principle provides pick resistance and large numbers of combinations for master keying flexibility to accommodate systems of virtually any size	•				
Hardened steel inserts in the cylinder face and hardened steel driver pins provide proven drill resistance	•				
Solid brass construction provides high quality and long cylinder life	•	•	•		
Nickel plated pins designed to provide exceptional wear resistance		•	•		
Retrofits into virtually any manufacturers' locksets with a wide selection of interchangeable cams to fit various mortise series hardware for cost effective improved security	•	•	•	•	•
Ability to key with non-interchangeable core cylinders, including rim and mortise, knob style for M4/M³ BiLevel cost effective system flexibility		•	•		
High security and key control may be incorporated in a single system for cost effective system flexibility		•		•	

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### X4 Patented Key Control

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### Medeco 4 BiLevel Key Control

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# Large Format Interchangeable Core

Offering increased security without costly and time-consuming rekeying, interchangeable core cylinders enable quick and easy cylinder changes by non-technical personnel by using a special control key to remove the cylinder (core) from the lock housing. A core with a new combination can then be



inserted, which in effect rekeys the lock. LFIC cylinders are often used on doors of high-turnover businesses, like fast-food or manufacturing environments, where rapid rekeying is often desirable. Medeco 4's (M4) patent-pending high security technology provides protection against unauthorized duplication of keys, along with hardened inserts to resist drilling, and features that protect against other types of attack.



#### **Key Control**

Patent-pending key control protects against unauthorized duplication of keys.



**Protection Against 3D Printing** A patent-pending movable element in the key deters unauthorized 3D printed copies of keys or blanks.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Protection From Physical Attack**

M4 LFIC cylinders are UL 437 listed to stand up to drilling, picking and other forms of physical attack.



#### **Special Angled Cut Keys**

A special key cutting machine and access to Medecospecific blanks are required to duplicate M4 keys, which are available in multiple levels of restriction to support every need.



#### **Quickly Change Cores**

Provides quick and easy cylinder changes in the event keys are lost or stolen.



#### **Uses Existing Hardware**

Medeco offers a large selection of retrofit LFIC that reduce cost by eliminating the need to replace existing hardware.



#### Master Keying Capabilities

M4 cylinders can be master keyed into a system that includes M4, M4 BiLevel, and M4 CLIQ keys and cylinders. Very large systems are possible.

#### Technical Information:

- Meets ANSI A156.30 assuring patent protected key control and physical strength ( $M4, M^3$ )
- ANSI A156.5 Grade 1 certification assures consistent quality for heavy use applications (Medeco 4, M<sup>3</sup>)
- Solid brass construction provides high quality and long cylinder life
- Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance
- Ability to key with non-interchangeable core cylinders for cost effective system flexibility

#### Applications:

Office buildings, universities, apartments, perimeter doors, schools and hospitals.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See Medeco's limited warranty for full details.

#### Finishes:

Available in all standard finishes to match with existing hardware.

#### Available Technologies:

#### **Mechanical:**

**Intelligent Key:** - M4 CLIO

- M<sup>3</sup> CLIQ
- M<sup>3</sup>/M<sup>3</sup> BiLevel – X4
- Classic CLIQ



– M4/M4 BiLevel

#### Large Format Interchangeable Core

Description		Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
	Yale <sup>®</sup> Large Format Interchangeable Core, 6 Pin (Masterkey upcharges apply)	310100(P)	\$178.00	\$97.45	\$117.19	\$187.78	\$124.17
		310100(S)	\$163.00	\$89.45	\$102.19	\$172.78	\$109.17
	Control Keyblank for 31-0100 cylinders	KYB XX6X11	\$11.10			\$11.10	
Ħ	6 Pin Core for 7 Pin Yale <sup>®</sup> Large Format	310100A(P)	\$178.00	\$97.45	\$117.19	\$187.78	\$124.17
	Interchangeable Core Housing (Masterkey upcharges apply)	310100A(S)	\$163.00	\$89.45	\$102.19	\$172.78	\$109.17
	Control key blank for 31-0100A cylinders	KYB XX7X11	\$11.10			\$11.10	
	6 Pin Interchangeable Core Construction Core (Yale® Style) Cut keys provided separately – 12 keys Maximum	310100CC BI R1				\$187.78	
	5 Pin Large Format Interchangeable Core	320101 (P)	\$177.00	\$96.29		\$186.72	
	(Masterkey upcharges apply)	320101 (S)	\$162.00	\$88.29		\$171.72	
	5 Pin Large Format Interchangeable Core for Simplex® Unican® 1000-2m	320101H(P)	\$177.00			\$186.72	
	Manufactured Before 2/10/92 (Masterkey upcharges apply)	320101H(S)	\$162.00			\$171.72	
	6 Pin Large Format Interchangeable Core	320201 (P)	\$178.00	\$96.84	\$123.74	\$187.78	
	(Masterkey upcharges apply)	320201 (S)	\$163.00	\$88.84	\$108.74	\$172.78	
	6 Pin Large Format Interchangeable Core for Simplex® Unican® 1000-2m	320201H(P)	\$178.00	\$96.84		\$187.78	
	Manufactured Before 2/10/92 (Masterkey upcharges apply)	320201H(S)	\$163.00	\$88.84		\$172.78	
	6 Pin Large Format Removable Core Construction Core Cut keys sold separately – 12 keys maximum	320201CC BI R1				\$187.78	
	6 Pin Large Format Hotel Function Interchangeable Core (Masterkey upcharges apply)	321201 (P)	\$181.00			\$190.96	
		321201 (S)	\$166.00			\$175.96	
	6 Pin Large Format Interchangeable	324201 (P)	\$178.00	\$96.84		\$187.78	
	Core with Extended Plug Face (Masterkey upcharges apply)	324201 (S)	\$163.00	\$88.84		\$172.78	

# 106 Large Format Interchangeable Core

Description		Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
	6 Pin Emergency Keyblank for 321201	KYB XX6620 XX 05	5 \$11.10				
	6 Pin Large Format Interchangeable Core	322201 (P)			\$121.25		\$129.86
	(Schlage <sup>®</sup> ) – X4 (Masterkey upcharges apply)	322201 (S)			\$106.25		\$114.86
	X4 Control Keyblank for 322201	KYB XX7X31			\$11.10		
	5 Pin Large Format Interchangeable Core (Schlage®) – M³ (Masterkey upcharges apply)	322201 (P)	\$186.00		\$121.25		\$129.86
		322201 (S)	\$171.00		\$106.25		\$114.86
	M <sup>3</sup> Control Keyblank for 322201	КҮВ ХХ6Х31	\$11.10				
	6 Pin Large Format Interchangeable Core (Corbin Russwin®)(Masterkey upcharges apply)	322301 (P)	\$178.00		\$123.74	\$187.78	\$132.12
	Not available in Original Technology*	322301 (S)	\$163.00		\$108.74	\$172.78	\$117.12
	6 Pin Large Format Interchangeable Core (Sargent®), (Masterkey upcharges apply)	322401 (P)	\$178.00		\$123.74	\$187.78	\$132.12
		322401 (S)	\$163.00		\$108.74	\$172.78	\$117.12
	7 Pin Large Format Interchangeable Core (Corbin Russwin®), (Masterkey upcharges apply)	322801 (P)			\$134.74		\$143.78
		322801 (S)			\$119.74		\$128.78

#### Large Format Interchangeable Core

Description		Part Number	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4	Biax/Orig KeyMark
	6 Pin Mortise Cylinder for Yale® (Masterkey upcharges apply)	310101 (P)	\$291.00	\$210.45		\$307.56
		310101 (S)	\$276.00	\$202.45		\$292.56
	7 Pin Mortise Cylinder Assembly for Yale®	310101A (P)	\$291.00	\$210.45		\$307.56
	(Masterkey upcharges apply)	310101A (S)	\$276.00	\$202.45		\$292.56
	5 Pin 1 1/8" Mortise Cylinder Assembly	320100 (P)	\$290.00	\$206.00		\$306.50
	(Masterkey upcharges apply)	320100 (S)	\$275.00	\$198.00		\$291.50
	6 Pin 1 1/4" Mortise Cylinder Assembly	320200 (P)	\$291.00	\$206.72		\$307.56
	(Masterkey upcharges apply)	320200 (S)	\$276.00	\$198.72		\$292.56
	6 Pin LFIC Mortise Cylinder Assembly Hotel Function (Masterkey upcharges apply)	321200(P)	\$294.00			\$310.74
8		321200(S)	\$279.00			\$295.74
	6 Pin Mortise Cylinder Master Corbin Russwin® Ring Size Assembly (Masterkey upcharges apply)	321350(P)	\$335.00			\$354.20
8		321350 (S)	\$320.00			\$339.20
	6 Pin 1 1/2" LFIC Mortise Cylinder Assembly (Masterkey upcharges apply)	325200 (P)	\$483.00			\$511.08
		325200 (S)	\$468.00			\$496.08
	6 Pin 1 3/4" LFIC Mortise Cylinder Assembly (Masterkey upcharges apply)	325400 (P)	\$501.00			\$530.16
8		325400 (S)	\$486.00			\$515.16
	6 Pin 2" LFIC Mortise Cylinder Assembly (Masterkey upcharges apply)	325500 (P)	\$516.00			\$546.06
		325500 (S)	\$501.00			\$531.06
	6 Pin 2 5/8" LFIC Mortise Assembly (Masterkey upcharges apply)	325600 (P)	\$554.00			\$586.34
		325600 (S)	\$539.00			\$571.34
	6 Pin 3" LFIC Mortise Assembly	325700 (P)	\$577.00			\$610.72
	(Masterkey upcharges apply)	325700 (S)	\$562.00			\$595.72

#### LFIC Mortise Housings

Description	C C	Part Number	M4/M <sup>3</sup> X4 Biax/Orig KeyMark BiLevel X4 Biax/Orig KeyMark
	5 Pin Mortise Cylinder Housing	32-0175	\$114.00
	6 Pin Mortise Cylinder Housing	32-0275	\$114.00
	6 Pin Jumbo Mortise Cylinder Housing for Corbin® Russwin® Master Ring Cylinders	32-1375	\$157.00
	1 1/2" Mortise Cylinder Housing for 32-5200	32-5275	\$308.00
	1 3/4" Mortise Cylinder Housing for 32-5400	32-5475	\$324.00
	2" Mortise Cylinder Housing for 32-5500	32-5575	\$339.00
	2 1/4" Mortise Cylinder Housing for 32-5300	32-5375	\$356.00
	2 5/8" Mortise Cylinder Housing for 32-5600	32-5675	\$377.00
	3" Mortise Cylinder Housing for 32-5700	32-5775	\$402.00
	6 Pin 1 3/8" Mortise Cylinder Housing (Yale®)	31-0175	\$114.00
	7 Pin Mortise Cylinder Housing (Yale®)	31-0175A	\$114.00
	2 1/4" Mortise Cylinder Housing (Yale®)	31-5375	\$344.00

## Large Format Interchangeable Core

## LFIC Rim Cylinders

Description		Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig KeyMark
	Horizontal Tailpiece (Masterkey	310102H(P)	\$300.00	\$219.45		\$317.10
		310102H(S)	\$285.00	\$211.45		\$302.10
	6 Pin Rim Cylinder Assembly for Yale®,	310102V(P)	\$300.00	\$213.20		\$317.10
+	Vertical Tailpiece (Masterkey upcharges apply)	310102V(S)	\$285.00	\$205.20		\$302.10
	7 Pin Rim Cylinder Assembly for Yale®, Horizontal Tailpiece (Masterkey upcharges	310104H(P)	\$300.00			\$317.10
+	apply)	310104H(S)	\$285.00			\$302.10
	7 Pin Rim Cylinder Assembly for Yale®, Vertical Tailpiece (Masterkey upcharges	310104V(P)	\$300.00			\$317.10
	apply)	310104V(S)	\$285.00			\$302.10
	5 Pin Rim Cylinder Assembly with Horizontal Tailpiece and Staked Tailpiece Retainer for Thin Door Applications (Masterkey upcharges apply)	320300H(P)	\$281.00	\$199.52		\$296.96
		320300H(S)	\$266.00	\$191.52		\$281.96
	5 Pin Rim Cylinder Assembly, Vertical Tailpiece (Masterkey upcharges apply)	320300V(P)	\$281.00	\$199.52		\$296.96
		320300V(S)	\$266.00	\$191.52		\$281.96
	6 Pin Rim Cylinder Assembly, Horizontal ' Tailpiece (Masterkey upcharges apply)	320400H(P)	\$300.00	\$213.20		\$317.10
		320400H(S)	\$285.00	\$205.20		\$302.10
	6 Pin Rim Cylinder Assembly, Vertical Tailpiece (Masterkey upcharges apply)	320400V(P)	\$300.00	\$213.20		\$317.10
<del> </del>		320400V(S)	\$285.00	\$205.20		\$302.10
	5 Pin Rim Cylinder Assembly with Lazy Motion Tailpiece (Masterkey upcharges apply)	320600 (P)	\$271.00			\$286.36
		320600(S)	\$256.00			\$271.36
	6 Pin Lazy Motion Rim Cylinder Assembly	320700 (P)	\$301.00			\$318.16
<del> </del>	(Masterkey upcharges apply)	320700(S)	\$286.00			\$303.16
	6 pin Rim Cylinder with Sargent mounting	320405H(P)	\$319.00			\$337.24
	holes (Masterkey upcharges apply)	320405H(S)	\$304.00			\$322.24

## 110 Large Format Interchangeable Core

## LFIC Rim Cylinder Housings

Description		Part Number	Price
	7 Pin Rim Cylinder Housing (Yale®), Horizontal Tailpiece	31-0153H	\$122.00
	7 Pin Rim Cylinder Housing (Yale®), Vertical Talpiece	31-0153V	\$122.00
	6 Pin 1 1/2" Rim Cylinder Housing (31 series for Yale®), Horizontal Tailpiece	31-0375H	\$122.00
	6 Pin 1 1/2" Rim Cylinder Housing (31 series for Yale), Vertical Tailpiece	31-0375V	\$122.00
$\bigcirc$	6 Pin Rim Cylinder Housing - 31 Series with Sargent® mounting hole spacing	31-03755	\$122.00
$\bigcirc$	5 Pin Rim Cylinder Housing, Horizontal Tailpiece	32-0375H	\$108.00
	5 Pin Rim Cylinder Housing, Vertical Tailpiece	32-0375V	\$108.00
	6 Pin Rim Cylinder Housing, Horizontal Tailpiece	32-0475H	\$122.00
	6 Pin Rim Housing, Vertical Tailpiece	32-0475V	\$122.00
$\bigcirc$	6 Pin Rim Cylinder Housing - 32 Series with Sargent® mounting hole spacing	32-0477H	\$122.00
8	5 Pin Rim Cylinder Housing with Lazy Motion Tailpiece	32-0675	\$106.00
$\bigcirc$	6 Pin Rim Lazy Motion Cylinder Housing	32-0775	\$124.00

FEATURES	Medeco B	X4	Medeco XT
Utility patented key control provides protection from unauthorized duplication of keys		•	•
Available in a large selection of competitive keyways	•		
Solid brass construction provides high quality and long cylinder life	•	•	
Nickel plated pins designed to provide exceptional wear resistance	•	•	
Retrofits into virtually any manufacturers' locksets with a wide selection of interchangeable cams to fit various mortise series hardware for cost effective improved security	•	•	
Ability to key with non-interchangeable core cylinders, including rim and mortise, knob style for Medeco BiLevel cost effective system flexibility		•	

#### **Medeco B SFIC**

Medeco B is an economical solution, available in a large selection of competitive keyways including: AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB, MB, QB, RB, TA, TB, TC, TD, TE, WA, WB, WC, WG, WH & WY.

#### **Medeco XT Intelligent Key Solution**

Many of the cylinders in this section are also available with a Medeco XT Intelligent Key solution. See the Medeco XT section for more details.

#### Medeco X4 Patented Key Control

Medeco X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

## Medeco X4 Small Format Interchangeable Core

Medeco X4 leads the market in patent protected small format interchangeable core (SFIC) cylinders, Conventional rim, mortise and key-in-knob cylinders are also available, offering one key convenience – both SFIC and conventional Medeco X4 cylinders will operate using the same key. With patents extending through 2030 and the ability to expand key systems to four times that of standard SFIC, Medeco X4 is guaranteed to be an important product to suit your needs.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Uses Existing Hardware**

Industry standard Small Format Interchangeable Cores (SFIC) size, reduces cost by eliminating the need to replace your existing hardware.



#### Quickly Change Cores

Provides quick and easy cylinder changes in the event keys are lost or stolen.



#### Available in Intelligent Key

SFIC cores are also available in the Medeco XT format for Loss & Liability control.

## **Technical Information:**

- Utilizes the standard A2 pinning system in conjunction with a bitted slider locking arrangement which allows for more master keying capabilities for large master key systems. Up to 65,536 unique change keys in a 7 pin master key system on a single keyway
- ANSI A156.5 Grade 1 certification assures consistent quality for heavy use applications
- Expandable, simple master keying available in SFIC and LFIC, as well as standard key-in-knob, mortise, and rim cylinders
- SFIC's are available in six or seven pin cylinders, and can replace Best style cores
- Standard Medeco cams and tailpieces can be used on Medeco X4 cylinders
- Keys can be cut using many standard code type key machines such as the Pro-Lok Blue Punch, A1 Green Machine, the ITL 9000/9700, HPC 1200 and HPC Code Max



- Solid brass construction for excellent durability
- Spool shaped top and bottom pins add a measure of pick resistance
- Solid nickel silver bottom pins increase wear resistance
- Individual pin chamber caps provide for ease of servicing
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

### **Applications:**

Provides a key control retrofit for other manufacturers SFIC products in use in a variety of facilities.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details.

#### **Finishes:**

Available in all standard finishes to match with existing hardware.



## Medeco B

Medeco B Small Format Interchangeable Cores (SFIC) provide quick and easy cylinder changes in the event keys are lost or stolen. Medeco B is an economic and efficient solution to rekeying needs. Medeco B easily retrofits into existing systems, significantly reducing installation time.

Medeco B offers flexibility and is available in standard 6 and 7 pin format in established competitive keyways. The reinforced sleeve design provides added strength and durability.





#### Competitive Keyways

Medeco B is an affordable alternative for end users currently using industry standard unpatented keyways. Available keyways: 1C, 1D, AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB, MB, QB, RB, TA, TB, TC, TD, TE, WA, WB, WC, WG, WH & WY.



#### **Quickly Change Cores**

Medeco B SFIC cylinder provides quick and easy cylinder changes in the event keys are lost or stolen.



#### Fits Existing & New Master Key Systems

Medeco B is priced to save clients' money vs. other unpatented competitors and can be substituted directly into existing SFIC master key systems.

## **Technical Information:**

- Solid brass construction
- Reinforced sleeve design
- Uses A2 SFIC Specifications
- Available with Medeco-branded or plain face
- 6 & 7 pin unpatented SFIC
- Sleeve, shell, plug & face plate made of brass
- Individually capped pin chambers
- Available in the following industry standard SFIC keyways: 1C, 1D, AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB, MB, QB, RB, TA, TB, TC, TD, TE, WA, WB, WC, WG, WH & WY
- Dealers do not need a contract to purchase Medeco B SFIC Cores. Cores are available through Medeco and authorized distributors.

### **Applications:**

The Medeco B retrofit cylinders are ideal for any application requiring unpatented key control that can be substituted directly into existing small format interchangeable core systems.

#### Warranty:

Medeco B cylinders are warranted for two years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details.

#### **Finishes:**

• Available in all standard finishes to match existing hardware.




## How To Order Small Format Interchangeable Core

Medeco X4		LEVEL 1 – Patented Key Control
Cores Only	Part Number	Notes
6 Pin Small Format Interchangeable Core with	33600006(P)	Pinned pricing includes master key system design
Clip Retainer, Removable Front Plate	33600006(S)	and pinning, as well as two cut keys.
7 Pin Small Format Interchangeable Core with	33700006(P)	Note: Conventional cylinders are available (KIK, Rim, Mortise, etc.) and can be easily integrated
Clip Retainer, Removable Front Plate	33700006(S)	into an SFIC Master Key System

#### How to Order Medeco X4:


(P) = Pinned (S) = Sub-Assembled




See page 220 for desired finish.

Medeco B		LEVEL 0 – Convenience
Cores Only	Part Number	Notes
6 Pin Small Format Interchangeable Core,	33-6B07X (P)	
Medeco face plate	33-6B07X(S)	
6 Pin Small Format Interchangeable Core	33-6B01X(P)	
with plain face	33-6B01X(S)	Pinned pricing includes master key system design
7 Pin Small Format Interchangeable	33-7B07X (P)	and pinning, as well as two cut keys
Core, Medeco face plate	33-7B07X(S)	
7 Pin Small Format Interchangeable Core	33-7B01X(P)	
with plain face	33-7B01X(S)	

#### How to Order Medeco B:





W = Keyways WA-WY

scription		Part Number	Medeco B	X4	KeyMark
	Medeco X4 and KM 6 Pin SFIC	33600006 (P)		\$87.30	\$91.64
	Medeeo X4 and KW 0 Fill She	33600006(S)		\$72.30	\$76.64
	Medeco B 6 Pin SFIC, Medeco face plate,	336B070(P)	\$37.70		
	Alphabet and T series keyways	336B070(S)	\$22.70		
	Medeco B 6 Pin SFIC, Medeco face plate,	336B07W(P)	\$37.70		
	W series keyways	336B07W(S)	\$22.70		
	Medeco B 6 Pin SFIC, plain face plate,	336B010(P)	\$37.70		
	Alphabet and T Series Keyways	336B010(S)	\$22.70		
	Medeco B 6 Pin SFIC, plain face plate,	336B01W(P)	\$37.70		
	W Series Keyways	336B01W(S)	\$22.70		
		33700006 (P)		\$87.30	\$91.64
	Medeco X4 and KM 7 Pin SFIC	33700006 (S)		\$72.30	\$76.64
	Medeco B 7 Pin SFIC, Medeco face plate,	337B070(P)	\$37.70		
Alphabet and T series keyways		337B070(S)	\$22.70		
	Medeco B 7 Pin SFIC, Medeco face plate, W series keyways	337B07W(P)	\$37.70		
		337B07W(S)	\$22.70		
	Medeco B 7 Pin SFIC, plain face place,,	337B010(P)	\$37.70		
	Alphabet and T Series Keyways	337B010(S)	\$22.70		
	Medeco B 7 Pin SFIC, plain face plate,	337B01W(P)	\$37.70		
	W Series Keyways	337B01W(S)	\$22.70		
	Medeco X4 and KM 6 Pin Construction Core (cut keys ordered separately – 12 keys maximum)	33600006 BI CC K		\$87.30	\$91.64
	Medeco X4 and KM 6 Pin SFIC,	33600007 (P)		\$87.30	\$91.64
	Extended Plug Head	33600007 (S)		\$72.30	\$76.64
	Small Format Interchangeable Core,	33700007 (P)		\$87.30	\$91.64
	Extended Plug Head	33700007 (S)		\$72.30	\$76.64
	Specialty Sliding Door 7 Pin SFIC,	3370000S (P)		\$94.05	\$98.39
	Medeco X4 and KM	3370000S(S)		\$79.05	\$83.39
	Medeco B 7 Pin SFIC for Showcase Lock,	337B070S(P)	\$44.45		
	Medeco face plate	337B070S(S)	\$29.45		
	Medeco B 7 Pin SFIC for Showcase Lock,	337B07WS (P)	\$44.45		
1 <b>%</b>	Addeed face plate W series keyways	337B07WS(S)	\$29.45		

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.

Description	Part Number	Medeco B	X4	KeyMark
	33602032 (P)		\$137.97	\$145.11
6 Pin SFIC with 1 1/4" Rim Assembly	33602032(5)		\$122.97	\$130.11
	33602042 (P)		\$137.97	\$145.11
6 Pin SFIC with 1 1/2" Rim Assembly	33602042 (S)		\$122.97	\$130.11
	33702042 (P)		\$137.97	\$145.11
7 Pin SFIC with 1 1/2" Rim Assembly	33702042 (S)		\$122.97	\$130.11
7 Pin SFIC with Corbin Russwin®	337020B2 (P)		\$137.97	\$145.11
Master Ring Assembly	337020B2 (S)		\$122.97	\$130.11
6 Pin SFIC with 1 1/2" Ext.Face Rim	33602033 K (P)		\$137.97	\$145.11
Assembly. Medeco KM only.	33602033 K (S)		\$122.97	\$130.11
6 Pin SFIC with 1 1/2" Ext.Face Rim	33602043 K (P)		\$137.97	\$145.11
Assembly. Medeco KM only.	33602043 K (S)		\$122.97	\$130.11
7 Pin SFIC with 1 1/2" Ext.Face Rim	33702043 K (P)		\$137.97	\$145.11
Assembly. Medeco KM only.	33702043 K (S)		\$122.97	\$130.11

#### **SFIC Rim Cylinders**

## SFIC Mortise Cylinders

Description		Part Number	Medeco B	X4	KeyMark
	6 Pin SFIC 1 1/4" Mortise Assembly	33602012 (P)		\$134.00	\$141.14
8		33602012(S)		\$119.00	\$126.14
	7 Din CEIC 1 2/0" Martice Accombly	33702022 (P)		\$134.00	\$141.14
	7 Pin SFIC 1 3/8" Mortise Assembly	33702022 (S)		\$119.00	\$126.14
	7 Pin SFIC 1 3/8" Corbin®	337020C2 (P)		\$134.00	\$141.14
	Jumbo Assembly	337020C2 (S)		\$119.00	\$126.14
	7 Pin SFIC 1 1/2" Mortise	337020E2 (P)		\$134.00	\$141.14
8	Cylinder Assembly	337020E2 (S)		\$119.00	\$136.14
	6 Pin SFIC 1 1/4" Ext. Face Mortise Assembly Medeco KM only	33602013 K (P)			\$141.14
		33602013 K (S)			\$126.14
	7 Pin SFIC 1 3/8" Ext. Face Mortise Assembly Medeco KM only	33702023 K (P)			\$141.14
		33702023 K (S)			\$126.14
	6 Pin SFIC 7/8" body length (1 3/8" overall) Tapered Head	33602052 (P)		\$134.00	\$141.14
	Mortise Assembly	33602052 (S)		\$119.00	\$126.14
	6 Pin SFIC 1" body length (1 1/2" overall) Tapered Head Mortise Assembly (can accept 7 pin core)	33602062 (P)		\$134.00	\$141.14
		33602062 (S)		\$119.00	\$126.14
	6 Pin SFIC 7/8" body length (1 3/8" overall)	33602053 K (P)		\$134.00	\$141.14
	Ext. Face Tapered Head Mortise Assembly	33602053 K (S)		\$119.00	\$126.14
	6 Pin SFIC 1" body length (1 1/2" overall) Ext. Face Tapered Head Mortise	33602063 K (P)		\$134.00	\$126.14
	Assembly (can accept 7 pin core)	33602063 K (S)		\$119.00	\$126.14

SFIC Housing	S		
Description		Part Number	Price
	6 Pin 1 1/4" Mortise Housing Only	33-076011	\$23.01
	6 or 7 Pin 1 3/8" Mortise Housing Only	33-076021	\$23.01
	7 Pin 1 1/2" SFIC Mortise Housing Only, (If using 6 Pin core spacer CP-160420 required)	33-076025	\$46.40
	7 Pin 1 3/8" Housing Only for Corbin® Russwin® Master Ring Cylinders*	33-076028	\$68.62
	6 Pin 7/8" Tapered Head Mortise Housing Only	33-076051	\$23.01
	6 or 7 Pin 1" Tapered Head Mortise Housing Only	33-076061	\$23.01
8	6 Pin 1 1/2" Rim Cylinder Housing Only	33-07603H	\$23.01
	7 Pin 1 1/2" Rim Cylinder Housing Only	33-07604H	\$23.01
	7 Pin Corbin <sup>®</sup> Jumbo Rim Housing Only	33-076048	\$68.62

#### Showcase Lock Housing

Description	Part Number	Price
Showcase lock for SFIC cylinder. Works with Medeco X4, Medeco XT, or Medeco B SFIC. SFIC sold separately.	33-07340	\$95.00

# Intelligent Key Cabinet (IKC)

The Intelligent Key Cabinet (IKC) is a complete, electronicallycontrolled, key management solution that can secure, distribute and audit the use of XT Keys, mechanical keys, or other assets. Only authorized users can gain access to the cabinet via the included biometric fingerprint reader or PIN code pad, or a combination of both. An optional access card reader is also available. The IKC can improve employee efficiency and increase accountability which translates into a

more secure facility with lower operating costs. The IKC comes in three configurations - XT, iFob, and Hybrid. By selecting the right option for your needs you can securely store, track, and distribute mechanical keys, and/or XT Intelligent Keys.

### **Benefits:**

- Accountability: No more wondering who has checked out keys or for how long. Complete audit trail and reporting by user and key activity. User accountability reduces lost keys. Fewer lost keys leads to lower expenses and improved security.
- Analytics: Identify potential problems in removal and return patterns before they escalate. Complete reporting suite provides multiple reporting options to provide real-time data. Reports can be automatically generated and sent to multiple users by email or SMS text. Custom reports can be configured and exported to Excel for added convenience.
- Security: Loose keys are vulnerable to being misplaced or stolen. Only authorized users are able to access. Biometric Fingerprint, PIN, and/or Prox Card authentication (optional) allow access to the IKC for added security and control. The IKC supports dual authentication if desired. For added security, a digital photo capture of each login can be added.
- **Convenience:** Allow employees to retrieve keys quickly without waiting for a manager. Quick, easy-to-use webbased or locally hosted software shows what keys are in, what keys are out, and to whom they are issued. The IKC allows the return of any key to any location in the cabinet, and then learns the key's new location.
- **Productivity:** Eliminate time spent searching for, or replacing lost keys always know who took which key, and when.
- Efficiency: Pair with a full XT solution to identify patterns and workflows to gain even greater efficiency and security. XT version cabinets charge keys while they are secured and stored, ensuring keys are always ready to go.

#### **Features:**

- Heavy-duty enclosure keeps keys safe and secure
- Distributes keys only to authorized users
- Admin notifications (email and SMS) for unreturned keys
- Available in 32 and 64 port sizes
- Three versions available: XT, iFob, and Hybrid
- Locks XT keys in place and keeps them charged and ready for use. (XT version)
- Identifies XT key serial number (XT version)
- Built-in 10" touchscreen and fingerprint reader
- Multi-factor verification/authentication includes biometric finger scan, PIN, and Prox Card.
- Audible and visual alarms to indicate trouble conditions
- Built-in camera for photo verification of removal or attempted removal.
- Comprehensive reporting & analytics
- Emergency Fob Release System
- Multi-System Networking
- Medeco high security mechanical lock for manual override
- Options:
  - Mounting: Custom Stand holds 1 or 2 Standard or Mini cabinets to to securely hold the cabinets in place without having to mount them on a wall.
  - User authentication: A Multi-class reader is available for purchase or the customer can supply their own reader for installation. (A reader and test card must be provided to Medeco for testing before the cabinet is manufactured to ensure proper compatibility.






# Intelligent Key Cabinet (IKC)

## **Standard Cabinet**

## Add-On Cabinet



## **Scalability:**

The IKC system can grow as business needs grow by adding on additional secondary cabinets in either 32 or 64 port sizes and in a combination of technologies (iFob or XT).

- Each system requires one 'Main' touchscreen cabinet
- Add additional cabinets as needs require
- System can be any combination of 32 or 64 port cabinets
- 32 port cabinets support either XT or iFob ports
- 64 port cabinets support either all XT, all iFob, or a combination of 32 XT plus 32 iFob.
- Main and Secondary boxes can be configured with same technology or different
- Up to 7 Add-on units maximum (512 keys) for every Main unit

## Mini Cabinet (Image A):

- Main Cabinet (Image A) 27" W x 14.72" H x 12" D
- Can be stand alone or connected to Add-on cabinet
- Technology Select All XT or All iFob
- Main and Add-on cabinets can be configured with same technology or different\*

## Standard Cabinet (Image B):

- Main Cabinet (Image B), 32 or 64 ports, 27" W x 25.25" H x 12" D
- Can be stand alone or connected to secondary cabinet
- Technology Select All XT, All iFob, or 32 XT plus 32 iFob
- Main and Add-on cabinets can be configured with same technology or different

## Add-on Cabinet (Image C):

- Add-on Cabinet (Image C), 27"W x 25.25" H x 12"D
- Available with 32 or 64 ports
- 32 port option expandable to 64 with additional 32 port panel (sold separately)
- Must be connected to a Main cabinet

\* Before ordering, consult your local sales team about different configurations.

# Medeco T21 Key Management System

The Medeco T21 is a sophisticated stand-alone key management system which combines innovative RFID technology and robust design to provide small to medium-sized businesses with the advanced management of 21 keys or keysets in a plug and play solution.

## **Operation:**

- Stand-alone plug & play solution with advanced RFID technology
- Touchscreen interface
- PIN access to designated keys or keysets which are individually locked in place
- Keys are securely attached using special security seals
- Simple to configure through the setup wizard
- No requirement for network connection or PC
- Concealed robust fixing points allow secure wall fixing

Frederic to all

- Mains operated with optional battery backup
- 1,000 users per system
- System can save 250,000 audit events



## **Technical Information:**

- User, key and access rights administration
- Multilingual functionality
- Screen-based audit trail and reporting capability or export via USB port
- 21 robust, long-live iFobs with security seals
- 21 locking receptors with LEDs
- Robust and compact steel housing eliminates exposed hinges and obvious access points
- Manual override and door release functions in case of emergency
- Audible alarms

#### Warranty:

Medeco warrants the T21 to be free of defects in material and/or workmanship for a period of one (1) year from date of original purchase.

#### iFob

Once attached to an iFob with a robust security seal, individual keys or keysets are assigned to a specific user.

#### Security Seal

The secure one-time security seal is cost-effective and simple to apply without the need for specific tools.

#### T21 Key Management System

Description	Part Number	Price
Medeco T21 Key Management System, comes with 21 ifobs and security seals.	EA-100117	\$4,581.00
Security Seal	EA-100148	\$11.00 ea
iFob	EA-100149	\$54.80 ea
Battery	EA-100154	\$128.00
T21 Key override replacement lock	960590 W 26-S6	\$90.55



# SimpleK

### Master Key System and Key Management Software

SimpleK is a flexible and intuitive software program that streamlines and simplifies the complexities of managing master key systems, keys, and facilities. It combines all tools needed by locksmiths, facility managers, security officers, and anyone else involved in the key management processes.



The software provides total key control with audit trails, outstanding keys, overdue keys, tools for the rekeying process, and more. SimpleK software allows you to import maps and floor plans to see who has access to each individual door, the associated keys, and hardware on the opening.

SimpleK allows you to manage keys and keying systems of all sizes and types. This includes: Medeco, Corbin Russwin, Yale, SARGENT, ASSA, ABLOY, Schlage, Best, and many others.

#### **Features:**

- Advanced tools for locksmithing and key control
- Manage all key systems, unlimited records
- Robust import tools to bring current data into SimpleK
- Interactive floor plans
- Master key system design and management
- Key requests, key issuance, and door-key association visualization solution

#### SimpleK – Standard Edition

- Rekeying, core pinning calculator, and facility management tools
- Dynamic floor plans
- Easily identify keys, access, and hardware
- Visibility to audit trails and outstanding/overdue keys

Description	Part Number	Price
Primary License (3 users)	SMK040-30	\$2,710.00
Updates & Support Plan on Primary License, 1 year	SMK040-31	\$530.00

#### SimpleK – Professional Edition

Description	Part Number	Price
Primary License (3 users)	SMK042-30	\$3,192.00
Additional license	SMK042-32	\$422.00
Updates & Support Plan on Primary License, 1 year	SMK042-35	\$795.00
Updates & Support Plan on Additional License, 1 year (per Add. Lic.)	SMK042-33	\$132.00

#### **Add-On Modules**

Description	Part Number	Price
Item Tracking	SMK032-31	\$1,144.00
Web Interface	SMK032-33	\$1,506.00
Room Management	SMK032-35	\$723.00
Mobile Applications	SMK032-37	\$1,024.00

#### **Signature Capture Devices**

Description	Part Number	Price
Topaz SigLite 1x5, T-S460-HSB-R	SMK004-01	Call for pricing
Topaz SigLite Backlit LCD 1x5, T-LBK460-HSB-R	SMK004-02	Call for pricing



# **International Cylinders**

Medeco's international cylinders are designed to fit in locksets of major world manufacturers. In addition to international uses, many of these cylinders fit imported hardware used in North America. Medeco offers a variety of international cylinders including European profile and modular cylinders in both mechanical and Intelligent Key technologies. The Medeco European Profile cylinder has a teardrop shape that fits into storm doors, upscale hardware and specialty applications and is available in single, half and double cylinder versions. Cylinders are also available in: oval, round, and "snowman" formats.





#### **Patented Key Control**

Patent-pending key control protects against unauthorized duplication of keys (Medeco 4\*).



#### **Protection Against 3D Printing**

A patent-pending movable element in the M4\* key deters unauthorized 3D printed copies of keys or blanks.



#### **Picking and Bumping Protection**

M4\* cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



## Protection From Physical Attack

M4\* cylinders are UL 437 Listed and use hardened steel inserts positioned in critical areas of the cylinder, providing a high degree of drill and picking resistance.



#### Special Angle Cut Keys

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Intelligent Key Cylinders

Medeco's international cylinders are also available in electronic Intelligent Key format for loss & liability control.



#### Master Keying Capabilities

M4\* international-style cylinders can be master keyed into a system containing M4, M4 BiLevel and M4 CLIQ\*\* Intelligent Key cylinders.

## **Technical Information:**

- Utility patented key control provides protection from unauthorized duplication of keys in most countries (M4\*, M3)
- Superior master keying capability to accommodate systems of virtually any size
- Solid brass construction provides high quality and long cylinder life
- Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance
- European profile cylinders retrofit into virtually any manufacturers' locksets requiring DIN Standard cylinders
- Pin chamber set screws provide ease of rekeying and resist comb attacks
- 5 and 6 pin cylinders available

#### **Certification (M4 Pending):**

- SKG \*\*\* Netherlands
- Swedish Standards SS3522 EN1303:2015

• DIN18254

• EN1303 -2005

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco  $^{\otimes}$  limited warranty for full details

## Available Key Technologies:

Mechanical:	Intelligent Key:
– M4/M4 BiLevel	– M4 CLIQ
– M <sup>3</sup> /M <sup>3</sup> BiLevel	– M <sup>3</sup> CLIQ
– X4	– Classic CLIQ
	– XT
	– X4 CLIQ

Note: M3 and M4 BiLevel not available in Euro Dbl.



# EPIC–Euro Profile Interchangeable Core

Medeco EPIC-Euro Profile cylinders are designed to accept a special, slab-sided, small format interchangeable core (SFIC) cylinder to retrofit into most standard European Profile applications.

Medeco Euro profiles can be furnished with Medeco's patented X4 technology, offering unmatched key control, the widest array of retrofit cylinders and four times the master keying capability.



#### Patented Key Control

Protects against unauthorized duplication of your keys.



#### Uses Existing Hardware

European profile cylinders retrofit into virtually any manufacturers' locksets requiring DIN Standard cylinders.



#### Superior Master Keying Capability

Furnished with Medeco X4 SFIC, EPIC offers superior master keying to accommodate very large systems.



### **Medeco X4 Technical Information**

- 6 and 7 Pin cylinders available
- Solid nickel silver pins
- Many cylinder formats available
- Profile cylinders available in multiple sizes, finishes and functions
- Where interchangeable core is not required, Euro profile cylinders are also available in modular components and assembled standard lengths.
- Solid brass construction provides high quality and long cylinder life
- Solid nickel silver pins and keys
- European Profile Cylinders retrofit into virtually any manufacturers' locksets equivalent to DIN Standards

#### Warranty

Warranted for (2) years against manufacturing defects. See Medeco Limited Warranty for full details.




### EPIC-Euro Profile Interchangeable Core


Description	Part Number	Price	
6 Pin Part Numbers			
EPIC Euro Double 37.9 mm/37.9mm	2326D21	\$119.00	
EPIC Euro Half 37.9mm	2326H01	\$78.10	
EPIC Euro with Thumbturn 40mm int/39.2 mm ext	2326S12X*	\$113.00	
Small Format Interchangeable Core (SFIC)	3360000R (P)	\$87.30	
Small Format Interchangeable Core (SFIC)	3360000R(S)	\$72.30	
7 Pin Part Numbers         2324D21         \$119.00			
EPIC Euro Double 41.73mm/55mm	2324D25	\$119.00	
EPIC Euro Half 41.73mm	2324H01	\$78.10	
EPIC Euro Half 55mm	2324H05	\$78.10	
EPIC with Thumbturn 40mm int/43mm ext	2324S12X	\$113.00	
EPIC with Thumbturn 40mm int/55mm ext	2324S15X	\$113.00	
EPIC with Thumbturn 55mm int/43mm ext	2324S52X	\$113.00	
Small Format Interchangeable Core (SFIC)	3370000R (P)	\$87.30	
Small Format Interchangeable Core (SFIC)	3370000R(S)	\$72.30	

\*X denotes thumb turn. Please see following page for thumb turn. EPIC sold less cylinder.

## How To Order International Cylinders - Euro-Profile




#### BUILD A BASE PART #:



## with Original Technology

- H = High Security
- B = Standard Security
- J = Standard Security all except Double Euro Profile

Complete part numbers are required for all orders. To determine the correct part number, fill in the "X's" in sequential order.




- 1 = Half Cylinder
- 2 = Double Cylinder


† Union Oval Thumbturn Position at 5 and 11 o'clock only.

\* British Oval is the only design that requires a function number and cam position to be selected. It is non-extending.


## Medeco Premium High Security Euro Thumbturn Profile Cylinder




ltem	Description	Part Number
1	Plug	Cylinder Specific
2	Shell	Cylinder Specific
3	Sidebar	CP-084X71
4	Sidebar Springs	CP-030018
5	Plug Retainer Ring	CP-021490
6	Cam	CT-Z51
7	Thumbturn Retaining Clip	CP-020031
8	Actuator	CP-100111
9	Actuator Spring	CP-030025
10	Actuator Pilot	CP-280261
11	Pilot Spring	CP-030024
12	Standard Round "SR" Thumbturn	CP-285961
13	Decorative "RD" Thumbturn	CP-285901
14	Thumbturn Shaft - 6 Pin	CP-240761-600
15	Thumbturn Allen Set Screw #6-32 x 3/16" Knurled Cup Point	CP-012411-040
16	Lever "RL" Thumbturn	CP-285931
17	Thumbturn Shaft - 5 Pin	CP-240761-500
18	Low Profile "LP" Thumbturn	CP-285991
19	Thumbturn Retaining Pin	TP-F10-1T
20	Thumbturn Retaining Pin Spring	CP-030001
21	Thumbturn Retaining Pin Allen Set Screw #8-32 x 1/4"	CP-011013-040
22	Slider (varies related to keyway)	CP-084591
23	Slider Spring	CP-030910
24	Spade Thumbturn (Pictured on page 137 "Special Order") "SP"	CP-286051
25	Crescent Thumbturn (Pictured on page 137 "Special Order") "CR"	CP-286021




ltem	Description	Part Number
1	Кеу	As Required
2	Plug	Cylinder Specific
3	Shell	Cylinder Specific
4	Sidebar Springs	CP-030018
5	Sidebar	CP-084X71
6	Cam Spring	CP-030860
7	Actuator	CP-220090
8	Plug Retainer	CP-021490
9	Cam	CT-Z88
10	Bottom Pins	As Required
11	Top Pins	As Required
12	Springs (Phosphor Bronze)	CP-030001
13	Pin Chamber Allen Set Screws #8-32 x 1/4"	CP-011013-040
14	Slider – (varies related to keyway)	CP-084591
15	Slider Spring	CP-030910




ltem	Description	Part Number
1	Key	As Required
2	Plug	Cylinder Specific
3	Shell	Cylinder Specific
4	Sidebar Springs	CP-030018
5	Sidebar, 6 Pin	CP-084671
6	Plug Retainer	CP-021040
7	Plate	CP-180830
8	Tailpiece	CT-Y76
9	Bottom Pins	As Required
10	Top Pins	As Required
11	Springs (Phosphor Bronze)	CP-030001
12	Pin Chamber Allen Set Screws #8-32 x 1/4"	CP-011013-040
13	Crescent Steel Insert	CP-180011
14	Slider – (varies related to keyway)	CP-084591
15	Slider Spring	CP-030910



ltem	Description	Part Number
1	Кеу	As Required
2	Plug	Cylinder Specific
3	Shell	Cylinder Specific
4	Sidebar Springs	CP-030018
5	Sidebar, 6 Pin	CP-084671
6	Plug Retainer	CP-021040
7	Plate	CP-180830
8	Tailpiece	CT-Y76
9	Bottom Pins	As Required
10	Top Pins	As Required
11	Springs (Phosphor Bronze)	CP-030001
12	Pin Chamber Allen Set Screws #8-32 x 1/4"	CP-011013-040
13	Crescent Steel Inserts	CP-180011
14	Slider – (varies related to keyway)	CP-084591
15	Slider Spring	CP-030910




ltem	Description	Part Number
1	Key	As Required
2	Plug	Cylinder Specific
3	Sidebar Springs	CP-030018
4	Sidebar, 5 Pin	CP-084571
5	Clutch	CP-220071
6	Shell	Cylinder Specific
7	Plug Retainer	CP-021490
8	Cam	CT-Z50
9	Plug Retainer	CP-021490
10	Bottom Pins	As Required
11	Top Pins	As Required
12	Springs (Phosphor Bronze)	CP-030001
13	Pin Chamber Allen Set Screws #8-32 x 1/4"	CP-0110113-040
14	Slider – (varies related to keyway)	CP-084591
15	Slider Spring	CP-030910



## Modular Profile Double Cylinder

ltem	Description	Part Number
1	Cylinder Module (5 or 6 Pin)	232201X 30X
2	Outer Plug Extension - 10mm – 25mm extensions available	CP-200751
3	Inner Plug Extension - 5mm – 25mm extensions available	CP-200761
4	Brass Shell Extension - finish required	CP-200771
5	Groove Pins	CP-063220
6	Cam	CT-Z50
7	Connecting Bar - requires length designation	CP-200801
8	Bar Filler	CP-160661
9	Clutch Assembly	CP-220071



## Modular Profile Single Cylinder with Thumbturn


ltem	Description	Part Number
1	Thumbturn Cylinder Module (5 or 6 pin), requires knob selection	23X220XX-300
2	Outer Plug Extension, 10-25 mm extension	CP-200751
3	Inner Plug Extension, 5-25 mm extension	CP-200761
4	Brass Shell Extension, Finish required	CP-200771
5	Groove Pins	CP-063220
6	Cam	CP-Z51
7	Connecting Bar	CP-200801
8	Bar Filler	CP-160661
9	Thumbturn Actuator Cartridge	CP-220131
10	Thumbturn Cartridge Extension, 5-25 mm extension	CP-200781
11	Thumbturn Shaft – Modular Only	CP-240771-XP
12	Thumbturn Knob	See Page 138
13	Thumbturn Set Screw	CP-011013-020
14	Thumbturn Retaining Set Screw 8- 32 x 1/4"	CP-011013-040
15	Thumbturn Retaining Pin Spring	CP-030001
16	Thumbturn Retaining Pin	TP-F10-IT

## **Euro Profile Technical Information**



B = Interior Length


EURO PROFILE SINGLE CYLINDER WITH THUMBTURN



#### Euro Profile Single Cylinder with Thumbturn

Part#	А	В	С	КР
2313005 X00 *	99.04	31.98	31.98	35.08
2313035 X00	81.44	31.98	31.98	17.48
2313045 X00	83.09	31.98	31.98	19.13
2313055 X00	84.1	31.98	31.98	20.14
2313006 X00 *	107.68	36.3	36.3	35.08
2313036 X00	90.08	36.3	36.3	17.48
2313046 X00	91.73	36.3	36.3	19.13
2313056 X00	92.74	36.3	36.3	20.14
2313065 X00 (490264)	84.3	31.98	31.98	20.35
2313066 X00 (490291)	92.94	36.3	36.3	20.35

#### Euro Profile Technical Information




### Euro Profile Double Cylinder with Thumbturn

Part#	Α	В	С
2313025 X00	63.96	31.98	31.98
2313026 X00	72.59	36.3	36.3
2313025 X01	68.96	31.98	36.98
2313025 X02	73.96	31.98	41.99
2313025 X11	73.96	36.98	36.98
2313025 X12	78.97	36.98	41.99
2313026 X01	77.6	36.3	41.3
2313026 X02	82.6	36.3	46.3
2313026 X12	87.6	41.3	46.3

All table measurements in millimeters.

#### **Euro Profile Technical Information**





#### Euro Profile Single Cylinder with Thumbturn


Part#	Α	В	C
2313015 800	41.99	10.01	31.98
2313016 800	46.4	10.01	36.3
2313015 801	46.99	10.01	36.98
2313016 801	51.31	10.01	41.3


All table measurements in millimeters.


#### **Euro Profile Technical Information**
































#### **Euroline Modular Profile Kit**

Description	Part Number	Price
Euroline Modular Profile Kit - Danish	940243	\$5,938.00
Medeco XT Half Profile Modular Kit	940279	\$3,881.00
Euro Single/Double Thumbturn Kit Mechanical/Electric Available in Medeco XT or M³ CLIQ	940219	\$6,266.00
Export XT Demo Kit (Programmed to STOCK)	94-0287	\$948.00 NET
Upgrade Key Assembly Solo	94-0288	\$240.00 NET
Upgrade Key Assembly Web	94-0289	\$240.00 NET
Medeco XT Cam for Doubles – Not included in kit	CT-Z98	\$5.02

#### **Euroline Modular Cylinder Assembled**

Euroline Modular Cylinder Assembled			e.	Section of the sectio
Description	Part Number	M <sup>3</sup>	X4	Biax/Orig
5 Pin Double Cylinder	2323025 X00	\$197.24		\$207.21
6 Pin Double Cylinder	2323026 X00	\$209.92		\$220.06
5 Pin Double Thumbturn/Cylinder	23230X5 X00	\$181.00		\$190.96
6 Pin Double Thumbturn/Cylinder	23230X6 X00	\$190.29		\$200.39
7 Pin X4 Euro Assembly ext. 0mm Thumbturn	23230X7 500		\$181.00	
7 Pin X4 Euro Assembly ext. 5mm Thumbturn	23230X7 511		\$189.50	

#### **Euroline Modular Intelligent Key Assembled**

Description	Part Number	Price
M <sup>3</sup> CLIQ, Thumbturn/Cylinder, 36/36mm	23230X6 X00 S	\$812.80
M <sup>3</sup> CLIQ Double, 36/36mm	23230E6 X00 S	\$866.52
Medeco XT Single Cylinder Half Euro	232301S 800 G	\$339.94
Medeco XT Single Cylinder Half Euro – ext. 5mm	232301S 801 G	\$344.19
Medeco XT Single Cylinder Half Euro Assembled (True 30mm)	232301ST 800 G	\$339.94
Medeco XT Single Cylinder Euro Thumbturn 30/30mm Assembled	23230XS X00 G	\$379.59
Medeco XT Single Cylinder Euro Thumbturn 35/35mm Assembled	23230XS X11 G	\$388.09
Medeco XT Double Euro Mechanical/eCyl 30/30mm Assembled	23230E5 X00 G	\$448.30
Medeco XT Double Euro Mechanical/eCyl 35/35mm Assembled	23230E5 X11 G	\$456.80
Special Pin Kit for Biaxial/Medeco <sup>3</sup> CLIQ Pinning	.KW5401	\$851.00

#### **EuroLine Profile Cylinder Modules**

-				
Description	Part Number	<b>M</b> <sup>3</sup>	X4	Biax/Orig
5 Pin Cylinder	2322015 300	\$63.50		\$66.41
5 Pin Cylinder + 5mm	2322015 301	\$67.75		\$70.66
6 Pin Cylinder	2322016 300	\$69.40		\$72.40
6 Pin Cylinder + 5mm	2322016 301	\$73.65		\$76.65
Medeco X4 Standard 7 Pin Cylinder (35.59mm)	2322017 300 N		\$38.49	
Medeco X4 7 Pin + 5mm Cylinder (40.59mm)	2322017 301 N		\$42.74	

Note: Pinned Modules include one cut key in the price.

#### **Euroline Profile Medeco XT Modules**

Description	Part Number	Price
Medeco XT 30mm Single Cylinder Half Euro	2322015 300 G	\$294.06
Medeco XT 35mm Single Cylinder Half Euro	2322015 301 G	\$298.31
Medeco XT 40mm-85mm Single Cylinder Half Euro	2322015 302 G	\$294.06
Medeco XT 30mm Single Cylinder Thumbturn	2322025 300 G	\$294.06
Medeco XT 35mm Single Cylinder Thumbturn	2322025 301 G	\$298.31
Medeco XT 40mm-85mm Single Cylinder Thumbturn	2322025 302 G	\$294.06
Medeco XT 30mm Double Cylinder	232212SX 300 G	\$294.06
Medeco XT 35 mm Double Cylinder	232212SX 301 G	\$298.31
Medeco XT 40mm-85mm Double Cylinder	232222SX 302 G	\$302.56
Euroline Profile Medeco <sup>3</sup> CLIQ Modules		Broken

#### **Euroline Profile Medeco<sup>3</sup> CLIQ Modules**

Description	Part Number	Price
M³ CLIQ, 6 pin Module	2322016 300 S	\$728.56
M <sup>3</sup> CLIQ 6 pin + 5mm	2322016 301 S	\$732.81

#### **EuroLine Profile Thumbturn Modules**

Description	Part Number	Price
5 Pin Thumbturn	23220X5 300	\$64.40
6 Pin Thumbturn	23220X6 300	\$69.54
5 Pin X4 Thumbturn Module	23220X5 302	\$72.90

#### **Euroline Profile Medeco XT Thumbturn Modules**

Description	Part Number	Price	
Euro Thumbturn Module - 30mm	23220XS 300	\$65.22	

To order the Euro Thumbturn Module 35mm, you must add the shell ext. CP20071-05 and cart ext. CP-200781-05 to the 30mm Module

#### **Special Cylinders**

Description	Part Number	Price
Lockwood Oval retrofit AUS 570 Style	2303015 G	\$314.00
KIK AUS 530 Style	201006 G	\$367.26
3-Tailpieces – For Australia Package	94-0283	\$29.90
Medeco XT Ruko Oval	230501S G	\$338.00
Medeco XT AUS 8221 PD Style	20112B1 G	\$367.26

#### **Plug Extensions – Outer**

\*Quantities shown in parentheses below are included in the 94-0219 Euroline modular profile kit listed above. Additional items may be ordered individually.



Description	Part Number	Price
10mm Kit Qty (20)	CP-200751-10	\$6.01
15mm Kit Qty (10)	CP-200751-15	\$6.63
20mm Kit Qty (5)	CP-200751-20	\$7.00
25mm Kit Qty (5)	CP-200751-25	\$8.56
30mm	CP-200751-30	\$9.04
40mm	CP-200751-40	\$9.88
45mm	CP-200751-45	\$10.20
50mm	CP-200751-50	\$11.70
55mm	CP-200751-55	\$12.10
60mm	CP-200751-60	\$12.70
65mm	CP-200751-65	\$13.10
70mm	CP-200751-70	\$14.00
75mm	CP-200751-75	\$14.10
80mm	CP-200751-80	\$14.70
85mm	CP-200751-85	\$15.40
90mm	CP-200751-90	\$16.20

#### **Plug Extensions – Inner**

Description	Part Number	Price
5mm Kit Qty (20)	CP-200761-05	\$3.89
10mm Kit Qty (20)	CP-200761-10	\$4.27
15mm Kit Qty (10)	CP-200761-15	\$4.90
20mm Kit Qty (5)	CP-200761-20	\$5.39
25mm Kit Qty (5)	CP-200761-25	\$6.63
30mm	CP-200761-30	\$7.00
40mm	CP-200761-40	\$8.08
45mm	CP-200761-45	\$9.52
50mm	CP-200761-50	\$9.88
55mm	CP-200761-55	\$10.20
60mm	CP-200761-60	\$11.30
65mm	CP-200761-65	\$11.70
70mm	CP-200761-70	\$16.20
75mm	CP-200761-75	\$16.20
80mm	CP-200761-80	\$16.80
85mm	CP-200761-85	\$17.70
90mm	CP-200761-90	\$17.70

#### Plug Extensions - Double EAC/EAC

Description	Part Number	Price
10mm	CP-200851-10	\$14.60
15mm	CP-200851-15	\$15.00
20mm	CP-200851-20	\$15.40
25mm	CP-200851-25	\$16.70
30mm	CP-200851-30	\$17.00
40mm	CP-200851-40	\$18.00
45mm	CP-200851-45	\$18.30
50mm	CP-200851-50	\$18.70
55mm	CP-200851-55	\$19.10
60mm	CP-200851-60	\$19.80
65mm	CP-200851-65	\$20.10
70mm	CP-200851-70	\$20.60
75mm	CP-200851-75	\$21.00
80mm	CP-200851-80	\$21.30
85mm	CP-200851-85	\$21.70
90mm	CP-200851-90	\$22.20



#### Brass Shell Extensions



#### **Connecting Bar**

-		+
Description	Part Number	Price
5mm Kit Qty (15)	CP-200801-00	\$33.00
10mm Kit Qty (5)	CP-200801-02	\$35.70
20mm Kit Qty (5)	CP-200801-04	\$38.00
30mm Kit Qty (5)	CP-200801-06	\$39.80
40mm Kit Qty (1)	CP-200801-08	\$42.10
50mm Kit Qty (1)	CP-200801-0A	\$44.90
10/10mm Kit Qty (5)	CP-200801-22	\$38.00
10/20mm Kit Qty (5)	CP-200801-24	\$39.80
10/30mm Kit Qty (3)	CP-200801-26	\$42.10
10/40mm Kit Qty (1)	CP-200801-28	\$44.90
10/50mm Kit Qty (1)	CP-200801-2A	\$47.70
20/20mm Kit Qty (3)	CP-200801-44	\$42.10
20/30mm Kit Qty (1)	CP-200801-46	\$44.90
20/40mm Kit Qty (1)	CP-200801-48	\$47.70
20/50mm Kit Qty (1)	CP-200801-4A	\$50.50
30/30mm Kit Qty (1)	CP-200801-66	\$47.70
30/40mm Kit Qty (1)	CP-200801-68	\$50.50
30/50mm Kit Qty (1)	CP-200801-6A	\$52.70
40/40mm Kit Qty (1)	CP-200801-88	\$52.70
40/50mm Kit Qty (1)	CP-200801-8A	\$54.70
50/50mm Kit Qty (1)	CP-200801-AA	\$58.40

#### International Cylinders 146

#### Modular Thumbturn Shaft

		~~
Description	Part Number	Price
5 Pin Kit Qty (2)	CP-240771-5P	\$11.80
6 Pin Kit Qty (2)	CP-240771-6P	\$12.10

#### **Modular Service Tools**

Modular Service Tools		<b>\$</b>
Description	Part Number	Price
Modular Assembly Block Kit Qty (1)	94-0208	\$1,174.00
Pinning Block Kit Qty (2)	94-0203	\$11.90
Pinning Block Medeco X4	94-0285	\$11.90
Capping Tool Kit Qty (2)	94-0207	\$2.24
Small flat blade screwdriver Kit Qty (1)	94-0221	\$54.20
Removing Punch, 2.3 mm Kit Qty (1)	94-0222	\$163.00
Installing punch, 6.35 mm Kit Qty (1)	94-0223	\$163.00
Allen Wrench, 1.588 mm Kit Qty (1)	CP-280330	\$3.77

#### **Miscellaneous Components**

Description	Part Number	Price
Groove Pin Kit Qty (200)	CP-063220	\$0.70
Clutch Piece Assembly Kit Qty (20)	CP-220071	\$9.29
5 Pin Cover Kit Qty (100)	CP-170730-5	\$0.71
6 Pin Cover Kit Qty (100)	CP-170730-6	\$0.71
Double Cam Kit Qty (20)	CT-Z50	\$5.02
Thumbturn Cam Kit Qty (20)	CT-Z51	\$5.02

# International Cylinders

#### **Top Pins**

Description	Part Number
1 top pin Kit Qty (200)	TP-F10-4T (.180")
2 top pin Kit Qty (200)	TP-F10-5T (.150")
3 top pin Kit Qty (200)	TP-H10-9W (.135")
4 top pin Kit Qty (200)	TP-F10-4W-6T (.120")
5 top pin Kit Qty (200)	TP-F10-3W (.090")
6 top pin Kit qty (200)	TP-F10-2W (.060")

#### Thumbturn Knobs

Description			Part Number	Price
	Decorative "RD"	4	CP-285901	\$21.70
	Lever "RL"	5	CP-285931	\$32.30
M	Round "SR"	0	CP-285961	\$32.30
	Low Profile "LP"	3	CP-285991	\$21.70
Q	Crescent "CR"	6	CP-286021	\$16.80
S	Spade "SP"	7	CP-286051	\$16.80

Finish required.

#### Thumbturn Assembly - Shaft, Knob, Set Screw - 5 pin

Description	Part Number	Price
Decorative	CP-285921-500	\$65.40
Lever	CP-285951-500	\$97.70
Standard Round	CP-285981-500	\$97.70
Low Profile	CP-286011-500	\$65.40
Crescent	CP-286041-500	\$30.20
Spade	CP-286071-500	\$65.40
Less TT Knob	CP-240761-500	\$28.80

#### Medeco XT Half Cylinder Connecting Bar

\*Quantities shown in parentheses below are included in the 94-0279 Euroline half cylinder kit listed above. Additional items may be ordered individually.



Description	Part Number	Price
40, 45mm Kit Qty (6)	CP-200801-12	\$28.10
50, 55mm Kit Qty (5)	CP-200801-14	\$30.90
60, 65mm Kit Qty (3)	CP-200801-16	\$33.00
70, 75mm Kit Qty (3)	CP-200801-18	\$35.70
80, 85 mm Kit Qty (3)	CP-200801-1A	\$38.00

#### Plug Extensions Outer for 94-0279

Description	Part Number	Price
10mm Kit Qty (20)	CP-200751-10	\$6.01
15mm Kit Qty (15)	CP-200751-15	\$6.63
20mm Kit Qty (5)	CP-200751-20	\$7.00
25mm Kit Qty (5)	CP-200751-25	\$8.56

#### **Brass Shell Extensions for 94-0279**

Description	Part Number	Price
5mm Kit Qty (20)	CP-200771-05	\$8.32
10mm Kit Qty (20)	CP-200771-10	\$9.52
15mm Kit Qty (10)	CP-200771-15	\$11.10
20mm Kit Qty (5)	CP-200771-20	\$12.50
25mm Kit Qty (5)	CP-200771-25	\$13.80

#### Bar Filler (2 per Cylinder) for 94-0279

Description	Part Number	Price
5 Pin, 0mm Kit Qty (20)	CP-160661-50	\$1.38
5 Pin, 5mm Kit Qty (20)	CP-160661-55	\$1.38

#### **Miscellaneous Components for 94-0279**

Description	Part Number	Price
Half Shell Backend Kit Qty (20)	CP-200830	\$20.40
Actuator Spring Kit Qty (25)	CP-030860	\$1.25
Indexable Actuator Kit Qty (20)	CP-220090	\$5.64
Security Pin Kit Qty (25)	CP-060106	\$1.38
Groove Pin Kit Qty (65)	CP-063220	\$0.70
Indexable Cam	CT-Z88	\$5.02

#### Euro Profile Single Cylinder with Thumbturn

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
	5 Pin, Standard Round	2313005 X00 (P)	\$181.00			\$190.96
o	"SR" Thumbturn	2313005 X00 (S)	\$166.00			\$175.96
	6 Pin, Standard Round "SR" Thumbturn	2313006 X00 (P)	\$190.29			\$200.39
0		2313006 X00 (S)	\$175.29			\$185.39
	5 Pin, Low Profile	2313035 X00 (P)	\$181.00			\$190.96
0	"LP" Thumbturn	2313035 X00 (S)	\$166.00			\$175.96
	6 Pin, Low Profile	2313036 X00 (P)	\$190.29			\$200.39
o	"LP" Thumbturn	2313036 X00 (S)	\$175.29			\$185.39
	5 Pin, Removable Decorative	2313045 X00 (P)	\$181.00			\$190.96
•	"RD" Thumbturn	2313045 X00 (S)	\$166.00			\$175.96
	6 Pin, Removable Decorative	2313046 X00 (P)	\$190.29			\$200.39
	"RD" Thumbturn	2313046 X00 (S)	\$175.29			\$185.39
	5 Pin, Removable Lever	2313055 X00 (P)	\$181.00			\$190.96
0	"RL" Thumbturn	2313055 X00 (S)	\$166.00			\$175.96
	6 Pin, Removable Lever	2313056 X00 (P)	\$190.29			\$200.39
0	"RL" Thumbturn	2313056 X00 (S)	\$175.29			\$185.39
	5 Pin, Euro Crescent	2313065 X00 (P)	\$181.00			\$190.96
	"CR" Thumbturn	2313065 X00 (S)	\$166.00			\$175.96
	6 Pin, Euro Crescent	2313066 X00 (P)	\$190.29			\$200.39
	"CR" Thumbturn	2313066 X00 (S)	\$175.29			\$185.39

#### Euro Profile Double Cylinder

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
		2313025 X00 (P)	\$184.79			\$194.59
o	5 Pin, No Extension	2313025 X00 (S)	\$154.79			\$164.59
	5 Pin Extended, 5 mm Ext.	2313025 X01 (P)	\$189.04			\$198.84
Side (0mm/5mm)	2313025 X01 (S)	\$159.04			\$168.84	
	5 Pin Extended, 10 mm Ext. Side (0mm/10mm)	2313025 X02 (P)	\$193.29			\$203.09
o		2313025 X02 (S)	\$163.29			\$173.09
	5 Pin Extended, (5mm/5mm)	2313025 X11 (P)	\$193.29			\$203.09
o	S Phil Extended, (Shim/Shim)	2313025 X11 (S)	\$163.29			\$173.09
	5 Pin Extended, (5mm/10mm)	2313025 X12 (P)	\$197.54			\$207.34
o	S Pill Extended, (Sining Ionnin)	2313025 X12 (S)	\$167.54			\$177.34
	6 Pin, No Extension	2313026 X00 (P)	\$197.24			\$207.21
o	o Pili, no extension	2313026 X00 (S)	\$167.24			\$177.21
	6 Pin Extended, 5mm Ext.	2313026 X01 (P)	\$201.49			\$211.46
o	Side (0 mm/5 mm)	2313026 X01 (S)	\$171.49			\$181.46
	6 Pin Extended, 10mm Ext.	2313026 X02 (P)	\$205.74			\$215.71
Side (0 mm/10 mm)	Side (0 mm/10 mm)	2313026 X02 (S)	\$175.74			\$185.71
	6 Pin Extended, (5mm/10mm)	2313026 X12 (P)	\$209.99			\$219.96
o	0 Fill Extended, (Silling Folilith)	2313026 X12 (S)	\$179.99			\$189.96

#### Euro Profile Half Cylinder

Description		Part Number	M4/M <sup>3</sup>	BiLevel	X4	Biax/Orig KeyMark
	5 Pin with 12 Position	2313015 800 (P)	\$155.86			\$165.34
Indexable Cam	2313015 800 (S)	\$140.86			\$150.34	
	5 Pin, Extended 5 mm with	2313015 801 (P)	\$160.11			\$169.59
o	12 De siti en la devela la Com	2313015 801 (S)	\$145.11			\$154.59
	6 Pin with 12 Position	2313016 800 (P)	\$157.73			\$167.35
Indexable Cam	2313016 800 (S)	\$142.73			\$152.35	
6 Pin, Extended 5 mm with 12 Position Indexable Cam	2313016 801 (P)	\$161.98			\$171.60	
	12 Position Indexable Cam	2313016 801 (S)	\$146.98			\$156.60

# International Cylinders

Description	Part Number	M4/M <sup>3</sup> BiLevel	X4 Biax/Orig KeyMark
	2301016 (P)	\$145.00	\$152.80
Danish Round Mortise Cylinder	2301016 (S)	\$130.00	\$137.80
	23010168 (P)		\$115.73
Danish Special Cam Lock (Ruko®)	23010168(S)		\$100.73
Australian Oval - Less Cams and Pins	2303016A(S)	\$166.00	\$175.96
5 Pin British Oval Single Cylinder with Thumbturn	2304005 (P)	\$204.00	\$215.34
5 Pin Brush Oval Single Cylinder with Thumbturn	2304005 (S)	\$189.00	\$200.34
	2304006 (P)	\$204.00	\$215.34
5 Pin British Oval Single Cylinder with Thumbturn	2304006 (S)	\$189.00	\$200.34
	2304015 (P)	\$154.30	\$164.94
5 Pin British Oval Half Cylinder	2304015 (S)	\$139.30	\$149.94
	2304016 (P)	\$154.30	\$164.94
6 Pin British Oval Half Cylinder	2304016 (S)	\$139.30	\$149.94
	2304025 (P)	\$209.12	\$220.30
5 Pin British Oval Double Cylinder	2304025 (S)	\$179.12	\$190.30
	2304026 (P)	\$209.12	\$220.30
6 Pin British Oval Double Cylinder	2304026 (S)	\$179.12	\$190.30
	2305016 (P)	\$151.00	\$159.16
Scandinavian Oval Exterior Cylinder	2305016 (S)	\$136.00	\$144.16
	2306016 (P)	\$151.00	\$159.16
Scandinavian Oval Interior Cylinder	2306016 (S)	\$136.00	\$144.16
	23070165 (P)	\$169.00	\$178.24
Norwegian Oval Shape Cylinder	23070165 (S)	\$154.00	\$163.24
	23080166 (P)	\$173.00	\$182.48
Scandinavian Snowman Cylinder	23080166 (S)	\$158.00	\$167.48
	2309016 (P)	\$223.00	\$235.48
Scandinavian Round Exterior Cylinder	2309016 (S)	\$208.00	\$220.48
	2310016 (P)	\$223.00	\$235.48
Scandinavian Round Interior Cylinder	2310016 (S)	\$208.00	\$220.48
	2314003 (P)	\$107.00	\$112.52
talian Cylinder Inner Gate Lock, 3 Pin	2314003 (S)	\$92.00	\$97.52
	2315005 (P)	\$121.00	\$127.36
Italian Cylinder Exterior Gate Lock, 5 Pin	2315005 (S)	\$106.00	\$112.36
	2316004 (P)	\$121.00	\$127.36
Italian Roller Shutter 4 Pin	2316004 (S)	\$106.00	\$112.36
	2320016 (P)	\$145.00	\$152.80
Danish Cam Lock (for Ruko®) w/ 90° Stop	2320016 (S)	\$130.00	\$137.80
	2020010 (3)	2120.00	4151.00

#### **Profile Components**

		D.
Description	Part Number	Price
5 Pin Plug For Half Cylinder	12286	\$66.30
5 Pin Double Cylinder Profile Plug	12286	\$66.30
6 Pin Plug For Half Cylinder	12288	\$66.30
6 Pin Double Cylinder Profile Plug	12288	\$66.30
5 Pin Double Cylinder Profile Shell	13327	\$93.40
6 Pin Double Cylinder Profile Shell	13346	\$93.40
5 Pin Shell For Half Cylinder	13365	\$93.40
6 Pin Shell For Half Cylinder	13375	\$93.40
Thumbturn Set Screw	CP-011013-020	\$0.33
Profile Cylinder Set Screw, #8-32 x 1/4"	CP-011013-040	\$0.46
Set Screw for "CR" Thumbturn	CP-012409-030	\$0.69
Thumbturn Set Screw	CP-012411-030	\$0.88
Set Screw For Removable Thumbturn	CP-012411-040	\$0.88
Thumbturn Retaining Clip	CP-020031	\$6.63
Cartridge Retainer	CP-020240	\$0.28
Plug Retaining Clip - Old Style, C Clip	CP-021400	\$5.87
Plug Retaining Clip - Continuous Ring	CP-021490	\$1.89
Tumbler Spring	CP-030001	\$0.11
Single Cylinder Profile Pilot Spring	CP-030024	\$0.73
Single Cylinder Profile Thumbturn Actuator Spring	CP-030025	\$0.27
Actuator Spring For Half Cylinder	CP-030860	\$1.25
Snap Ring	CP-031030	\$0.77
Single Cylinder Profile Actuator	CP-100111	\$12.50
Double Cylinder Profile EAC/EAC Push Rod	CP-100761	Consult Factory
Double Cylinder Profile Clutch	CP-220071	\$9.29
5 and 6 Pin Actuator For Half Cylinder	CP-220090	\$5.64
Clutch Assembly, Emergency	CP-220120	\$33.80
Double Cylinder Profile EAC/EAC Clutch	CP-220201	\$87.80
Double Cylinder Profile Gear Cam	CP-230081	\$11.10
Thumbturn Cylinder Profile Gear Cam	CP-230091	\$11.10
Single Cylinder Profile Thumbturn Actuator Pilot	CP-280261	\$16.80
Standard Round "SR" Thumbturn Assembly 5 Pin	CP-285981-500	\$97.70
Low Profile "LP" Thumbturn Assembly 5 Pin	CP-286011-500	\$65.40
Lever "RL" Thumbturn Assembly 5 Pin	CP-285951-500	\$97.70
Crescent "CR" Thumbturn Assembly 5 Pin	CP-286041-500	\$30.20
Decorative "RD" Thumbturn Assembly 5 Pin	CP-285921-500	\$65.40
Decorative "RD" Thumbturn Only	CP-285901	\$21.70
Lever "RL" Thumbturn Only	CP-285931	\$32.30
Low Profile "SR" Thumbturn Only	CP-285961	\$32.30
Low Profile "LP" Thumbturn Only	CP-285991	\$21.70
Oval Int./Ext. Cylinder tailpiece	CT-Y76	\$5.02
Cam, British Oval (Half/Double)	CT-Z26	\$5.02
Cam, British Oval (Thumbturn)	CT-Z29	\$5.02
Double Cylinder Profile Cam	CT-Z50	\$5.02
Thumbturn Cylinder Profile Cam, Non Indexing	CT-Z50	\$5.02
Indexing Cam For Half Cylinders	CT-Z88	\$5.02
Cam, Medeco XT Double Profile Cyl	CT-Z98	\$5.02
Double Cylinder Profile EAC/EAC Cam	CT-Z98	
	CI-ZAZ	\$5.02

# **Maxum Deadbolts**

FEATURES	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4	CLIQ
UL Listed for use on fire doors having a rating up to three hours	•	•	•	
ANSI/BHMA 156.36 Grade 1 Certification for auxiliary locks and associated products	•			
ANSI/BHMA A156.30 Level A Certification on the cylinder assures patent protected key control and physical strength	•			
Can be incorporated into existing master key systems	•	•	•	•
Security features to protect against drill, wrench, ice pick, kick-in, hammer, bumping and prying attacks	•	•		
Solid brass construction provides high quality and long cylinder life	•	•	•	•
Deadbolt is designed to accommodate both mortise and drive-in face applications for greater flexibility and ease of installation	•	•	•	•
Large thumbturn provides ease of use for physically challenged individuals	•	•	•	•
Keys may be integrated with Hybrid proximity head for greater system retrofit	•	•	•	•
Double cylinder captive thumbturn safety option available	•	•		

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### X4 Patented Key Control

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### Medeco 4 BiLevel Key Control

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# Maxum<sup>®</sup> Deadbolts

Deadbolts are about strength. Just hold an ANSI Grade 1 Maxum<sup>®</sup> deadbolt in your hand, and you know this is one tough hunk of protection. Maxum deadbolt is available as a single- or double-cylinder or with a "captive thumbturn." The captive thumbturn converts the inside cylinder to a thumbturn for easy exit when the facility is occupied. A guick conversion when the facility is not occupied



returns it to double cylinder mode to guard against unauthorized entry. Medeco 4 (M4) Maxum® Maxum<sup>®</sup> deadbolts are UL 437 listed, offering maximum protection with solid-brass construction, along with anti-drilling, picking and anti-prying features.



#### **Key Control**

Patent-pending key control protects against unauthorized duplication of keys (Medeco 4).



#### **Protection Against 3D Printing**

A patent-pending movable element in the key deters unauthorized 3D printed copies of keys or blanks (M4).



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Certified Grade 1**

BHMA certified Grade 1, passes to the highest standards in the industry.



#### **Drill Protection**

Offers maximum protection with solid-brass construction and strategically placed drill pins.



#### **Protection From Physical Attack**

M4 Maxum Deadbolts are UL 437 Listed and stand up to prying, picking and other forms of physical attack.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Master Keying Capabilities**

M4 deadbolts can be master keyed into a system that includes M4, M4 BiLevel, and M4 CLIQ\* keys and cylinders. Extremely large systems are possible.

\*M4 CLIQ - Coming Soon.

### **Technical Information:**

- ANSI/BHMA A156.36 Grade 1 and UL 437 listed cylinders for high security
- Fits doors 1 3/8" to 2 1/2" thick
- Standard 2 1/8" crossbore and 1" edge bore (ANSI A115.13 prep)

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> Limited Warranty for full details.

#### Finishes:

Available in all standard finishes to match existing hardware.

#### **Applications:**

• Schools

Ideal for a wide variety of commercial and residential applications where consistent quality, ease of use and installation are required.

- Office buildings Restaurants
- Hospitals
  - Retail outlets


Apartments

#### **Available Technologies:**


- Mechanical: **Intelligent Key:** - M4/M4 BiLevel – M<sup>3</sup>CLIQ - M<sup>3</sup>/M<sup>3</sup> BiLevel – M4 CLIQ – X4
  - Classic CLIQ -X4 CLIQ



### How to Order:



#### **BUILD A MAXUM DEADBOLT BASE PART#**



L = Less Bolt Assembly

- 5 = Dummy x Thumbturn
- 6 = Dummy x Cylinder
- 7 = Dummy x Plate (mounting screws on plate side)
- 8 = Plate x Thumbturn (mounting screws on thumbturn side)
- 9 = Plate x Cylinder (mounting screws on cylinder side)
- D = Dummy x Dummy
- P = Plate x Plate

#### Single Cylinder Maxum Deadbolt – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig K	eyMark
Maxum Deadbolt Lock, Blank Plate Outside with Inside Thumbturn, 1 1/8" Faceplate, with bolt	11C28X	\$230.00				
Single Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, with bolt	11C60X(P)	\$275.00	\$229.00		\$290.60	
	11C60X(S)	\$260.00	\$221.00		\$275.60	
Cingle Culinder Manuar Deedhelt Leek Lees Dalt	11C60L(P)	\$192.91	\$146.91		\$208.51	
Single Cylinder Maxum Deadbolt Lock, Less Bolt	11C60L(S)	\$177.91	\$138.91		\$193.51	
Single Cylinder Maxum Deadbolt Lock, Classroom Function,	11C61X(P)	\$281.00			\$296.96	
1 1/8" Faceplate, with bolt	11C61X(S)	\$266.00			\$281.96	
	11C61L(P)	\$198.91			\$214.87	
Classroom Function, Less Bolt	11C61L(S)	\$183.91			\$199.87	
Single Cylinder Maxum Deadbolt Lock, Classroom Function,	11C61X(P)	\$281.00			\$296.96	
1 1/8" Faceplate, with bolt	11C61X(S)	\$266.00			\$281.96	
Single Cylinder Maxum Deadbolt Lock with Blank Plate	11C64X(P)	\$270.00			\$285.30	
Inside, 1 1/8" Faceplate, with bolt	11C64X(S)	\$255.00			\$270.30	
Single Cylinder Maxum Deadbolt Lock, with Blank Plate	11C69X(P)	\$270.00			\$285.30	
Outside, 1 1/8" Faceplate , with bolt	11C69X(S)	\$255.00			\$270.30	

#### LFIC Single Cylinder Maxum – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig KeyMark
LFIC Single Cylinder Maxum Deadbolt Lock, Less Bolt	11C30L(P)	\$289.91			\$311.33
	11C30L(S)	\$274.91			\$296.33
	11C30X(P)	\$372.00			\$393.42
1 1/8" Faceplate, with bolt	11C30X(S)	\$357.00			\$378.42
LFIC Single Cylinder Maxum Deadbolt Lock Classroom	11C31X(P)	\$378.00			\$399.78
Function, 1 1/8" Faceplate, with bolt	11C31X(S)	\$363.00			\$384.78
LFIC Single Cylinder Maxum Deadbolt Lock	11C31L(P)	\$295.91			\$317.69
Classroom Function, Less Bolt	11C31L(S)	\$280.91			\$302.69
LFIC Single Cylinder Maxum Deadbolt Lock,	11C34X (P)	\$366.00			\$387.06
Blank Inside, 1 1/8" Faceplate, with bolt	11C34X(S)	\$351.00			\$372.06
LFIC Single Cylinder Maxum Deadbolt Lock,	11C39X(P)	\$366.00			\$387.06
Blank Outside, 1 1/8" Faceplate *, with bolt	11C39X(S)	\$351.00			\$372.06
LFIC Single Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, Less Core, with bolt	11C40X	\$213.00			\$213.00

#### SFIC Single Cylinder Maxum – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
SFIC Single Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, Less Core , with bolt	11C70X			\$211.00		\$211.00
SFIC Single Cylinder Maxum Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, Less Core, with bolt	11C71X			\$210.00		\$210.00
SFIC Single Cylinder Maxum Deadbolt Lock,	11C80X(P)			\$288.00		\$304.38
SFIC Single Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, 6 Pin SFIC Cylinder, with bolt	11C80X(S)			\$273.00		\$289.38
	11C81X(P)			\$294.00		\$310.74
	11C81X(S)			\$279.00		\$295.74

#### SFIC Single Cylinder Maxum – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
SFIC Single Cylinder Maxum Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 6 Pin SFIC Cylinder, with bolt	11C84X(P)			\$282.00		\$298.02
1 1/8" Faceplate, 6 Pin SFIC Cylinder, with bolt	11C84X(S)			\$267.00		\$283.02
	11C89X(P)			\$282.00		\$298.02
	11C89X(S)			\$267.00		\$283.02
	11C90X(P)			\$288.00		\$304.38
1 1/8" Faceplate, 7 Pin SFIC Cylinder, with bolt	11C90X(S)			\$273.00		\$289.38
SFIC Single Cylinder Maxum Deadbolt Lock, Classroom	11C91X(P)			\$294.00		\$310.74
SFIC Single Cylinder Maxum Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, with bolt	11C91X(S)			\$279.00		\$295.74
SFIC Single Cylinder Maxum Deadbolt Lock, Blank Inside, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, with bolt	11C94X(P)			\$282.00		\$298.02
	11C94X(S)			\$267.00		\$283.02

#### Double Cylinder Maxum Deadbolt – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
Double Cylinder Maxum Deadbolt Lock,	11C621X(P)	\$379.00	\$312.65		\$399.94	
1 1/8" Faceplate, with bolt	11C62X(S)	\$349.00	\$296.65		\$369.94	
 Double Cylinder Maxum Deadbolt Lock, Less Bolt	11C62L(P)	\$296.91	\$230.56		\$317.85	
	11C62L(S)	\$266.91	\$214.56		\$287.85	

#### Double Cylinder Captive Thumbturn Maxum – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
Captive Double Cylinder Maxum Deadbolt	11C63L(P)	\$345.91	\$272.21		\$369.79	
Lock, Less Bolt, 1 3/4" - 2" door	11C63L(S)	\$315.91	\$256.21		\$339.79	
Captive Double Cylinder Maxum Deadbolt Lock,	11C63X(P)	\$428.00	\$354.30		\$451.88	
1 1/8" Faceplate, 1 3/4" - 2" door , with bolt	11C63X(S)	\$398.00	\$338.30		\$421.88	
Captive Double Cylinder Maxum Deadbolt Lock,	11C63XT(P)	\$428.00	\$354.30		\$451.88	
1 1/8" Faceplate, 2 1/4" - 2 1/2" door, with bolt	11C63XT(S)	\$398.00	\$338.30		\$421.88	
Captive Double Cylinder Maxum Deadbolt Lock,	11C63LT (P)	\$345.91	\$272.21		\$369.79	
Less Bolt, 2 1/4" - 2 1/2" door	11C63LT(S)	\$315.91	\$256.21		\$339.79	

#### LFIC Double Cylinder Maxum – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig KeyMark
	11C32X(P)	\$575.00			\$607.70
1" Faceplate, with bolt	11C32X(S)	\$545.00			\$577.70
LFIC Double Cylinder Maxum Deadbolt Lock, Less Bolt	11C32L(P)	\$492.91			\$525.61
	11C32L(S)	\$462.91			\$495.61
LFIC Double Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, Less Core, with bolt	11C42X	\$259.00			\$259.00

#### SFIC Double Cylinder Maxum – Commercial Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
SFIC Double Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, Less Core, with bolt	11C72X	\$246.00			\$246.00	
SFIC Double Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, 6 Pin Cylinder, with bolt	11C82X(P)			\$417.00		\$440.22
	11C82X(S)			\$387.00		\$410.22
SFIC Double Cylinder Maxum Deadbolt Lock, 1 1/8" Faceplate, 7 Pin Cylinder, with bolt	11C92X(P)			\$417.00		\$440.22
	11C92X(S)			\$387.00		\$410.22

#### Interchangeable Core Cylinders for Maxum<sup>®</sup> Deadbolts

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
C sis LEIC Culinder	320201 (P)	\$178.00	\$96.84	\$123.74	\$187.78	
6 pin LFIC Cylinder	320201 (S)	\$163.00	\$88.84	\$108.74	\$172.78	
6 Din SEIC Culindor	33600006 (P)		\$87.30		\$91.64	
6 Pin SFIC Cylinder	33600006 (S)			\$72.30		\$76.64
7 Din SEIC Culindor	33700006 (P)			\$87.30		\$91.64
7 Pin SFIC Cylinder	33700006 (S)			\$72.30		\$76.64

#### Maxum Deadbolt Cylinder Assemblies

Part Number	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
110A00 (P)	\$148.00				
110A00(S)	\$133.00				
110A01 (P)	\$148.00				
110A01(S)	\$133.00				
110A02(P)	\$157.00				
110A02(S)	\$142.00				
110A03 (P)	\$157.00				
110A03(S)	\$142.00				
110A04 (P)	\$148.00	\$121.05		\$155.98	
110A04(S)	\$133.00	\$113.05		\$140.98	
110A05 (P)	\$148.00	\$121.05		\$155.98	
110A05(S)	\$133.00	\$113.05		\$140.98	
110A06 (P)	\$157.00			\$165.52	
110A06(S)	\$142.00			\$150.52	
110A07 (P)	\$157.00			\$165.52	
110A07 (S)	\$142.00			\$150.52	
	110A00 (P)         110A00 (S)         110A01 (P)         110A01 (S)         110A02 (P)         110A02 (S)         110A03 (P)         110A03 (S)         110A04 (P)         110A05 (S)         110A05 (S)         110A06 (P)         110A06 (S)	110A00 (P)         \$148.00           110A00 (S)         \$133.00           110A01 (P)         \$148.00           110A01 (P)         \$148.00           110A01 (S)         \$133.00           110A02 (P)         \$157.00           110A02 (S)         \$142.00           110A03 (P)         \$157.00           110A03 (S)         \$142.00           110A04 (P)         \$148.00           110A04 (S)         \$133.00           110A05 (P)         \$148.00           110A05 (S)         \$133.00           110A05 (S)         \$133.00           110A05 (S)         \$133.00           110A05 (S)         \$132.00           110A05 (S)         \$133.00           110A05 (S)         \$133.00           110A05 (S)         \$133.00           110A05 (S)         \$133.00           110A05 (S)         \$142.00           110A06 (P)         \$157.00           110A07 (P)         \$157.00	110A00 (P)       \$148.00         110A00 (S)       \$133.00         110A01 (P)       \$148.00         110A01 (S)       \$133.00         110A01 (S)       \$133.00         110A02 (P)       \$157.00         110A02 (S)       \$142.00         110A03 (P)       \$157.00         110A03 (S)       \$142.00         110A04 (P)       \$148.00       \$121.05         110A04 (S)       \$133.00       \$113.05         110A05 (P)       \$148.00       \$121.05         110A05 (S)       \$133.00       \$113.05         110A06 (P)       \$157.00       \$100         110A07 (P)       \$157.00       \$110	110A00 (P)       \$148.00         110A00 (S)       \$133.00         110A01 (P)       \$148.00         110A01 (S)       \$133.00         110A01 (S)       \$133.00         110A01 (S)       \$133.00         110A02 (P)       \$157.00         110A03 (P)       \$157.00         110A03 (S)       \$142.00         110A03 (S)       \$142.00         110A04 (P)       \$148.00       \$121.05         110A04 (S)       \$133.00       \$113.05         110A05 (P)       \$148.00       \$121.05         110A05 (P)       \$148.00       \$121.05         110A05 (S)       \$133.00       \$113.05         110A05 (S)       \$133.00       \$113.05         110A05 (S)       \$133.00       \$113.05         110A05 (S)       \$133.00       \$113.05         110A05 (S)       \$142.00       \$110.05         110A06 (S)       \$142.00       \$110.007	110A00 (P)\$148.00110A00 (S)\$133.00110A01 (P)\$148.00110A01 (S)\$133.00110A01 (S)\$133.00110A02 (P)\$157.00110A02 (S)\$142.00110A03 (P)\$157.00110A03 (S)\$142.00110A04 (P)\$148.00\$113.05\$155.98110A04 (S)\$133.00\$113.05\$140.98110A05 (S)\$133.00\$113.05\$140.98110A05 (S)\$133.00\$113.05\$140.98110A05 (S)\$142.00\$10A06 (P)\$157.00\$165.52110A06 (S)\$142.00\$165.52110A07 (P)\$157.00

#### Cylinder Housing & Plugs for Maxum Deadbolt

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
LFIC Outside Cylinder Housing for Maxum Deadbolt Lock	110A08L	\$115.00				
LFIC Inside Cylinder Housing for Maxum Deadbolt Lock	110A09L	\$143.00				
6 Pin Plug for Maxum D.bolt (except Inside Captive Thumbturn)	1202800	\$60.60				
6 Pin Plug for Maxum Deadbolt Inside Captive Thumbturn	1202900	\$60.60				

#### **Bolt Assemblies for Maxum® Deadbolt**

Description	Part Number	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
2 3/8" Maxum Bolt 1" X 2 1/4" Faceplate	110A1911	\$82.50				
2 3/8" Maxum Bolt 1 1/8" X 2 1/4" Faceplate	110A1912	\$82.50				
2 3/8" Maxum Drive-in Bolt (Available in 26 finish only)	110A1913	\$82.50				
2 3/4" Maxum Bolt 1" X 2 1/4" Faceplate	110A1921	\$82.50				
2 3/4" Maxum Bolt 1 1/8" X 2 1/4" Faceplate	110A1922	\$82.50				
2 3/4" Maxum Drive-in Bolt (Available in 26 finish only)	110A1923	\$82.50				
5 Pack Round Front Assembly For Maxum Drive-In Bolt (Includes: CP-180961-26 and CP-011016-020)	94-0058-MED	\$182.00				
Round Front Assembly For Maxum Drive-In Bolt (Includes: CP-180961-26 and CP-011016-020)	94-0059	\$44.40				

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.

#### Maxum Deadbolt Components

Description	Part Number	Price
6 Pin Length Deadbolt Lock Outside Dummy Cylinder	11-0A16	\$76.90
Residential Blank Inside Plate Assembly for Maxum® Deadbolt Lock	11-0A17	\$51.00
5 Pin Length Deadbolt Lock Outside Dummy Cylinder	11-0A18	\$76.90
Commercial Blank Inside Plate Assembly for	11-0/10	\$10.50
Maxum <sup>®</sup> Deadbolt Lock	11-0A14	\$51.00
Residential StyleThumbturn To Fit On Captive		
Thumbturn Key (Original/Biaxial)	11-0A20	\$39.10
Residential Style Thumbturn To Fit On Captive	11 0421	¢ > 0.1 0
Thumbturn Key (Medeco <sup>3</sup> /Medeco 4)	11-0A21	\$39.10
Commercial Thumbturn and Base Plate Assembly	11-0A12	\$98.30
Commercial Style Thumbturn To Fit On Captive Thumbturn Key (Medeco³/Medeco 4)	11-0018	\$39.10
Commercial Thumbturn & set screw	11-0A22	\$56.80
Residential Thumbturn & set screw	11-0A23	\$56.80
Residential Thumbturn and Base Plate Assembly	11-0A10	\$98.30
Commercial Style Thumbturn To Fit On Captive		
Thumbturn Key (Original/Biaxial)	11-0092	\$39.10
Thumbturn Trim Plate Package for Maxum	0.40210	¢0.77
Deadbolt Lock	940210	\$9.77
Inside Cylinder Trim Plate Package for Commercial Maxum® I/C Deadbolt Lock		
(includes CP-021090 & CP-180141)	94-0030	\$8.56
Spacer Rings for 1 3/8" Door for Maxum		
Deadbolt Lock (Package of 2)	94-0212	\$47.90
Inside Cylinder Trim Plate Package for Maxum		
Double Cylinder Deadbolt Lock (Includes CP-021090 & CP-180131)	94-0029	\$8.56
#8 x 2" FHWS Strike Box mounting screws	CP-010234-320	\$0.88
#8 x 3/4" comb. Wood/Machine S Bolt & Strike	CF-010234-320	J0.00
mounting screws	CP-010235-120-XX	\$0.88
Screw Package for 5 and 6 Pin Single Cylinder		
Maxum Deadbolt Lock	CP-011762	\$21.70
Screw Package for 5 Pin Double Cylinder		
Maxum Deadbolt Lock	CP-011763	\$21.70
Screw Package for 6 Pin Double Cylinder Maxum Deadbolt Lock	CP-011764	\$21.70
Screw Package for Blank x Thumbturn Maxum	CF-011704	\$21.70
Deadbolt Lock	CP-011751	\$21.70
Screw Package for Blank x Cylinder Maxum		
Deadbolt Lock	CP-011767	\$21.70
Screw Package for Blank x Thumbturn Maxum		
Deadbolt Lock for 2 1/4" - 2 1/2" thick door	CP-011753	\$11.10
Screw Package for Blank x Cylinder Maxum Deadbolt Lock for 2 1/4" - 2 1/2" thick door	CP-011754	\$11.10
Screw Package for 6 Pin Classroom Function Maxum Deadbolt Lock	CP-011757	\$21.70
Collar for Maxum Residential Style Deadbolt		
Lock 5 Pin	CP-070691	\$77.90
Collar for Maxum Residential Style Deadbolt		
Lock 6 Pin	CP-070701	\$77.90

#### Maxum Deadbolt Components

Description	Part Number	Price
Collar for Maxum Commercial Style Deadbolt		
Lock (Inside & Outside)	CP-070711	\$77.90
Collar for Maxum Residential Style Deadbolt		
Lock Thick Door Captive Thumbturn 5 Pin	CP-070721	\$77.90
Collar for Maxum Residential Style Deadbolt Lock Thick Door Captive Thumbturn 6 Pin	CP-070731	\$77.90
Collar for Maxum Commercial Style Deadbolt		\$11.50
Lock Thick Door Captive Thumbturn	CP-070741	\$77.90
Strike for Maxum Deadbolt Lock	CP-180061	\$19.80
Ball bearings (Allen head of mounting screws)		
.191" diameter silver	CP-250010	\$0.27
Ball bearings (tip of mounting screws) .202"		
diameter black	CP-250020	\$0.27
Strike Reinforcement Strike Box for Maxum		
Deadbolt Lock	CP-280620	\$6.63
Keyblank for Captive Thumbturn Key for		
Maxum Deadbolt 6 Pin, varies by Key Section		
(factory will supply correct part number)	KYB XX6605	\$13.99

#### Maxum<sup>®</sup> Deadbolt Tailpieces

Description	Part Number	Price
Thumbturn Tailpiece for Maxum Deadbolt		¢o co
lock for 1 3/4" - 2 1/2" thick door	CT-F42	\$8.68
Thumbturn Tailpiece for Classroom Function Maxum Deadbolt lock, 1 3/4" - 2" thick doors	CT-F43	\$8.68
Thumbturn Tailpiece for Classroom Function Maxum Deadbolt lock for doors 2 1/4" - 2 1/2"		
thick	CT-F44	\$8.68
Tailpiece for Maxum Deadbolt lock, outside cylinder, .532" length, for doors up to 1 3/4"		
thick	CT-Y60	\$3.25
Tailpiece for Maxum Deadbolt outside		
cylinder, 1.430" length for doors over 1 3/4" thick	CT-Y61	\$3.25

# Medeco Maxum<sup>®</sup> Residential Deadbolt

Designed with a residential aesthetic, the ANSI Grade 1 Maxum deadbolt offers superior physical protection from breaking and attack. Maxum is available as a single-cylinder, double-cylinder or with a "captive thumbturn" cylinder. The captive thumbturn converts the inside cylinder to a thumbturn for safe exit when the facility is occupied. A quick conversion when the facility is not occupied returns it to double cylinder mode to guard against



unauthorized entry. Medeco 4 (M4) Maxum<sup>®</sup> deadbolts are UL 437 listed, offering maximum protection with solid-brass construction, along with anti-drilling, picking and anti-prying features.



#### Patented Key Control

Patent-pending key control protects against unauthorized duplication of keys (Medeco 4).

#### **Protection Against 3D Printing**

A patent-pending movable element in the key deters unauthorized 3D printed copies of keys or blanks.



#### Picking and Bumping Protection

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Certified Grade 1**

BHMA certified Grade 1, passes to the highest standards in the industry.



#### **Drill Protection**

Offers maximum protection with solid-brass construction and strategically placed drill pins.



#### **Protection From Physical Attack**

M4 Maxum Deadbolts are UL 437 Listed and stand up to prying, picking and other forms of physical attack.



#### Special Angle Cut Keys

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Master Keying Capabilities**

M4 cylinders can be master keyed into a system that includes M4, BiLevel, and M4 CLIQ\* keys and cylinders. Extremely large systems are possible.

\*M4 CLIQ - Coming Soon.

### Technical Information:

- ANSI/BHMA A156.30 and UL 437 listed cylinders for high security (M4)
- Fits doors 1 3/8" to 2 1/2" thick
- Standard 2 1/8" crossbore and 1" edge bore (ANSI A115.13 prep)

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> Limited Warranty for full details.

#### Finishes:

Available in all standard finishes to match existing hardware.

#### **Applications:**

Ideal for a wide variety of commercial and heavy duty residential applications where consistent quality, ease of use and installation are required.

- Apartments
- Residences
- Retail outlets
- Multi-family Units

### Available Key Technologies:

- **Mechanical:** – M4/M4 BiLevel
- Intelligent Key: – M<sup>3</sup>CLIQ
- M4 CLIQ
- M<sup>3</sup>/M<sup>3</sup> BiLevel – X4
- Classic CLIQ



#### Single Cylinder Maxum Deadbolt – Residential Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig KeyMark
5 Pin Single Cylinder Deadbolt, 1" Faceplate,	11R503 (P)	\$275.00	\$229.00		\$290.60
2-3/8" Backset	11R503(S)	\$260.00	\$221.00		\$275.60
5 Pin Single Cylinder Deadbolt, 1" Faceplate,	11R504(P)	\$275.00	\$229.00		\$290.60
2-3/4" Backset	11R504(S)	\$260.00	\$221.00		\$275.60
– 6 Pin Single Cylinder Deadbolt, 1" Faceplate,	11R603 (P)	\$275.00	\$229.00		\$290.60
2-3/8" Backset	11R603(S)	\$260.00	\$221.00		\$275.60
6 Pin Single Cylinder Deadbolt, 1" Faceplate,	11R604(P)	\$275.00	\$229.00		\$290.60
2-3/4" Backset	11R604(S)	\$260.00	\$221.00		\$275.60
Single Dummy Trim Deadbolt (5 Pin Length)	11R57L	\$206.91			\$206.91
Single Dummy Trim Deadbolt (6 Pin Length)	11R67L	\$206.91			\$206.91

#### Double Cylinder Maxum Deadbolt – Residential Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig KeyMark
5 Pin Double Cylinder Deadbolt 1" Faceplate,	11R523 (P)	\$379.00	\$312.65		\$399.94
2 3/8" Backset	11R523(S)	\$349.00	\$296.65		\$369.94
5 Pin Double Cylinder Deadbolt 1" Faceplate, 2 3/4" Backset	11R524(P)	\$379.00	\$312.65		\$399.94
	11R524(S)	\$349.00	\$296.65		\$369.94
6 Pin Double Cylinder Deadbolt, 1" Faceplate,	11R623 (P)	\$379.00	\$312.65		\$399.94
2 3/8" Backset	11R623(S)	\$349.00	\$296.65		\$369.94
6 Pin Double Cylinder Deadbolt, 1" Faceplate,	11R624(P)	\$379.00	\$312.65		\$399.94
2 3/4" Backset	11R624(S)	\$349.00	\$296.65		\$369.94
Double Dummy Trim Deadbolt (5 Pin Length)	11R5DL	\$276.91			\$276.91
Double Dummy Trim Deadbolt (6 Pin Length)	11R6DL	\$276.91			\$276.91

#### Double Cyl. Captive Thumbturn Maxum – Residential Trim

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
5 Pin Captive Thumbturn Double Cylinder Deadbolt, 2 3/8" Backset	11R533 (P)	\$428.00	\$354.30		\$451.88	
	11R533(S)	\$398.00	\$338.30		\$421.88	
5 Pin Captive Thumbturn Double Cylinder	11R534(P)	\$428.00	\$354.30		\$451.88	
Deadbolt, 2 3/4" Backset	11R534(S)	\$398.00	\$338.30		\$421.88	
6 Pin Captive Thumbturn Double Cylinder	11R633 (P)	\$428.00	\$354.30		\$451.88	
Deadbolt, 1" Faceplate, 2 3/8" Backset	11R633(S)	\$398.00	\$338.30		\$421.88	
6 Pin Captive Thumbturn Double Cylinder	11R634(P)	\$428.00	\$354.30		\$451.88	
Deadbolt, 1" Faceplate, 2 3/4" Backset	11R634(S)	\$398.00	\$338.30		\$421.88	

#### Cylinder Plugs for Maxum – Residential Deadbolts

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
6 pin plug for Maxum Residential Deadbolt (except inside captive thumbturn)	1202800	\$60.60				
6 pin plug for Maxum Residential Deadbolt inside captive thumbturn	1202900	\$60.60				
5 pin plug for Maxum Residential Deadbolt (except inside captive thumbturn)	1236200	\$64.24				
5 pin plug for Maxum Residential Deadbolt inside captive thumbturn	1243400	\$60.60				

# Padlocks

FEATURES	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4	CLIQ	Medeco XT	Nexgen
All Weather Padlock						
AWP accepts 6 pin knob style cylinders	•	•	•	•	•	
AWP is available as key retaining only	•	•	•	•	•	
Protector II						
Protector II body accepts 6 pin knob style cylinders	•		•	•	•	
Protector II is available as key retaining only	•		•	•	•	
System Series						
System Series body accepts knob style cylinders	•	•	•	•	•	
System Series body accepts large format interchangeable cylinders	•	•		•		
System Series body accepts 6 or 7 pin small format interchangeable cores			•		•	
Non-key retaining and key retaining models available	•	•	•	•	•	
Hockey Puck						
Hockey Puck body accepts knob style 5 pin cylinder	•	•				
Hockey Puck body accepts knob style 6 pin cylinder			•			
Hockey Puck is available as non-key retaining only	•	•	•		•	
G8R						
G8R body accepts a pop-out cylinder	•			•	•	٠
Sold less cylinder	•			•	•	٠
All Padlocks						
UL 437 Listing & BHMA Certification for high security	•					
Easily integrated into master key systems for key security and convenience	•	•	•			
Patented key control to protect against unauthorized duplication	•	•	•			

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### X4 Patented Key Control

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco 4 BiLevel Key Control**

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.


#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



#### How to Order AWP Series Padlocks:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.



Prefix

Shackle (Diameter), Material, Clearance

511 = 5/16", SS, 17/8" 521 = 5/16", SS, 23/8" 531 = 5/16", Boron, 17/8" 541 = 5/16", Boron, 23/8" 711 = 7/16", SS, 2" 721 = 7/16", SS, 21/2" 731 = 7/16", Boron, 2" 741 = 7/16", Boron, 21/2"

\*AWP with mechanical cylinder requires the use of extended shoulder key blanks. Medeco<sup>3</sup> use KY3366XX or KY3466XX. Original/Biaxial use KY1866XX or KY2266XX.

# **All Weather Padlocks**

The Medeco All Weather Padlock (AWP) offers the highest level of severe weather protection. The body is solid 303 stainless steel and is available with either stainless steel or boron shackles. A weatherproof cylinder seal cap, attached by a stainless steel cable, seals the cylinder from harsh environments. Multiple mechanical and Intelligent Key technologies are available.

The AWP is not only weatherproof, it is also a high security padlock when a Medeco 4 (M4) cylinder is included. M4 cylinders provide the benefit of patented key control and resistance to surreptitious attacks while both the Medeco CLIQ and Medeco XT cylinders add sophisticated audit and control features.



#### **Patented Key Control**

Protects against unauthorized duplication of keys.

Special Angled Key Cuts (HS Cylinder Models)
 Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Can Be Master Keyed

Medeco can be master keyed into a system containing M4 or X4 mechanical as well as M<sup>3</sup> CLIQ or XT Intelligent Key systems.



#### Protection From Shackle Attack

Hardened boron alloy steel shackles (5/16" and 7/16" diameters) provide strong resistance against cutting, sawing and prying. Available in both and 1 7/8" and 2 3/8" or 1" and 2 1/2" lengths.



#### Protection From Physical Attack

M4 cylinders are UL 437 listed and resist drilling, forcing and other forms of physical attack.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.

#### **Benefits:**

• 300 Series, solid, machined stainless steel body resists attack and corrosion

medero

- 5/16" and 7/16" diameter, stainless steel and boron shackles
- 1 7/8", 2 3/8", 2", and 2 1/2" shackle lengths
- Padlocks are shipped with a weather proof cylinder seal cap attached by a stainless steel cable
- IP68 Environmental protection rating for harsh environments
- ASTM F883-13 rating for tensile pull, shock, plug pull, plug torque, cutting, and corrosion (salt fog)
- Vibration tested per MIL-STD-202G, method 201A
- Key retaining cylinder design
- O-ring sealed cap, cylinder, and shackles resist grime and water penetration at low temperatures

#### **Applications:**

The AWP series is designed for installations requiring service in harsh weather conditions. Applications include outdoor perimeter fencing, gates, tool cabinets, storage, and transportation cargo containers. Ideal for Intelligent Key cylinders in outdoor harsh environments.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Finishes:**

The padlock comes in a standard industrial stainless steel finish and the cylinders are furnished in the satin brass finish.

### Available Key Technologies:

#### Mechanical:

- M4/M4 BiLevel -- M<sup>3</sup>/M<sup>3</sup> BiLevel \* - X4
- Medeco Biaxial\* Medeco XT \*Medeco Biaxial requires extended throat key blank - M<sup>3</sup> CLIQ - X4 CLIQ

#### All Weather Padlock with 5/16" Shackle\*

Description	Part Number	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel X4	Biax/Orig
AWP 5/16" diameter SS shackle, 1-7/8" clearance	5005511 (P)	\$275.00	\$259.15	
	5005511(S)	\$260.00	\$244.15	
AWP 5/16" diameter SS shackle, 2-3/8" clearance	5005521 (P)	\$280.00	\$264.15	
	5005521(S)	\$265.00	\$249.15	
AWP 5/16" diameter Boron shackle, 1-7/8" clearance	5005531 (P)	\$275.00	\$259.15	
	5005531(S)	\$260.00	\$244.15	
AWP 5/16" diameter Boron shackle, 2-3/8" clearance	5005541 (P)	\$280.00	\$264.15	
	5005541 (S)	\$265.00	\$249.15	

#### All Weather Padlock with 7/16" Shackle\*

Description	Part Number	M4/M <sup>3</sup> N	/\4/M <sup>3</sup> BiLevel X4	Biax/Orig
AWP 7/16" diameter SS shackle, 2" clearance	5005711 (P)	\$275.00	\$259.15	
	5005711(S)	\$260.00	\$244.15	
ANNO 7/16" diamotor SS chaeldo 2 1/2" clearance	5005721 (P)	\$280.00	\$264.15	
AWP 7/16" diameter SS shackle, 2 1/2" clearance	5005721(S)	\$265.00	\$249.15	
AWP 7/16" diameter Boron shackle, 2 " clearance	5005731 (P)	\$275.00	\$259.15	
	5005731(S)	\$260.00	\$244.15	
AWP 7/16" diameter Boron shackle, 2 1/2" clearance	5005741 (P)	\$280.00	\$264.15	
	5005741 (S)	\$265.00	\$249.15	

### All Weather Padlock - No Cylinder

Description	Part Number	Price
AWP 5/16" dia SS shackle, Less Cyl, 17/8" clearance	50-0551L	\$204.00
AWP 5/16" dia SS shackle, Less Cyl, 2 3/8" clearance	50-0552L	\$211.00
AWP 5/16" dia Boron shackle, Less Cyl, 17/8" clearance	50-0553L	\$204.00
AWP 5/16" dia Boron shackle, Less Cyl, 2 3/8" clearance	50-0554L	\$211.00
AWP 7/16" dia SS shackle, Less Cyl, 2" clearance	50-0571L	\$204.00
AWP 7/16" dia SS shackle, Less Cyl, 2 1/2" clearance	50-0572L	\$211.00
AWP 7/16" dia Boron shackle, Less Cyl, 2" clearance	50-0573L	\$204.00
AWP 7/16" dia Boron shackle, Less Cyl, 2 1/2" clearance	50-0574L	\$211.00

#### All Weather Padlock Cylinders

Description	Part Number	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4	Biax/Orig
6 Pin Cylinder, KIK type for AWP Series Padlock	510800 (P)	\$71.80			
(26 finish only)	510800(S)	\$56.80			


#### Components for All Weather Padlocks


Description	Part Number	Price
Thumbturn Cap Replacement Kit	94-0316	\$29.30
5/16" AWP O-ring Seal Kit	94-0317-516	\$5.85
7/16" AWP O-ring Seal Kit	94-0317-716	\$5.85
Wire Assembly Spacer	CP-160910	\$1.17
Wire Assembly	CP-287720	\$5.85
Seal Installation Tool	94-0318	\$117.00
Wire Assembly Screw	CP-014213-061	\$1.17
Set Screw	CP-014642-591	\$1.17
Shackle Locking Balls	CP-250180	\$2.34
Allen Wrench 2.5 mm	CP-287770	\$2.34

#### Shackles for All Weather Padlocks

Description	Boron Alloy Stee Part Number	Price	Stainless Steel Part Number	Price
Standard Shackle for AWP Padlock, 1-7/8" Shackle Clearance x 5/16" Diameter	CP-144270	\$12.10	CP-144230	\$18.20
Extra Length Shackle for AWP Padlock, 2-3/8" Shackle Clearance x 5/16" Diameter	CP-144280	\$14.70	CP-144240	\$20.40
Standard Shackle for AWP Padlock, 2" Shackle Clearance x 7/16" Diameter	CP-144290	\$14.70	CP-144250	\$20.40
Extra Length Shackle for AWP Padlock, 2-1/2" Shackle Clearance x 7/16" Diameter	CP-144300	\$16.20	CP-144260	\$22.40

#### How to Order The Protector II Padlock:





# **Protector II Series Padlocks**

The Protector II Series padlock is made of durable, industrial grade stainless steel and offers excellent resistance to severe service conditions.

The hardened boron alloy steel shackles stand up to physical attack, providing strong resistance against cutting, sawing and prying. The Medeco<sup>3</sup> mechanical cylinder resists picking, drilling and other sophisticated forms of physical attack. Also available in Intelligent Key formats for Loss and Liability Control.





#### Patented Key Control

Protects against unauthorized duplication of keys.



#### Special Angled Key Cuts

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Can Be Master Keyed

Medeco Protector II Padlocks can be master keyed into a system containing Medeco<sup>3</sup> mechanical as well as M<sup>3</sup> CLIQ or XT Intelligent Key systems.



#### Protection From Shackle Attack

Hardened boron alloy steel shackles (5/16" and 7/16" diameters) provide strong resistance against cutting, sawing and prying. Available in both 1 3/8" and 1 7/8" lengths.



#### **Proprietary Deadlocking Shackle**

Unique deadlocking shackle locking mechanism for resistance to physical attack.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> cylinders are UL 437 listed and resist drilling, picking and other forms of physical attack.



#### Picking and Bumping Protection

Medeco<sup>3</sup> cylinders use a sidebar that prevents the key from from rotating until the tumbler pins are elevated, rotated and aligned in the correct position. This feature protects against bumping and picking attacks.

#### **Benefits:**

- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- All Medeco cylinders are constructed of durable machined brass components, designed to last the life of your equipment.
- Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Boron alloy steel shackle which protects against cutting and pulling attacks.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

#### **Applications:**

The Medeco Protector II padlocks can be used in a variety of different indoor or outdoor applications where high security and key control are a primary concern.

#### **Technical Features:**

- Uses key retaining operation.
- Uses a dedicated 6 pin KIK/KIL cylinder that can be pinned to 5.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Finishes:**

The padlock comes in a standard industrial stainless steel finish and the cylinders are furnished in the satin brass finish.

#### Available Key Technologies:

Mechanical:	Intelligent Key:
- M <sup>3</sup>	– M <sup>3</sup> CLIQ
- X4	– Medeco XT



#### **Protector II Series Padlocks**

Description	Part Number	M³	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
Large Body - 7/16" dia shackle, Less Cyl, 1 3/8" clearance	50-81732	\$187.05				
Large Body - 7/16" dia shackle, Less Cyl, 1 3/8" clearance, Dust cover	50-817321	\$206.00				
Large Body - 7/16" dia shackle, Less Cyl, 1 7/8" clearance	50-81832	\$193.05				
Large Body - 7/16" dia shackle, Less Cyl, 1 7/8" clearance, Dust cover	50-818321	\$212.00				
Med Body - 5/16" dia shackle, Less Cyl, 1 3/8" clearance	50-81734	\$157.00				
Med Body - 5/16" dia shackle, Less Cyl, 1 3/8" clearance, Dust cover	50-817341	\$175.95				
Med Body - 5/16" dia shackle, Less Cyl, 1 7/8" clearance	50-81834	\$163.00				
Med Body - 5/16" dia shackle, Less Cyl, 1 7/8" clearance, Dust cover	50-818341	\$181.95				
Large Dedy 7/16" dia shadda 1.2/0" daaraa	5004732(P)	\$293.05			\$307.93	
Large Body - 7/16" dia shackle, 1 3/8" clearance	5004732(S)	\$278.05			\$292.93	
Large Body - 7/16" dia shackle, 1 3/8" clearance, Dust cover	50047321 (P)	\$312.00			\$326.88	
	50047321(S)	\$297.00			\$311.88	
Large Body - 7/16" dia shackle, 1 7/8" clearance	5004832(P)	\$297.05			\$312.17	
	5004832(S)	\$282.05			\$297.17	
Large Body - 7/16" dia shackle, 1 7/8" clearance, Dust cover	50048321 (P)	\$316.00			\$331.12	
	50048321(S)	\$301.00			\$316.12	
Med Body - 5/16" dia shackle, 1 3/8" clearance	5004734(P)	\$263.00			\$277.88	
	5004734(S)	\$248.00			\$262.88	
Med Body - 5/16" dia shackle, 1 3/8" clearance, Dust cover	50047341 (P)	\$281.95			\$296.83	
	50047341(S)	\$266.95			\$281.83	
Med Body - 5/16" dia shackle, 1 7/8" clearance	5004834(P)	\$267.00			\$282.12	
	5004834(S)	\$252.00			\$267.12	
Med Body - 5/16" dia shackle, 1 7/8" clearance, Dust cover	50048341 (P)	\$285.95			\$301.07	
	50048341(S)	\$270.95			\$286.07	

#### Protector II Series Padlock Cylinder


Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel	X4	Biax/Orig Key	Mark
Description KIK style cylinder for Protector II	500020(P)	\$109.80			\$115.49	
	500020(S)	\$94.80			\$100.49	

#### **Protector II Series Padlock Parts**

Description	Part Number	Price
Disk For Standard Key In Knob Cylinder	CP-171011	\$17.70
Disk For CLIQ Cylinder	CP-171021	\$17.70
Disk For Medeco XT Cylinder	CP-171031	\$17.70

# How to Order System Series Padlocks:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.



# **System Series Padlocks**

The Medeco<sup>®</sup> System Series padlock offers a high security solution for a multitude of applications and is available in two distinctive body styles, an indoor/outdoor weather resistant design or with a shrouded shackle. Both models utilize a boron alloy steel shackle which provides protection against cutting and increased tensile strength to resist pulling attacks. The boron alloy steel also ensures that the shackle has an exceptional degree of ductility and is not brittle. The cylinder itself uses hardened,



stainless steel inserts to provide the ultimate defense against drilling, pulling and other forms of vandal attack. All Medeco 4 (M4) keys and locks are protected under patent, trademark, and copyright laws. M4 keys may only be duplicated by Medeco<sup>®</sup> or by a Medeco<sup>®</sup> authorized sales outlet, and only at your request.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Protection From Physical Attack**

M4 padlock cylinders are UL 437 listed and stand up to drilling, picking and other forms of physical attack.



#### **Proprietary Deadlocking Shackle**

Boron alloy steel shackles protect against cutting and pulling attacks.



#### Can Be Master Keyed

Medeco System Series Padlocks can be master keyed into a system containing M4 and M4 BiLevel, X4, and the CLIQ Intelligent Key system.



#### Available in Intelligent Key System

System Series Padlocks are also available with the Medeco CLIQ Intelligent Key system for Loss & Liability control.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Picking and Bumping Protection

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.

#### **Technical Features:**

- Available with either a 5/16 inch or a 7/16 inch shackle diameter.
- Available in Indoor/Outdoor weather resistant design or with a shrouded shackle.
- Extended shackles available for Indoor/Outdoor padlocks only.
- The shrouded shackle design provides extra shackle protection against cutting attacks.
- All Medeco<sup>®</sup> cylinders are constructed of durable machined brass components, designed to last the life of your equipment.
- Boron alloy steel shackle which protects against cutting and pulling attacks.
- Available in a variety of different shackle lengths.

#### **Applications:**

Used in a variety of different indoor or outdoor applications where high security and key control are a primary concern.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details.

#### **Finishes:**

The padlock comes in a standard black body cover and the cylinders are furnished in satin brass finish.

#### Available Key Technologies:

Mechanical:	
– M4	
– M <sup>3</sup> /M <sup>3</sup> BiLevel	
– X4	

- Intelligent Key: – M<sup>3</sup> CLIQ – Classic CLIQ – Medeco XT
- Medeco X I – X4 CLIO



#### Indoor/Outdoor Padlock, 5/16" Shackle -KIK

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
Indoor/Outdoor Padlock, Non-Key Retaining,	5451500(P)	\$202.00	\$140.50	\$184.34	\$213.22	\$195.21
1 1/8" Shackle Clearance, With Cylinder	5451500(S)	\$187.00	\$132.50	\$169.34	\$198.22	\$180.21
Indoor/Outdoor Padlock, Key Retaining, 1 1/8" Shackle Clearance, With Cylinder 	54515R0(P)	\$202.00	\$140.50	\$184.34	\$213.22	\$195.21
	54515R0(S)	\$187.00	\$132.50	\$169.34	\$198.22	\$180.21
Indoor/Outdoor Padlock, Non-Key Retaining, 2 3/8" Shackle Clearance, With Cylinder	5451F00(P)	\$206.00	\$144.50	\$188.34	\$217.46	\$199.45
	5451F00(S)	\$191.00	\$136.50	\$173.34	\$202.46	\$184.45
Indoor/Outdoor Padlock, Key Retaining,	5451FR0(P)	\$206.00	\$144.50	\$188.34	\$217.46	\$199.45
2 3/8" Shackle Clearance, With Cylinder	5451FR0(S)	\$191.00	\$136.50	\$173.34	\$202.46	\$184.45
Indoor/Outdoor Padlock, Key Retaining, 1 1/8" Shackle Clearance, Less Cylinder	54515K0	\$67.70				
Indoor/Outdoor Padlock, Non-Key Retaining, 1 1/8" Shackle Clearance, Less Cylinder	54515L0	\$67.70				
Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, Less Cylinder	5451FK0	\$71.70				
- Indoor/Outdoor Padlock, Non-Key Retaining, 2 3/8" Shackle Clearance, Less Cylinder	5451FL0	\$71.70				

#### Indoor/Outdoor Padlock, 5/16" Shackle -6 Pin LFIC

Description	Part Number	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
Indoor/Outdoor Padlock, Non-Key Retaining,	5461500(P)	\$276.00	\$186.80		\$291.66	
1 1/8" Shackle Clearance, With Cylinder	5461500(S)	\$261.00	\$178.80		\$276.66	
Indoor/Outdoor Padlock, Key Retaining,	54615R0(P)	\$276.00	\$186.80		\$291.66	
1 1/8" Shackle Clearance, With Cylinder	54615R0(S)	\$261.00	\$178.80		\$276.66	
Indoor/Outdoor Padlock, Non-Key Retaining, 2 3/8" Shackle Clearance, With Cylinder	5461F00(P)	\$284.00	\$194.80		\$300.14	
	5461F00(S)	\$269.00	\$186.80		\$285.14	
Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, With Cylinder	5461FR0(P)	\$284.00	\$194.80		\$300.14	
	5461FR0(S)	\$269.00	\$186.80		\$285.14	
Indoor/Outdoor Padlock, Key Retaining, 1 1/8" Shackle Clearance, Less Cylinder	54615K0	\$70.40				
Indoor/Outdoor Padlock, Non-Key Retaining, 1 1/8" Shackle Clearance, Less Cylinder	54615L0	\$70.40				
Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, Less Cylinder	5461FK0	\$78.40				
Indoor/Outdoor Padlock, Non-Key Retaining, 2 3/8" Shackle Clearance, Less Cylinder	5461FL0	\$78.40				

#### Indoor/Outdoor Padlock, 5/16" Shackle -6 Pin SFIC

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
	5431500(P)			\$173.34		\$183.55
	5431500(S)			\$158.34		\$168.55
Indoor/Outdoor Padlock, Key Retaining, 1 1/8" Shackle Clearance, With Cylinder	54315R0(P)			\$173.34		\$183.55
	54315R0(S)			\$158.34		\$168.55
Indoor/Outdoor Padlock, Non-Key Retaining,	5431F00 (P)			\$179.34		\$189.91
2 3/8" Shackle Clearance, With Cylinder	5431F00 (S)			\$164.34		\$174.91
Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, With Cylinder	5431FR0 (P)			\$179.34		\$189.91
	5431FR0 (S)			\$164.34		\$174.91

#### Indoor/Outdoor Padlock, 5/16" Shackle -7 Pin SFIC

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
Indoor/Outdoor Padlock, Non-Key Retaining, 1 1/8" Shackle Clearance, With Cylinder	5433500(P)			\$173.34		\$184.55
	5433500(S)			\$158.34		\$168.55
Indoor/Outdoor Padlock, Key Retaining, 1 1/8" Shackle Clearance, With Cylinder	54335R0(P)			\$173.34		\$184.55
	54335R0(S)			\$158.34		\$168.55
Indoor/Outdoor Padlock, Non-Key Retaining,	5433F00(P)			\$179.34		\$189.91
2 3/8" Shackle Clearance, With Cylinder	5433F00(S)			\$164.34		\$174.91
Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, With Cylinder	5433FR0(P)			\$179.34		\$189.91
	5433FR0(S)			\$164.34		\$174.91

#### Indoor/Outdoor Padlock, 5/16" Shackle -Less SFIC

Description	Part Number	Price
Indoor/Outdoor Padlock, Key Retaining, 1 1/8" Shackle Clearance, Less Cylinder —	54315K0	\$69.40
Indoor/Outdoor Padlock, Non-Key Retaining, 1 1/8" Shackle Clearance, Less Cylinder —	54315L0	\$69.40
Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, Less Cylinder	5431FK0	\$75.40
Indoor/Outdoor Padlock, Non-Key Retaining, 2 3/8" Shackle Clearance, Less Cylinder	5431FL0	\$75.40

#### Indoor/Outdoor Padlock, 7/16" Shackle -KIK

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
Indoor/Outdoor Padlock, Non-Key Retaining,	5471500(P)	\$234.00	\$172.50	\$216.34	\$247.14	\$229.13
1 3/8" Shackle Clearance, With Cylinder	5471500(S)	\$219.00	\$164.50	\$201.34	\$232.14	\$214.13
Indoor/Outdoor Padlock, Key Retaining, 1 3/8" Shackle Clearance, With Cylinder	54715R0(P)	\$234.00	\$172.50	\$216.34	\$247.14	\$229.13
	54715R0(S)	\$219.00	\$164.50	\$201.34	\$232.14	\$214.13
Indoor/Outdoor Padlock, Non-Key Retaining, 1 7/8" Shackle Clearance, With Cylinder	5471F00(P)	\$240.00	\$178.50	\$222.34	\$253.50	\$235.49
	5471F00(S)	\$225.00	\$170.50	\$207.34	\$238.50	\$220.49
Indoor/Outdoor Padlock, Key Retaining,	5471FR0(P)	\$240.00	\$178.50	\$222.34	\$253.50	\$235.49
1 7/8" Shackle Clearance, With Cylinder	5471FR0(S)	\$225.00	\$170.50	\$207.34	\$238.50	\$225.00
Indoor/Outdoor Padlock, Key Retaining, 1 3/8" Shackle Clearance, Less Cylinder	54715K0	\$99.70				
 Indoor/Outdoor Padlock, Non-Key Retaining, 1 3/8" Shackle Clearance, Less Cylinder	54715L0	\$99.70				
Indoor/Outdoor Padlock, Key Retaining, 1 7/8" Shackle Clearance, Less Cylinder	5471FK0	\$105.70				
Indoor/Outdoor Padlock, Non-Key Retaining, 1 7/8" Shackle Clearance, Less Cylinder	5471FL0	\$105.70				

#### Shrouded Padlock, 5/16" Shackle - KIK

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, With Cylinder	5452500(P)	\$229.00	\$167.50	\$211.34	\$241.84	\$223.83
	5452500(S)	\$214.00	\$159.50	\$196.34	\$226.84	\$208.83
Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, With Cylinder	54525R0(P)	\$229.00	\$167.50	\$211.34	\$241.84	\$223.83
	54525R0(S)	\$214.00	\$159.50	\$196.34	\$226.84	\$208.83
Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, Less Cylinder	54525K0	\$94.70				
Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, Less Cylinder	54525L0	\$94.70				


#### Shrouded Padlock, 7/16" Shackle - KIK

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
_ Shrouded Padlock, Non-Key Retaining,	5472500(P)	\$279.00	\$217.50	\$261.34	\$294.84	\$276.83
3/4" Shackle Clearance, With Cylinder	5472500(S)	\$264.00	\$209.50	\$246.34	\$279.84	\$261.83
Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, With Cylinder	54725R0(P)	\$279.00	\$217.50	\$261.34	\$294.84	\$276.83
	54725R0(S)	\$264.00	\$209.50	\$246.34	\$279.84	\$261.83
Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, Less Cylinder	54725K0	\$144.70				
Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, Less Cylinder	54725L0	\$144.70				

(P) = Pinned (combinated) (S) = Sub-assembled (uncombinated) Surcharges for Master Keying, Custom Coining and Custom Stamping apply, see page 202. Refer to the XT and CLIQ Intelligent Key sections for format availability and pricing.


#### How to Order a 50 Series Padlock:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.



## How to Order a 52 Series Padlock:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.



- 0 = Hardened Steel
- 1 = Stainless Steel

- 0 = Key Retaining No Cylinder
- 1 = Key Retaining With Cylinder
- 2 = Key Retaining Removable Core Less Cylinder

# 50 and 52 Series Brass Body Padlocks

The Medeco 50 Series and 52 Series brass padlocks are available in two versions. The 50 Series Padlock is available with a removable cylinder or interchangeable core. The 52 Series Padlock is designed to be keyed with Medeco's 60 Series cam locks and switch locks.

Both padlocks can accept cylinders and cores which are UL listed and virtually pickproof and drillproof. Mechanical cylinders provide the benefit of patented key control and resistance to physical attacks. The padlock cases are constructed of brass with stainless steel shackles for corrosion protection or hardened steel for protection against sawing.





#### Patented Key Control

Protects against unauthorized duplication of keys.



#### **Special Angled Key Cuts**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Can Be Master Keyed

Can be master keyed into a system containing Medeco 4 (M4), X4, and M3 CLIQ.



#### **Protection From Shackle Attack**

The hardened boron alloy steel shackles provide strong resistance against cutting, sawing and prying. The stainless steel shackle protect against corrosion.



#### **Protection From Physical Attack**

M4 cylinders are UL 437 listed and resists drilling, picking and other forms of physical attack.



#### Picking and Bumping Protection

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.

#### **Benefits:**

- Optional dust cover protects keyway of cylinder from weather conditions
- Available keyed differently, keyed alike, or master keyed to your specific needs
- 50 Series and 52 Series padlocks are available in the non-key retained or key retained functions.
- Toe and heel deadbolt locking action
- The chain and clevis, designed for a more permanent attachment, are constructed of carbon steel with a zinc plating

#### **Applications:**

Medeco 50 and 52 Series padlocks can be used in a variety of indoor or outdoor applications including industrial safekeeping, perimeter gates, cargo vehicles, vending machines, gun cabinets, and more.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Finishes:**

- 50 Series Satin Brass (06) only
- 52 Series Satin Chrome (26) only

#### 50 Series Available Key Technologies:

Intelligent Key: – M<sup>3</sup> CLIQ (LFIC only)

– M4 – M<sup>3</sup>

– X4 (LFIC only)

#### 52 Series Available Key Technologies:

#### Mechanical:

- M<sup>3</sup>



# Brass Body Padlocks\*

#### 52 Series Padlock, 5/16" Shackle

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig KeyMark
1 1/8" Clearance, Boron Alloy Shackle	526201 (P)	\$196.00			\$206.86
1 1/8 Clearance, Boron Alloy Shackle	526201 (S)	\$181.00			\$191.86
2.2/0" Clasranca Paran Alloy Shackla	526301 (P)	\$196.00			\$206.86
2 3/8" Clearance, Boron Alloy Shackle	526301(S)	\$181.00			\$191.86
1 1/8" Clearance, Boron Alloy Shackle, Less Cylinder	526200	\$118.16			
2 3/8" Clearance, Boron Alloy Shackle, Less Cylinder	526300	\$118.16			
	526211(P)	\$196.00			\$206.86
1 1/8" Clearance, Stainless Steel Shackle	526211(S)	\$181.00			\$191.86
2 3/8" Clearance, Stainless Steel Shackle	526311(P)	\$196.00			\$206.86
	526311(S)	\$181.00			\$191.86
1 1/8" Clearance, Stainless Steel Shackle, Less Cylinder	526210	\$118.16			
2 3/8" Clearance, Stainless Steel Shackle, Less Cylinder	526310	\$118.16			
*					

\*Padlock body is solid brass with 26 plated finish.

#### 52 Series Padlock, 5/16" Shackle, Removable Core

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
1 1/8" Clearance, Boron Alloy Shackle, Removable Core, Less Cylinder	52-6202	\$144.47				
2 3/8" Clearance, Boron Alloy Shackle, Removable Core, Less Cylinder	52-6302	\$144.47				
1 1/8" Clearance, Stainless Steel Shackle, Removable Core, Less Cylinder	52-6212	\$144.47				
2 3/8" Clearance, Stainless Steel Shackle, Removable Core, Less Cylinder	52-6312	\$144.47				

\*Padlock body is solid brass with 26 plated finish.

Note: 52-6 Series padlocks use a 5 pin/4 level 60 Series cylinder and can be keyed into a system utilizing cam and switch locks.

#### 52 Series Padlock, 7/16" Shackle

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig KeyMark
1 3/8" Clearance, Boron Alloy Shackle	526001 (P)	\$196.00			\$206.86
	526001(S)	\$181.00			\$191.86
1 7/8" Clearance, Boron Alloy Shackle	526101 (P)	\$196.00			\$206.86
	526101(S)	\$181.00			\$191.86
1 3/8" Clearance, Boron Alloy Shackle, Less Cylinder	526000	\$118.16			
1 7/8" Clearance, Boron Alloy Shackle, Less Cylinder	526100	\$118.16			
	526011 (P)	\$196.00			\$206.86
1 3/8" Clearance, Stainless Steel Shackle	526011(S)	\$181.00			\$191.86
1 7/8" Clearance, Stainless Steel Shackle	526111 (P)	\$196.00			\$206.86
	526111(S)	\$181.00			\$191.86
1 3/8" Clearance, Stainless Steel Shackle, Less Cylinder	526010	\$118.16			
1 7/8" Clearance, Stainless Steel Shackle, Less Cylinder	526110	\$118.16			

\* Padlock body is solid brass with 26 plated finish.

#### 52 Series Padlock, 7/16" Shackle, Removable Core

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
1 3/8" Clearance, Boron Alloy Shackle, Removable Core, Less Cylinder	526002	\$144.47				
1 7/8" Clearance, Boron Alloy Shackle, Removable Core, Less Cylinder	526102	\$144.47				
1 3/8" Clearance, Stainless Steel Shackle, Removable Core, Less Cylinder	526012	\$144.47				
1 7/8" Clearance, Stainless Steel Shackle, Removable Core, Less Cylinder	526112	\$144.47				

\* Padlock body is solid brass with 26 plated finish.

52 series Padlocks Cover Options: 00 = Standard, 01 = Case Cover, 10 = Dust Cover

Note: 52-6 Series padlocks use 5 pin/4 level 60 Series cylinders and can be keyed into a system utilizing cam and switch locks.

#### 50 Series Brass Body Padlocks

Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
5002201 (P)	\$398.00			\$420.98	
5002201(S)	\$383.00			\$405.98	
5002211(P)	\$398.00			\$420.98	
5002211(S)	\$383.00			\$405.98	
5003201 (P)	\$398.00			\$420.98	
5003201(S)	\$383.00			\$405.98	
5003211(P)	\$398.00			\$420.98	
5003211(S)	\$383.00			\$405.98	
5008201 (P)	\$374.00			\$395.54	
5008201(S)	\$359.00			\$380.54	
5008211(P)	\$374.00			\$395.54	
5008211(S)	\$359.00			\$380.54	
5009201 (P)	\$374.00			\$395.54	
5009201(S)	\$359.00			\$380.54	
	\$374.00			\$395.54	
5009211(S)	\$359.00			\$380.54	
50-74201	\$190.00				
50-74211	\$190.00				
50-75201	\$190.00				
50-75211	\$190.00				
	5002201 (P) 5002201 (S) 5002211 (P) 5002211 (S) 5003201 (P) 5003201 (S) 5003211 (P) 5008201 (P) 5008201 (P) 5008201 (P) 5008211 (S) 5009201 (S) 5009201 (S) 5009201 (S) 5009211 (S) 5009211 (S) 50-74201 50-74201	5002201 (P)         \$398.00           5002201 (S)         \$383.00           5002211 (P)         \$398.00           5002211 (S)         \$383.00           5002211 (S)         \$383.00           5003201 (P)         \$398.00           5003201 (P)         \$398.00           5003201 (S)         \$383.00           5003201 (S)         \$383.00           5003211 (P)         \$398.00           5003201 (P)         \$374.00           5008201 (P)         \$374.00           5008201 (S)         \$359.00           5008201 (P)         \$374.00           5008201 (P)         \$374.00           5008201 (P)         \$374.00           5009201 (P)         \$374.00           5009201 (S)         \$359.00           5009201 (P)         \$374.00           5009201 (S)         \$359.00           5009211 (S)         \$359.00           50-74201         \$190.00           50-74201         \$190.00           50-75201         \$190.00	Part (Number         M4/0*         Bilevel           5002201 (P)         \$398.00           5002201 (S)         \$383.00           5002211 (P)         \$398.00           5002211 (S)         \$383.00           5002211 (S)         \$383.00           5003201 (P)         \$398.00           5003201 (S)         \$383.00           5003201 (S)         \$383.00           5003211 (P)         \$398.00           5003211 (S)         \$383.00           5003201 (P)         \$374.00           5008201 (P)         \$374.00           5008201 (P)         \$374.00           5009201 (S)         \$359.00           5009211 (S)         \$359.00           50-74201         \$190.00           50-75201         \$190.00	Part Number         M4/M*         BiLevel         X4           5002201 (P)         \$398.00         5002201 (S)         \$383.00           5002211 (P)         \$398.00         5002211 (S)         \$383.00           5002211 (S)         \$383.00         5003201 (P)         \$398.00           5003201 (P)         \$398.00         5003201 (S)         \$383.00           5003201 (S)         \$383.00         5003211 (P)         \$398.00           5003211 (P)         \$398.00         5003201 (S)         \$383.00           5003201 (S)         \$383.00         5008201 (S)         \$359.00           5008201 (S)         \$359.00         5008211 (S)         \$359.00           5009201 (P)         \$374.00         5009201 (S)         \$359.00           5009201 (S)         \$359.00         5009201 (S)         \$359.00           50074201         \$190.00         50-74201         \$190.00           50-75201	Part Number         M4/M         BiLevel         X4         Biax/Orig           5002201 (P)         \$398.00         \$420.98           5002211 (P)         \$398.00         \$4405.98           5002211 (P)         \$398.00         \$4405.98           5002211 (S)         \$383.00         \$4405.98           5002211 (S)         \$383.00         \$4405.98           5003201 (P)         \$398.00         \$4420.98           5003201 (S)         \$383.00         \$4405.98           5003211 (P)         \$398.00         \$4405.98           5003211 (S)         \$383.00         \$4405.98           5003211 (S)         \$383.00         \$4405.98           5003201 (S)         \$374.00         \$395.54           5008201 (S)         \$359.00         \$380.54           5008211 (S)         \$359.00         \$380.54           5009201 (P)         \$374.00         \$395.54           5009201 (S)         \$359.00         \$380.54           5009211 (S

#### **Padlock Cylinders**

Description	Part Number	M4/M <sup>3</sup>	M4/M³ BiLevel	X4	Biax/Orig	KeyMark
5 Pin Cylinder (6 pin Medeco X4) for Hockey Puck Style	2001600(P)	\$117.00	\$63.59	\$57.95	\$123.12	\$62.31
Padlock sold after 9/2004 (KIK style cylinder)	2001600(S)	\$102.00	\$55.59	\$42.95	\$108.12	\$47.31
6 Pin Cylinder for LFIC Medeco Padlocks,	320201 (P)	\$178.00	\$96.84		\$187.78	
50 (Brass Body Series) & 54 Series	320201 (S)	\$163.00	\$88.84		\$172.78	
Removeable Cylinder to fit 50 Series Brass Padlocks	320202 (P)	\$157.00			\$165.52	
(Note - only available in 06 finish)	320202 (S)	\$142.00			\$150.52	
6 Pin Cylinder for KIK Medeco Padlock, for 54 Series Padlocks	510600 (P)	\$132.00	\$72.01	\$114.69	\$139.02	\$121.25
	`510600(S)	\$117.00	\$64.01	\$99.69	\$124.02	\$106.25
5 Pin Spring Bolt Cylinder (non-key retaining), for	960357 (P)	\$132.00			\$138.18	
G8R Padlock	960357 (S)	\$103.00			\$109.18	
5 Pin Deadbolt Cylinder (key retaining), for G8R Padlock	960358(P)	\$132.00			\$138.18	
	960358(S)	\$103.00			\$109.18	
Spacer for use with 5 Pin Cylinders, for G8R Padlock	CP-160691	\$2.26				
E Din eulinder (com la dustrale) fan ED C no dla dus	66418 (P)	\$118.00			\$123.34	
5 Pin cylinder (cam lock style) for 52-6 padlocks	66418(S)	\$89.00			\$94.34	
E Pin Domouphle plug for ED 6 padlodks	66391 (P)	\$100.40			\$104.68	
5 Pin Removable plug for 52-6 padlocks	66391 (S)	\$71.40			\$75.68	

Electronic padlock cylinders are available for many of the padlocks. Refer to the XT and CLIQ sections for specific part numbers and pricing.

## Components

Description	Part Number	Price
Component Package for 54 Series Padlocks, NonKey Retaining. Includes CP-130510 Cylinder Extension/Actuator, Spring & Washer, CP-022030 Cylinder Retainer, CP-011511-000 Retainer Screw, CP-250140 Steel Ball Bearing	94-0199	\$16.00
Cylinder Retainer Sleeve (Fits over Cylinder Bible Chamber & holds		• • • • •
cylinder in padlock body	CP-022030	\$8.32
Retainer Screw, #6-32 UNC-2A x .312" length	CP-011511-000	\$0.76
Cylinder Extension/Actuator, Non Key Retaining, Spring & Washer		
for 54 Series Padlocks	CP-130510	\$7.00
Stainless Steel Ball Bearing for 54 Series Padlocks, .360" Diameter	CP-250140	\$0.76
Cylinder Extension/Actuator, Key Retaining, for 54 Series Padlocks	CP-200720	\$7.00
Chain Assembly for 50 Series Brass Padlocks	CP-280271	\$37.30
Case Cover for 50 Series Brass Padlocks	CP-170250	\$22.40
Shackle Spring for 50 Series Brass Padlocks	CP-030430	\$0.49
Actuator Adaptor for 50 Series Brass Padlocks	CP-130101	\$9.52
Locking Balls for 50 Series Brass Padlocks	CP-250040	\$1.89
3/16" Cylinder Retaining Ball for 50 Series Brass Padlocks	CP-250030	\$0.46
1/16" Hex Allen Wrench - Long Arm to use with 50 Series Brass Padlocks	94-0020	\$6.04
Package for Sub-assembled 50 Series Brass Padlock, Includes:		
Set screws, retaining ball, Brass Pin Chamber Cover	94-0052	\$18.00

#### Shackles for Indoor/Outdoor Padlocks

	Boron Alloy Steel		Stainless Steel	
Description	Part Number	Price	Part Number	Price
Standard Shackle for 54-51 Indoor/Outdoor Padlock,				
1-1/8" Shackle Clearance x 5/16" Diameter	CP-144120	\$12.10	CP-144180	\$18.20
Extra Length Shackle for 54-51 Indoor/Outdoor Padlock,				
2-3/8" Shackle Clearance x 5/16" Diameter	CP-144130	\$14.70	CP-144190	\$20.40
Standard Shackle for 54-71 Indoor/Outdoor Padlock,				
1-3/8" Shackle Clearance x 7/16" Diameter	CP-144150	\$14.70	CP-144210	\$20.40
Extra Length Shackle for 54-71 Indoor/Outdoor Padlock,				
1-7/8" Shackle Clearance x 7/16" Diameter	CP-144160	\$16.20	CP-144220	\$22.40

#### Shackles for Shrouded Padlocks

Description	Boron Alloy Stee Part Number	l Price	Stainless Steel Part Number	Price
Standard Shackle for 54-52 Shrouded Padlock, 3/4" Shackle Clearance x 5/16" Diameter	CP-144110	\$12.10	CP-144170	\$18.20
Standard Shackle for 54-72 Shrouded Padlock, 3/4" Shackle Clearance x 7/16" Diameter	CP-144140	\$14.70	CP-144200	\$20.40

#### Shackles for 50 Series Brass Padlocks

Description	Part Number	Price
2 1/4" Stainles Steel Shackle for 50 Series Brass Padlocks	CP-142543	\$64.60
2 1/4" Hardened Steel Shackle for 50 Series Brass Padlocks	CP-142043	\$60.40

# **Hockey Puck Padlocks**

Medeco<sup>®</sup> Hockey Puck style padlocks come with hardened solid steel bodies and a shackle-less design for the highest level of protection against bolt cutter attacks. They are completely serviceable and can be re-keyed in case of lost or stolen keys.

The Hockey Puck padlock can be ordered in a variety of different cylinder technologies. This includes in a high security format (Medeco 4) and Medeco XT for access control, audit trails, and much more. Hockey Puck padlocks can be used in a variety of applications including vending, storage containers, cargo trailers, and more.



#### Patented Key Control

Protects against unauthorized duplication of your keys.



#### Protection From Physical Attack

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### Can Be Master Keyed

Medeco Hockey Puck Padlocks can be master keyed into existing Medeco 10 Series products.



#### Available in Intelligent Key

Medeco's Hockey Puck Padlocks are also available with the Medeco XT Intelligent Key system for Loss & Liability control.



#### Special Angle Cut Keys

52-9 Series Hockey Puck Padlock

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Picking and Bumping Protection**

M4 cylinders use a sidebar that prevent the key from rotating until it is elevated, rotated and aligned in the correct position. This feature protects against bumping and picking attacks.

## **Technical Features:**

- Hardened steel body.
- 5 pin, key-in-knob cylinder.
- Requires a key to relock.
- Hardened solid steel, black chrome plated body.

medeco

ASSA ABLOY

• All Medeco cylinders are constructed of durable machined brass components, designed to last the life of your equipment.

#### **Applications:**

Hockey Puck style padlocks can be used in a variety of different applications including vending, storage and transportation.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Available Key Technologies:**

Mechanical: – M4/M4 BiLevel – M<sup>3</sup>/M<sup>3</sup> BiLevel\* – X4\* Intelligent Key: – Medeco XT

Description	Part Number	M4/M <sup>3</sup>	M4/M <sup>3</sup> BiLevel	X4
Hockey Puck Padlock, With 5 Pin High Security or 6 Pin Medeco X4 Cylinder	5293000 (P)	\$216.00	\$155.44	\$198.69
	5293000(S)	\$201.00	\$147.44	\$183.69
Hockey Puck Padlock, Non-Key Retaining, Less Cylinder	52930L0	\$92.26		

\* Hockey Puck uses unique cylinders and can be pinned to a door hardware key. Not available with LFIC or SFIC.



# **G8R Padlocks**

Medeco<sup>®</sup> offers a variety of High Security Padlocks that are designed to accept both mechanical and Intelligent Key cylinders. With its tough, weather resistant construction, this is the padlock of choice for extreme environments such as trailers, cargo containers, and gates. The Medeco<sup>®</sup> G8R body is constructed of solid stainless steel. You can choose from



either a stainless steel shackle for maximum corrosion resistance, or hardened steel to withstand severe physical attack. Each padlock includes a weather seal cap attached by a cable. The Medeco<sup>®</sup> G8R will accept either an Intelligent Key or mechanical t-handle cylinder. The mechanical cylinders provide the benefit of patented key control and pick resistance. Intelligent Keys sophisticated audit and control features transforming the G8R into a portable access control system for extreme environments.



#### Patented Key Control

Protects against unauthorized duplication of your keys.

#### **Protection From Physical Attack**

Medeco<sup>3</sup> padlock cylinders are UL 437 listed and stand up to drilling, picking and other forms of physical attack. Available in either a hardened steel shackle to withstand severe physical attack or a stainless steel shackle for maximum corrosion resistance.



#### Weather Resistant Construction

Uses a weather seal cap, attached by a cable, to provide protection from water and road grime.



#### Available in Intelligent Key

Medeco G8R Padlocks are also available with Medeco Intelligent Key systems for Loss & Liability control.



#### Special Angle Cut Keys

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Picking and Bumping Protection

Medeco<sup>3</sup> cylinders use a sidebar that prevent the key from rotating until it is elevated, rotated and aligned in the correct position. This feature protects against bumping and picking attacks.

#### **G8R Series Padlock**

## **Technical Information:**

- 300 series, cast stainless steel body.
- Padlock is sold less cylinder. Compatible with Medeco<sup>®</sup> mechanical and NEXGEN electronic t-handle cylinders.
- Padlocks are shipped with a weather seal cap attached by a steel cable. A finish plate is included for applications that do not require the weather seal cap.
- Sealed construction protects cylinders from water and road grime.
- Stainless steel body resists attack and corrosion.
- Shackles can be specified in stainless or hardened steel to fit your application.

#### **Applications:**

• The G8R Series was designed for locking installations requiring weather resistance and strong physical security. Applications include: cargo containers, trailer doors, gates, vending machines.

#### Warranty:

Mechanical:

 $-M^3$ 

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details

#### Available Key Technologies:

Intelligent Key:
– Medeco XT
– Classic CLIQ
– Medeco Nexgen

Description	Part Number	Price
G8R Weather-tight Padlock, 5/16" Stainless Steel Shackle, less pop-out cylinder	52110040	\$184.00
G8R Weather-tight Padlock, 5/16" Hardened Steel Shackle, less pop-out cylinder	52111040	\$184.00
G8R Weather-tight Padlock, 7/16" Stainless Steel Shackle, less pop-out cylinder	52120040	\$184.00
G8R Weather-tight Padlock, 7/16" Hardened Steel Shackle, less pop-out cylinder	52121040	\$184.00
G8R cap and seal kit	94-0213	\$31.30

G8R padlocks are sold less cylinder and use a cam lock style key with pop-out plug. Keys are charged separately for this style cylinder.



Experience a safer and more open world

# Cam, Cabinet & Switch Locks

FEATURES	M³	CLIQ	Medeco XT
Easily integrated into existing cam lock master key systems	•	•	•
Easy installation			
Completely serviceable and may be rekeyed in the event of a lost or stolen key	•	•	
UL 437 Listing on cylinder for high security	•		
Cam locks available in all standard lengths, flats, and rotations	•	•	
Switch locks available in single or double switch models and momentary and maintained positions with silver or gold contacts (for low amperage applications) designed to accept quick connect leads	•	•	•

#### Medeco<sup>3</sup> Premium High Security

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, Medeco<sup>3</sup> cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with both a sidebar and a slider, and additional pick resistant features make Medeco<sup>3</sup> the cylinder of choice to protect people, property and information.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# **Cam Locks**

Medeco<sup>®</sup> High Security Cam Locks are recognized throughout the world as the standard for protection in a 3/4 inch diameter lock. Medeco Cam Locks utilize hardened, stainless steel inserts throughout the cylinder to provide the ultimate defense against drilling, pulling, and other forms of vandal attacks. Patented key control programs prevent the



unauthorized duplication of keys and maintain system integrity. Keyed alike, keyed different, or master keyed, Medeco offers a complete line of cam locks in a wide variety of sizes and functions to meet your specific needs.



#### Patented Key Control

Protects against unauthorized duplication of your keys.

#### Available in Intelligent Key System

Medeco cam locks are also available with Medeco Intelligent Key Systems for loss & liability control.



#### Can Be Master Keyed

Medeco Cam Locks can be keyed alike, keyed different or master keyed.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> cam locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- All Medeco cylinders are constructed of durable machined brass components.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.
- Available in various lengths and rotations.

#### **Technical Information:**

- Four or five pin models available depending on size
- Available in three standard sizes, 11/16 inch, 7/8 inch and 1 1/8 inch. Other sizes available upon request.
- Two flat models available, key retaining only
- Clockwise or counterclockwise rotation, 90 or 180 degrees
- Keyed alike, keyed different, or master keyed

#### Experience a safer and more open world

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details

#### **Finishes:**

- 26 satin chrome finish standard
- Other finishes available, depending on volume

#### **Certification:**

• UL 437 Listed

#### **Applications:**

Medeco Cam Locks can be used in any standard 3/4 inch diameter application and a multitude of markets including:

- Safes
- Communication
- Alarm

Banking

Data Encryption

Utility

Transit

- Cabinet
- Access control
- Lockers

# Available Key Technologies:

J	0
Mechanical:	Intelligent Key:
– M <sup>3</sup>	– Classic CLIQ
– X4	– Medeco XT



#### Medeco<sup>3</sup> All-In-One Cam Lock Kits

Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
7/8" Longth 5 Din Com Lock Vit	600350T KIT (P)	\$134.34			\$140.06	
7/8" Length 5 Pin Cam Lock Kit	600350T KIT (S)	\$105.34			\$111.06	
11/0" Longth E Din Com Lock Kit	600650T KIT (P)	\$134.34			\$140.06	
11/8" Length 5 Pin Cam Lock Kit	600650T KIT (S)	\$105.34			\$111.06	
E/Q" Longth E Din Com Lock Kit	601150T KIT (P)	\$134.34			\$140.06	
5/8" Length 5 Pin Cam Lock Kit	601150T KIT (S)	\$105.34			\$111.06	
11/2" 5 Pin Cam Lock Kit	601450T KIT (P)	\$139.04			\$145.04	
	601450T KIT (S)	\$110.04			\$116.04	

#### X4 Cam Lock Kit

Description	Part Number	M³	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
1 1/8" length Medeco X4 7 pin cam lock kit with two cams, hex nut, lock washer, mounting washer and 1/4" spacer collar.	210503 (P)			\$88.50		\$108.81
	210503(S)			\$88.50		\$93.81

There is a 6 piece minimum order quantity for high security cam locks.

All-in-One Cam Lock Kits include: CP-040500 pronged washer, CT-A05 flat cam, CT-D05 flat cam, CT-J01 offset cam, CT-H07 offset cam, CP-040451 90 degree stop washer, CP-040461 180 degree stop washer CP-050060 3/4" - 27 mounting nut and 2 keys.

Master keying is not available in a Cam Lock kit, but may be custom ordered with specific Cam Locks listed on the following pages.

#### High Security Cam Locks

Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel X4	Biax/Orig	KeyMark
5 pin, 11/16" Cam Lock	600250T (P)	\$124.30		\$130.02	
	600250T(S)	\$95.30		\$101.02	
5 pin, 7/8" Cam Lock	600350T(P)	\$124.30		\$130.02	
	600350T(S)	\$95.30		\$101.02	
E pip 1" Com Lock	600450T (P)	\$124.30		\$130.02	
5 pin, 1" Cam Lock	600450T(S)	\$95.30		\$101.02	
	600550T (P)	\$122.00		\$127.58	
4 pin, 7/8" Cam Lock	600550T(S)	\$93.00		\$98.58	
5 pin, 1 1/8" Cam Lock	600650T (P)	\$124.30		\$130.02	
	600650T(S)	\$95.30		\$101.02	
4 pin, 11/16" Cam Lock	600750T (P)	\$122.00		\$127.58	
	600750T(S)	\$93.00		\$98.58	
	600850T (P)	\$122.00		\$127.58	
4 pin, 5/8" Cam Lock	600850T(S)	\$93.00		\$98.58	
	600950T (P)	\$124.30	·	\$130.02	
5 pin, 3/4" Cam Lock	600950T(S)	\$95.30		\$101.02	
	601150T (P)	\$124.30		\$130.02	
5 pin, 5/8" Cam Lock	601150T(S)	\$95.30		\$101.02	
	601250T (P)	\$111.60		\$116.56	
3 pin, 7/16" Cam Lock	601250T(S)	\$82.60		\$87.56	
	601251T(P)	\$111.60		\$116.56	
3 pin, 5/8" Cam Lock	601251T(S)	\$82.60		\$87.56	
E pip 11/2" Com Lock	601450T (P)	\$129.00		\$135.00	
5 pin, 1 1/2" Cam Lock	601450T(S)	\$100.00		\$106.00	
	601452T (P)	\$133.00		\$139.24	
5 pin, 2" Cam Lock	601452T(S)	\$104.00		\$110.24	

You must specify the operation code to complete the part number. Pinned pricing includes two keys. Standard sizes described, contact Medeco customer service or medeco.com for variations not listed. There is a 6 piece minimum order quantity for high security Cam Locks.

# Medeco Cam Lock Part Number Configurations

Part Number	<b>Operation</b> Code	Technology	Finish	Keyway	"Cam Lock Operation Code" – Describes the function of the lock:
XXXXXXX	XXX	Х	26	XX	direction of key turn, rotation, key retaining or two key-pull.

## Cam Lock Operation Codes – Fixed Core Cam Locks

Describes the function of the lock

<b>Operation Code</b>	<b>Rotation Distance</b>	<b>Direction to Unlock</b>	Key Retaining or 2 Key Pull
219	90°	Clockwise	Key Retaining
229	90°	Clockwise	2 Key Pull
239	90°	Counterclockwise	Key Retaining
249	90°	Counterclockwise	2 Key Pull
259	180°	Clockwise	Key Retaining
269	180°	Clockwise	2 Key Pull
279	180°	Counterclockwise	Key Retaining
289	180°	Counterclockwise	2 Key Pull

**Note:** Key Retaining – Key is removable in the locked position only. 2 Key Pull – Key is removable in both the locked and unlocked positions.

# **Removable Core Cam Locks**

Medeco<sup>®</sup> Cam Locks are available with a removable core feature allowing cores to be changed out in seconds, to provide an entirely new keying combination. For applications that may require instantaneous re-keying due to lost or stolen keys, or where periodic re-keying is done as a matter of good business practice, Medeco removable core cam Locks save valuable time and money. Removable core cam locks offer the same high security features of a Medeco cam lock with the convenience of a removable core.





#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Quickly Change Cores**

Medeco removable provide quick and easy cylinder changes in the event keys are lost or stolen.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> Cam Locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- Removable cores can be changed out in seconds to provide a new, secure keying combination.
- All Medeco cylinders are constructed of durable machined brass components.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.
- Available in various lengths and rotations.

## **Technical Information:**

- Four or five pin models available depending on size
- Available in three standard sizes, 11/16 inch, 7/8 inch and 1 1/8 inch
- Two flat models available, key retaining only
- Clockwise or counterclockwise rotation, 90 or 180 degrees
- Keyed alike, keyed different, or master keyed

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details

#### **Finishes:**

- 26 satin chrome finish standard
- Other finishes available, depending on volume

#### **Applications:**

- Medeco<sup>®</sup> Removable Core Cam Locks can be used in any standard 3/4 inch diameter application and a multitude of markets including:
  - Safes
- Utility
- Communications Data Encryption
- Alarms

Banking

- CabinetsTransit
- Access control
- Lockers

# Available Key Technologies:

#### Mechanical:

- M<sup>3</sup>



#### High Security Removable Core Cam Locks

Description	Part Number	M <sup>3</sup> M <sup>3</sup> BiLevel	X4 Biax/Orig K	ey Mark
4 pin, 11/16" Removable core Cam Lock	607155XT(P)	\$142.00	\$148.78	
	607155XT(S)	\$113.00	\$119.78	
4 pin, 7/8" Removable core Cam Lock	607255XT(P)	\$142.00	\$148.78	
	607255XT(S)	\$113.00	\$119.78	
4 pin, 1 1/8" Removable core Cam Lock	607355XT(P)	\$142.00	\$148.78	
	607355XT(S)	\$113.00	\$119.78	
	607455XT(P)	\$144.00	\$150.90	
5 pin, 1 1/8" Removable core Cam Lock	607455XT(S)	\$115.00	\$121.90	
	607555XT(P)	\$144.00	\$150.90	
5 pin, 7/8" Removable core Cam Lock	607555XT(S)	\$115.00	\$121.90	
Plug for Removable Core Cam Locks. Cam Locks	66391 (P)	\$100.40	\$104.68	
are provided with plug, but additional plugs may be ordered separately. Keys not included in price.	66391 (S)	\$71.40	\$75.68	

Pinned price includes 2 keys.

#### X = Rotation for Removable Core Cam Lock

Description	Part Number
90 degree Clockwise	0
90 degree Counterclockwise	1
180 degree Clockwise	2
180 degree Counterclockwise	3



#### **A Series Flat Cams**

Description	Part Number	Price
5/8" Flat Cam	CT-A00	\$3.25
3/4" Flat Cam	CT-A01	\$3.25
7/8" Flat Cam	CT-A02	\$3.25
1" Flat Cam	CT-A03	\$3.25
<u>1 1/8" Flat Cam</u>	CT-A04	\$3.25
1 1/4" Flat Cam	CT-A05	\$3.25
1 3/8" Flat Cam	CT-A06	\$3.25
1 1/2" Flat Cam	CT-A07	\$3.25
1 5/8" Flat Cam	CT-A08	\$3.25
1 3/4" Flat Cam	CT-A09	\$3.25
2" Flat Cam	CT-A11	\$3.25
2 1/8" Flat Cam	CT-A12	\$3.25
2 1/4" Flat Cam	CT-A13	\$3.25
2 3/8" Flat Cam	CT-A14	\$3.25
2 1/2" Flat Cam	CT-A15	\$3.25
2 5/8" Flat Cam	CT-A16	\$3.25
3" Flat Cam	CT-A19	\$3.25

# Cam Locks

## C Series Flat Cams, 45° Tenon

Description	Part Number	Price
7/8" Flat Cam	CT-C02	\$3.25
1 1/8" Flat Cam	CT-C04	\$3.25
1 1/4" Flat Cam	CT-C05	\$3.25
1 5/8" Flat Cam	CT-C08	\$3.25
1 3/4" Flat Cam	CT-C09	\$3.25
2" Flat Cam	CT-C11	\$3.25

#### D Series Flat Cams, Horizontal Tenon

Description	Part Number	Price
5/8" Flat Cam	CT-D00	\$3.25
3/4" Flat Cam	CT-D01	\$3.25
7/8" Flat Cam	CT-D02	\$3.25
1" Flat Cam	CT-D03	\$3.25
1 1/8" Flat Cam	CT-D04	\$3.25
1 1/4" Flat Cam	CT-D05	\$3.25
1 3/8" Flat Cam	CT-D06	\$3.25
1 1/2" Flat Cam	CT-D07	\$3.25
1 5/8" Flat Cam	CT-D08	\$3.25
1 3/4" Flat Cam	CT-D09	\$3.25
2" Flat Cam	CT-D11	\$3.25
2 1/8" Flat Cam	CT-D12	\$3.25
2 1/2" Flat Cam	CT-D15	\$3.25
3" Flat Cam	CT-D19	\$3.25

#### H Series Offset Cam, Vertical Tenon

Description	Part Number	Price
1 1/4" Cam with 1/8" offset	CT-H00	\$3.39
1 1/8" Cam with 7/32" offset	CT-H07	\$3.39
1 1/8" Cam with 1/8" offset	CT-H09	\$3.39
1 1/2" Cam with 7/32" offset	CT-H14	\$3.39
1 1/4" Cam with 7/32" offset	CT-H15	\$3.39
1 1/8" Cam with 5/16" offset	CT-H16	\$3.39
1 1/4" Cam with 5/16" offset	CT-H17	\$3.39
1 3/4" Cam with 5/16" offset	CT-H19	\$3.39
2" Cam with 5/16" offset	CT-H20	\$3.39
7/8" Cam with 5/32" offset	CT-H27	\$3.39
1 3/4" Cam with 7/32" offset	CT-H30	\$3.39
1 1/2" Cam with 5/16" offset	CT-H32	\$3.39

 $\bigotimes$ 

\$

0

#### J Series Offset Cam, Horizontal

Number         Price           01         \$3.39           05         \$3.39           07         \$3.39           08         \$3.39           1         \$3.39
5     \$3.39       7     \$3.39       08     \$3.39
7     \$3.39       08     \$3.39
\$3.39
1 \$3.39
<u>دد،د</u> د
2 \$3.39
3 \$3.39
4 \$3.39
5 \$3.39
8 \$3.39
\$3.39
\$3.39
\$3.39
9 \$3.39
50060 \$1.89
) - ) - ) -

Φ

#### 3/4" Removable Plug Lock

Description	Part Number	M³	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
1 keypull, 3/4" Removable plug lock	640250T(P)	\$129.00			\$135.00	
	640250T(S)	\$100.00			\$106.00	
2 keypull, 3/4" Removable plug lock	640251T(P)	\$129.00			\$135.00	
	640251T(S)	\$100.00			\$106.00	

#### 1 1/8" Removable Plug Lock

Description	Part Number	M³	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
1 koupull vortical fate fluch mount	640550T(P)	\$146.00			\$153.02	
1 keypull, vertical flats, flush mount	640550T(S)	\$117.00			\$124.02	
	640550AT (P)	\$146.00			\$153.02	
1 keypull, horizontal flats, flush mount	640550AT(S)	\$117.00			\$124.02	
2 keypull, vertical flats, surface mount with	640550FT(P)	\$175.00			\$153.02	
tapered bezel	640550FT(S)	\$146.00			\$124.02	

Pinned price includes 2 keys.


# Cam Locks

#### Security Collars

Description	Part Number	Price
Cam Lock security collar	CP-070501	\$10.90
Cam Lock security collar	CP-070131	\$10.90
Cam Lock security collar	CP-070161	\$10.90
Cam Lock security collar	CP-070171	\$10.90
Cam Lock security collar	CP-070441	\$10.90
Cam Lock security collar	CP-070201	\$10.90
Cam Lock security collar	CP-070111	\$10.90
Cam Lock security collar	CP-070141	\$10.90
Cam Lock security collar	CP-070181	\$10.90
Cam Lock security collar	CP-070481	\$10.90

#### **Security Collars**

Part Number	(H)	(I)	(J)	(K)	(L)
CP-070501	1.000"	.142"	.170"	.312"	1.290"
CP-070131	.885"	.142"	.170"	.312"	1.210"
CP-070161	.885"	.188"	.250"	.438"	1.356"
CP-070171	.885"	.200"	.238"	.438"	1.290"
CP-070441	.885"	.260"	.070"	.330"	1.210"
CP-070201	.885"	.262"	.050"	.312"	1.210"
CP-070111	.885"	.278"	.160"	.438"	1.290"
CP-070141	.885"	.325"	.050"	.375"	1.275"
CP-070181	1.000"	.450"	.050"	.500"	1.250"
CP-070481	1.000"	.638"	.050"	.688"	1.313"




#### Spacers

Description	Part Number	Price
Cam lock spacer, obtain specific part number		
from following dimension chart.	CP-160XXX	\$9.29

#### Spacers

Part Number	(M)	(N)	
CP-160051	.125"	.875"	
CP-160101	.140"	.875"	
CP-160071	.188"	.875"	
CP-160111	.200"	.875"	
CP-160081	.250"	.875"	
CP-160091	.275"	.875"	
CP-160301	.375"	.875"	
CP-160121	.400"	.875"	
CP-160061	.530"	.875"	
CP-160271	.437"	.875"	
CP-160541	.031"	.875"	
CP-160551	.062"	.875"	
CP-160571	.312"	.875"	
CP-160591	.062"	.995"	
CP-160601	.125"	.995"	
CP-160611	.250"	.995"	



#### Pop-Out, T-Handle Cylinder

Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel	X4	Biax/Orig KeyMark
E pip zinc doodholt	640155CT(P)	\$112.10			\$117.09
5 pin, zinc deadbolt	640155CT(S)	\$83.10			\$88.09
	640155T(P)	\$112.10			\$117.09
5 pin, zinc springbolt	640155T(S)	\$83.10			\$88.09
	640750ET(P)	\$114.20			\$122.31
4 pin, zinc springbolt	640750ET(S)	\$85.20			\$90.31
	640750GT (P)	\$114.20			\$119.31
4 pin, zinc deadbolt	640750GT(S)	\$85.20			\$90.31
	640950T(P)	\$123.00			\$128.64
4 pin, steel springbolt	640950T(S)	\$94.00			\$99.64
	640952T(P)	\$123.00			\$128.64
4 pin, steel deadbolt	640952T(S)	\$94.00			\$99.64
	641050T(P)	\$158.00			\$165.74
4 pin, steel springbolt, steel shell	641050T(S)	\$129.00			\$136.74
	641051T(P)	\$158.00			\$165.74
4 pin, steel deadbolt, steel shell	641051T(S)	\$129.00			\$136.74

Pinned price includes two keys.

Note: Refer to the XT section for format availability and pricing for XT Intelligent Key T-Handle Cylinders.

# **Cabinet Locks**

Medeco<sup>®</sup> cabinet locks are specifically designed for drawer or cabinet door applications where a conventional utility cam lock may not be suitable. Cabinet locks utilize heavy-duty bolts and multi-point attachment to the mounting surface in order to withstand the heavy use and higher physical security some applications may require. All Medeco cabinet locks feature solid brass and steel construction, available in either fixed or removable core. Patented key programs prevent the unauthorized



duplication of keys and maintain system integrity. Keyed alike, keyed different, or master keyed, the Medeco cabinet lock is the perfect solution for your showcase security needs.



#### Patented Key Control

Protects against unauthorized duplication of your keys.



#### Available in Intelligent Key

Medeco cabinet locks are also available with Medeco Intelligent Keys for loss & liability control.



#### Protection From Physical Attack

Medeco<sup>3</sup> cabinet locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- Medeco high security cabinet locks are constructed of durable machined brass and solid steel components.
- Available in either fixed or removable core depending on your specific requirements.
- Available in either deadbolt or spring latch models.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Medeco Cabinet Locks can be keyed in with other 60 Series products.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

#### **Technical Information:**

- Five pin models available in either deadbolt or spring latch versions.
- 7/8 inch diameter, surface mount, fixed or removable core available.
- Deadbolt fixed core available in non-key retaining.
- Keyed alike, keyed different, or master keyed.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details.

#### Finishes:

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

#### **Applications:**

- Medeco cabinet locks are specifically designed for use in metal or wooden drawer and cabinet door applications including:
  - Medical and narcotics
  - Chests and cabinets
  - Showcases
  - Cash carts
  - Drawers

#### Available Key Technologies:

Mechanical:	Intelligent Key:
- M <sup>3</sup>	– Medeco XT
– X4	



# 196 Cabinet Locks

#### **High Security Cabinet Locks**

Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
Cabinet Lock with deadbolt, single keypull	<u>6210555T (P)</u> 6210555T (S)	\$165.00 \$136.00				
Cabinet Lock with deadbolt, double keypull	<u>6212555T (P)</u> 6212555T (S)	\$165.00 \$136.00				
Cabinet Lock with spring bolt, single keypull	<u>6211555T (P)</u> 6211555T (S)	\$182.00 \$153.00				
Removable Core Cabinet Lock with deadbolt, single keypull, less plug	6270515	\$91.20				
Removable Core Cabinet Lock with spring bolt, single keypull, less plug	6271515	\$102.00				
Plug for removable Core Cabinet Lock	<u>66391 (P)</u> 66391 (S)	\$100.40 \$71.40				

Pinned price includes two keys.

#### **SFIC Cabinet Locks**

Description	Part Number	Price
Cabinet lock with deadbolt for SFIC cylinder. Works with Medeco X4, Medeco XT SFIC, or Best style SFIC. SFIC ordered separately.	3307311	\$76.30
Cabinet lock with spring bolt for SFIC cylinder. Works with Medeco X4, Medeco XT SFIC, or Best style SFIC. SFIC ordered separately.	3307321	\$76.30
File Cabinet Lock for SFIC cylinder. Works with Medeco X4, Medeco XT SFIC or Best style SFIC Cylinders. SFIC ordered separately.	3307350	\$76.30
Door/Drawer Lock for SFIC cylinder. Works with Medeco X4, Medeco XT SFIC, or best style SFIC. SFIC ordered separately.	3307331	\$76.30

#### **Traffic Cabinet Locks**

Description	Part Number	Price
Traffic Cabinet Lock – Medeco <sup>3</sup> – Deadbolt	490435	\$227.00
Traffic Cabinet Lock – Medeco³ – Slam Bolt	490436	\$227.00

Note: Available through authorized Medeco service centers only. Traffic Cabinet Locks are available 26 finish only, MM keyway.

# **Plunger Locks**

Medeco<sup>®</sup> Plunger Locks are specifically designed for use in wooden or metal sliding doors. Complete with a spring loaded pop out cylinder, the Medeco plunger lock is ideal for security merchandise showcases, metal cabinets, and laboratory and office furniture. Plunger Locks require no key when locking the device; simply push in on the cylinder to relock. Patented key programs prevent the unauthorized duplication of keys and maintain system



integrity. Keyed alike, keyed different, or master keyed, the Medeco plunger lock is the perfect solution for your security needs.



#### Patented Key Control

Protects against unauthorized duplication of your keys.



#### **Can Be Master Keyed**

Medeco Plunger Locks can be keyed alike, keyed different or master keyed.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> Plunger Locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- Medeco Plunger Locks are constructed of durable machined brass and solid steel components
- Unique elevating and rotating tumbler pin system is virtually pick proof
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet. and only at your request
- Medeco Plunger Locks are completely serviceable, and can be re-keyed in case of lost or stolen keys
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs

### **Technical Information:**

- Four and five pin models available
- Non-key retaining cylinders
- 45 degree clockwise rotation to unlock
- Keyed alike, keyed different or master keyed

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Finishes:**

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

#### **Applications:**

- Medeco Plunger Locks are specifically designed for use in metal or wooden sliding door applications including:
  - Jewelry and other merchandise showcases
  - Metal cabinets
  - Laboratory furniture
  - Office furniture

#### Available Key Technologies:

- Mechanical: **Intelligent Key:** - M<sup>3</sup>
  - Classic CLIQ

#### Description Part Number М³ M<sup>3</sup> BiLevel Χ4 Biax/Orig KeyMark \$190.12 6221557T(P) \$181.00 Plunger Lock, 5 pin round bolt \$152.00 \$161.12 6221557T(S) 6261557T(P) \$212.00 \$222.98 Plunger Lock, 5 pin glass mount 6261557T(S) \$183.00 \$193.98 6221554T(P) \$181.00 \$190.12 Plunger Lock, 4 pin round bolt 6221554T(S) \$152.00 \$161.12

Pinned price includes two keys.



**Plunger Locks** 

# **Micro Switch Locks**

Medeco's 3/4" diameter, high security Switch Locks offer a wide range of electrical functions with the physical security and patented key control of a Medeco cylinder. Available in either single or double switch models, Medeco Switch Locks are ideally suited for applications requiring controlled access to electrically activated systems, including alarms, ATMs, time delay safes, encryption devices, heavy power equipment,



control panels and electrically accessed doors and gates. The Medeco<sup>3</sup> unique design provides triple locking action, making the locks virtually pick proof. All Medeco<sup>3</sup> keys and locks are protected by trademark and copyright laws. Medeco keys may only be duplicated by Medeco or by an authorized Medeco dealer, and only at your request.



#### Patented Key Control

Protects against unauthorized duplication of your keys.



#### Can Be Master Keyed

Medeco Switch Locks can be keyed alike, keyed different or master keyed.



#### Protection From Physical Attack

Medeco<sup>3</sup> Switch Locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

# **Benefits:**

- All Medeco cylinders are constructed of durable machined brass components, designed to last the life of your equipment.
- Available in single or double switch models, momentary and maintained positions.
- Silver or gold contacts (for low amperage applications) designed to accept quick connect leads.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Medeco Switch Locks are completely serviceable, and can be re-keyed in case of lost or stolen keys.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

## **Certification:**

- UL 437 Listed
- Switch UL Registered, CSA Certified

#### **Applications:**

- Medeco High Security Switch Locks can be used in any standard 3/4 inch diameter switch lock application and a multitude of markets including:
- Heavy Power Machinery
- Time Delay Safes
- Material Handling Equipment
- Construction Vehicles
- Electrically Accessed Gates

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco<sup>®</sup> limited warranty for full details.

#### **Technical Information:**

- Five pin, 3/4 inch double "D" mounting standard.
- Available in either single or double switch models with either silver or gold contacts.
- Rated at 7 amps resistive at 125/250 VAC.
- Contacts designed to accept quick connect leads (AMP connector number 60598-3)

#### **Finishes:**

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

Available Key Technologies:

#### Mechanical:

– M<sup>3</sup>

ASSA ABLOY

Cash Control Systems

• Encryption Devices

Control Panels

• Alarms

ATMs

#### **Single Switch Locks**

Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
1 switch maintained 1 keymull	652150T 011 (P)	\$154.00			\$161.50	
1 switch, maintained 1 keypull	652150T 011 (S)	\$125.00			\$132.50	
- 1 switch, maintained 2 keypull	652150T 012 (P)	\$154.00			\$161.50	
i switch, maintained z keypun	652150T012(S)	\$125.00			\$132.50	
1 switch momentary 1 keynyll	652150T 021 (P)	\$154.00			\$161.50	
1 switch, momentary 1 keypull	652150T 021 (S)	\$125.00			\$132.50	

Pinned price includes two keys.

#### **Double Switch Locks**

Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
Desition maintained 1 kounull	652650T 101 (P)	\$248.00			\$261.14	
2 position, maintained, 1 keypull	652650T 101 (S)	\$219.00			\$232.14	
	652650T 102 (P)	\$248.00			\$261.14	
2 position, maintained, 2 keypull	652650T102(S)	\$219.00			\$232.14	
Desition momentary 1 keynull	652650T111(P)	\$248.00			\$261.14	
2 position, momentary, 1 keypull	652650T111(S)	\$219.00			\$232.14	
2 position maintained 1 kounull	652650T 131 (P)	\$248.00			\$261.14	
3 position, maintained, 1 keypull	652650T131(S)	\$219.00			\$232.14	
2 position maintained 2 keypull	652650T132(P)	\$248.00			\$261.14	
3 position, maintained, 2 keypull	652650T132(S)	\$219.00			\$232.14	
	652650T 133 (P)	\$248.00			\$261.14	
3 position, maintained, 3 keypull	652650T 133 (S)	\$219.00			\$232.14	

Pinned price includes two keys.

#### Switch Lock Accessories for 652150 and 652650

Description	Part Number	Price
Silver Sub Miniature Snap Action Switch: Double Pole/Double Throw	CP-150082	\$68.20
Gold Sub Miniature Snap Action Switch: Double Pole/Double Throw	CP-150102	\$90.50
Sleeve Kit: Includes chrome plated zinc sleeve with rubber grommet, plain washer, 1 pronged washer locks for mounting Cam Locks in harsh		
environments.	650003	\$50.50
Silver Sub Miniature Snap Action Switch: Single Pole-Single or Double Throw	CP-150142	\$34.40
Gold Sub Miniature Snap Action Switch: Single Pole-Single or Double Throw	CP-150152	\$49.10
4" Leadwire	CP-270511	\$2.39
6" Leadwire	CP-270521	\$2.76
12" Leadwire	CP-270531	\$3.50
18" Leadwire	CP-270541	\$4.39
24" Leadwire	CP-270551	\$9.40
36" Leadwire	CP-270561	\$9.40
3/4" hex nut for Switch Locks	CP-050050	\$3.25

# **Rotary Switch Locks**

The Medeco<sup>®</sup> rotary Switch Locks is designed for use with most brands of rotary switches, providing maximum versatility in systems requiring multiple switch functions. Switch Locks are available with a variety of key withdrawals at 45° increments. Positive stops are available to eliminate over-torquing of switch stops. Switch Locks use a five pin cylinder to maximize keyed different and master keying capabilities. Medeco design and engineering resources are available to assist customers with



special functional requirements. The Medeco<sup>3</sup> unique design provides triple locking action, making the locks virtually pick proof. All Medeco<sup>3</sup> keys and locks are protected under patent, trademark and copyright laws. Medeco<sup>3</sup> keys may only be duplicated by Medeco or by an authorized Medeco dealer, and only at your request.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### Available in Intelligent Key

Medeco Switch Locks are also available with Medeco Intelligent Keys for loss & liability control.



#### Can Be Master Keyed

Medeco switch locks can be keyed alike, keyed different or master keyed.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> switch locks stand up to drilling, picking and other forms of physical attack.

## **Benefits:**

- All Medeco cylinders are constructed of durable machined brass components, designed to last the life of your equipment.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Medeco Switch Locks are completely serviceable, and can be re-keyed in case of lost or stolen keys.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

### **Technical Information:**

• Five pin, 3/4 inch double "D" mounting standard.

#### Finishes:

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

#### **Certification:**

• Switch - UL Registered, CSA Certified

#### **Applications:**

- Medeco Rotary Switch Locks can be used to retrofit many Switch Lock applications including:
  - Heavy Power Machinery
  - Time Delay Safes
  - Material Handline Equipment
  - Construction Vehicles
  - Electrically Accessed Gates
  - Cash Control Systems
  - Encryption Devices
  - Alarms
  - Control Panels
  - ATMs

# Available Key Technologies:

Mechanical:	Intelligent Key:
- M <sup>3</sup>	– Medeco XT



# Rotary Switch Locks

Description	Part Number	M <sup>3</sup>	M <sup>3</sup> BiLevel	X4	Biax/Orig	KeyMark
2 position, 1 keypull A, maintained at B	6522560T121(P)	\$150.00			\$157.26	
2 position, T keypun A, maintained at B	6522560T121(S)	\$121.00			\$128.26	
2 position 2 kounull ASP maintained	6522560T122(P)	\$150.00			\$157.26	
2 position, 2 keypull A&B, maintained	6522560T122(S)	\$121.00			\$128.26	
2 position 2 kouncill ASP maintained	6522560T132(P)	\$150.00			\$157.26	
3 position, 2 keypull A&B, maintained	6522560T132(S)	\$121.00			\$128.26	
2 position 2 knowld A DOC maintained	6522560T 133 (P)	\$150.00			\$157.26	
3 position, 3 keypull A, B&C, maintained	6522560T133(S)	\$121.00			\$128.26	
2 position 2 koupull ASC maintained at D	6522560T134 (P)	\$150.00			\$157.26	
3 position, 2 keypull A&C, maintained at B	6522560T134 (S)	\$121.00			\$128.26	
2 position 1 keypull A momentary at P	6522560T 221 (P)	\$150.00			\$157.26	
2 position, 1 keypull A, momentary at B	6522560T 221 (S)	\$121.00			\$128.26	

Pinned price includes two keys.

## **Keying Charges**

Description	Part Number	Price
Less Key Credit		\$1.00
MK surcharge to pinned door hardware cylinders and IC cylinders except SFIC cylinders.		\$23.00
No MK surcharge is applied to the pinned cylinder price for Medeco X4 SFIC cylinders.		
MK surcharge to pinned cam lock type product (less keys)		\$5.00
Key Stamping (Standard Key Code Stamping at No Charge)		\$3.50
Lock Stamping (No charge for SFIC)		\$9.25
Surcharge - Medeco X4 Custom Coined Cut keys require a minimum of 100 keys and must be specified on the order. Non-custom coined cut keys are standard from the factory. The surcharge is added to		
the cut key price.		\$3.50
Surcharge - High Security Custom Coined Cut keys require a minimum of 100 keys and must be specified on the order. Non-custom coined cut keys are standard from the factory.		
The surcharge is added to the cut key price.		\$3.50
Sub-assembled deduct applied for door products		\$15.00
Sub-assembled deduct applied for Medeco X4 SFIC		\$15.00
Sub-assembled deduct applied for 60 Series products		\$29.00
Non-Masterkeyed cylinders (less keys)	RE-KEY	\$61.90
Masterkeyed Cylinders (5 and 6 pin, less keys)	RE-KEY-MK	\$74.20
Decode Key Service	DE-CODE-KEY	\$38.40
Decode Lock Service (not available for padlocks)	DE-CODE-LOK	\$39.10
Sharpen Cutter for Medeco <sup>3</sup> and Medeco X4 (exchange program; old cutter must be returned upon receipt with RGA)	KM-SHARP-CUT	\$240.00

## Cut Keys

Description	Part Number	Price
Medeco 4 Large Bow Cut Keys	KYC 4LX600 XX XX XXX	\$23.97
Medeco 4 Small Bow Cut Keys	KYC 4SX600 XX XX XXX	\$23.97
Medeco 4 Custom Coined Cut Keys - Large Bow*	KYC 4LX600 XX 99 XXX	\$27.47
Medeco 4 Custom Coined Cut Keys - Small Bow*	KYC 4SX600 XX 99 XXX	\$27.47
Original, Biaxial and M3 Custom Coined Cut Keys*	KYC XX5600 XX 99	\$26.40
Original, Biaxial and M3 Cut Keys	KYC XX6600 XX XX	\$22.90
Medeco X4 Custom Coined Cut Keys*	KYC XX6900 XXX 99	\$24.20
Medeco X4 Cut Keys	KYC XX6900 XXX XX	\$20.70
Medeco B Cut Keys, A5 Bow	KYC A50000 AXX 00	\$15.41
Medeco B Cut Keys, A6 Bow	KYC A60000 AXX 00	\$17.94

\* Minimum order 100 Custom Coined Cut Keys.

Contact Customer Service for specific part number.

#### **Coining Dies**

Description	Part Number	Price
Standard Coining Die-All keyway technologies	CN-DIES	\$635.00 (NET)
Laser Die	ST-LASER	\$153.00 (NET)

# Key Code Cards

Description	Part Number	Price
Authorization Card for 6 Pin Key		
(Patriot, Liberty, Freedom, Gotham)	CARD 1 X XX	\$14.80
Authorization Card for 5 Pin Key		
(Patriot, Liberty, Freedom, Gotham)	CARD 2 X XX	\$14.80
Authorization Card for 5 Pin (60Series) Key		
(Patriot,Liberty, Freedom, Gotham)	CARD 6 X XX	\$14.80
Authorization Card with (2) 6 Pin Keys (Medeco KM Silver)	CARD KS XX 8E	\$45.80
Authorization Card with (2) 5 Pin Keys		
(Patriot, Liberty, GLD,DND, Freedom, Gotham)	CARD XX 56 XX	\$45.80
Authorization Card with (2) 6 Pin Keys		
(Patriot, Liberty, GLD, DND, Freedom, Gotham)	CARD XX 66 XX	\$45.80
Printed Key Code Tag For Dealer Keyways	CP-286131	\$1.25

# Code Books, Vouchers, & Paper

Description	Part Number	Price
Medeco <sup>3</sup> , Medeco 4, Medeco <sup>3</sup> & Biaxial Code Book	CB-CODE-BIA	\$51.10 (NET)
Medeco Original Code Book	CB-CODE-BOK	\$51.10 (NET)
Patriot/Liberty/Freedom/Gotham USB card reader	94-0309	\$83.20 (NET)

#### Sales Tools

Description	Part Number	Price
Smart SFIC Solutions Demo Kit (Includes Arrow, Medeco X4, and Medeco XT SFIC Cylinders)	94-0261	\$1,620.00
Medeco³ Display Kit Includes Captive T-Turn Deadbolt Cut-away Cylinder, Cam Lock	94-0204	\$252.00 (NET)
Medeco X4 Presentation Kit includes: Std. Rim & Mortise Cylinders, SFIC Mortise, Key-In-Knob Cylinder, all LFIC cylinders in plastic case	94-0269	\$346.00 (NET)
6 Pin Medeco <sup>3</sup> BiLevel Cut-Away Cylinder	10400 CUT J	\$121.65 (NET)
6 Pin Medeco <sup>3</sup> Cut-Away Cylinder	10400 CUT T	\$206.00 (NET)
Cut-Away 5 Pin Profile Cylinder	23130 CUT	\$206.00 (NET)
Cut-Away Cam Lock Assembly – Biaxial only	600300 CUT W 219	\$96.39 (NET)
Plastic Display Sleeve for Maxum (lock not included)	90-0028	\$22.40 (NET)
XT Install/Demo Key (works cylinders not yet programmed to a system) – Industrial Style	EA-100111	\$295.00
XT Install/Demo Control Key (works IC cylinders not yet programmed to a system) – Industrial Style	EA-100110	\$295.00
XT Install/Demo Key – Slim Line (works cylinders not yet programmed to a system)	EA-100173	\$283.00
XT Install/Demo Control Key – Slim Line (works IC Cylinders not yet programmed to a system)	EA-100174	\$283.00

## Keyblanks for Cam Lock Style - Original, Biaxial, Medeco<sup>3</sup>

Description	Part Number	Price
5 Pin Commercial Original Keyblank for 60 Series, Thick Head		
(Non Custom Coined)	KYB 115400 XX 00	\$11.10
5 Pin Commercial Original Keyblank for 60 Series, Thin Head		
(Non Custom Coined)	KYB 105400 XX 00	\$11.10
5 Pin Commercial Medeco Biaxial Keyblank for 60 Series, Thick Head		
(Non Custom Coined)	KYB 115400 S6 43	\$11.10
5 Pin Keyblank for 60 Series (Custom Coined)	KYB XX5400 XX 99	\$11.10

#### Keyblanks for Door Hardware - Original, Biaxial, Medeco<sup>3</sup>, Medeco 4

Description	Part Number	Price
5 or 6 Pin Keyblank for Medeco 4 (Large Bow, Custom Coined)	KYB 4LX600 XX 99 XXX	\$11.87
5 or 6 Pin Keyblank for Medeco 4 (Small Bow, Custom Coined)	KYB 4SX600 XX 99 XXX	\$11.87
5 or 6 Pin Keyblank – All Bow Sizes (Non Custom Coined)	KYB 10X600 XX XX	\$11.10
5 or 6 Pin Keyblank for Medeco <sup>3</sup> (Small Bow, Custom Coined)	KYB 34X600 XX 99	\$10.80
5 or 6 Pin Keyblank for Medeco <sup>3</sup> (Large Bow, Custom Coined)	KYB 33X600 XX 99	\$10.80
5 or 6 Pin Keyblank for Medeco Biaxial Rectangular (Small Bow, Custom Coined)	KYB 12X600 XX 99	\$10.80
5 or 6 Pin Keyblank for Medeco Biaxial, Square		
(Large Bow, Custom Coined)	KYB 17X600 XX 99	\$10.80
5 or 6 Pin Keyblank for Thumbturn (blade only)	KYB 10X605 XX	\$13.99

#### Keyblanks for Door Hardware - Medeco KM, Medeco X4 & Medeco B

Description	Part Number	Price
6 or 7 Pin Keyblank for Medeco KM (Small Bow, Custom Coined)	KYB 32X600 XX 99	\$10.30
6 or 7 Pin Keyblank for Medeco KM (Large Bow, Custom Coined)	KYB 38X600 XX 99	\$10.30
6 or 7 Pin Keyblank for Medeco X4 (Small Bow, Custom Coined)	KYB 32X900 XX 99	\$10.30
6 or 7 Pin Keyblank for Medeco X4 (Large Bow, Custom Coined)	KYB 38X900 XX 99	\$10.30
6 or 7 Pin Keyblank for Medeco B, Alphabet & T Keyways	KYB A50000-AXX00	\$3.61
6 or 7 Pin Keyblank for Medeco B, W Family Keyways	KYB A60000-AXX00	\$6.14

# Keys with Hybrid Heads – 125 kHz Proximity

Description	Part Number	Price
Original/Biaxial heads only	EA-300069-01-EL	\$24.10
Medeco <sup>3</sup> /Medeco X4, Medeco KM Heads only	EA-300070-01-EL	\$24.10
Medeco X4, Medeco KM/Medeco <sup>3</sup> dimpled blade	KYB 77663F NM XX	\$31.38
Original/Biaxial dimpled blade	KYB 74563F NM XX	\$31.38
5 pin Medeco³ key blank	KYB 35563P XX 99	\$31.38
6 pin Medeco³ key blank	KYB 35663P XX 99	\$31.38
5 pin Original/Biaxial key blank	KYB 74563P XX 99	\$31.38
6 pin Original/Biaxial key blank	KYB 74663P XX 99	\$31.38
6 pin Medeco KM key blank	KYB 77663P XX 99	\$30.88
7 pin Medeco KM key blank	KYB 77763P XX 99	\$30.88
6 pin Medeco X4 key blank	KYB 77693P XXX 99	\$30.88
7 pin Medeco X4 key blank	KYB 77793P XXX 99	\$30.88
5 pin Medeco <sup>3</sup> cut key	KYC 35563P XX 99	\$46.98
6 pin Medeco <sup>3</sup> cut key	KYC 35663P XX 99	\$46.98
5 pin Original/Biaxial cut key	KYC 74563P XX 99	\$46.98
6 pin Original/Biaxial cut key	KYC 74663P XX 99	\$46.98
6 pin Medeco KM cut key	KYC 77663P XX 99	\$44.78
7 pin Medeco KM cut key	KYC 77763P XX 99	\$44.78
6 pin Medeco X4 cut key	KYC 77693P XXX 99	\$44.78
7 pin Medeco X4 cut key	KYC 77793P XXX 99	\$44.78

Stamping is required on all restricted keyblanks . Please see the Intelligent Key section for Intelligent Key information.

#### Keys with Hybrid 2k Bit Heads – 13.56 MHz iCLASS

Description	Part Number	Price
Original/Biaxial heads only	EA-300086-01-EL	\$30.00
Medeco <sup>3</sup> /Medeco X4 Heads only	EA-300087-01-EL	\$30.00
Original/Biaxial dimpled blade	KYB 74563H NM XX	\$35.71
Medeco X4/Medeco <sup>3</sup> dimpled blade	KYB 77663H NM XX	\$35.71
5 pin Medeco³ key blank	KYB 35563K XX 99	\$35.71
6 pin Medeco³ key blank	KYB 35663K XX 99	\$35.71
5 pin Original/Biaxial key blank	KYB 74563K XX 99	\$35.71
6 pin Original/Biaxial key blank	KYB 74663K XX 99	\$35.71
5 pin Medeco³ cut key	KYC 35563K XX 99	\$51.31
6 pin Medeco <sup>3</sup> cut key	KYC 35663K XX 99	\$51.31
5 pin Original/Biaxial cut key	KYC 74563K XX 99	\$51.31
6 pin Original/Biaxial cut key	KYC 74663K XX 99	\$51.31

Stamping is required on all restricted keyblanks.

#### Keys with Hybrid 16k Bit Heads – 13.56 MHz iCLASS

Description	Part Number	Price
Original/Biaxial heads only	EA-300088-01-EL	\$42.00
Medeco <sup>3</sup> /Medeco X4 heads only	EA-300089-01-EL	\$42.00
Original/Biaxial dimpled blade	KYB 74563N NM XX	\$46.12
Medeco X4/Medeco <sup>3</sup> dimpled blade	KYB 77663N NM XX	\$46.12
5 pin Medeco³ key blank	KYB 35563J XX 99	\$46.12
6 pin Medeco³ key blank	KYB 35663J XX 99	\$61.72
5 pin Original/Biaxial key blank	KYB 74563J XX 99	\$61.72
6 pin Original/Biaxial key blank	KYB 74663J XX 99	\$46.12
5 pin Medeco <sup>3</sup> cut key	KYC 35563J XX 99	\$61.72
6 pin Medeco <sup>3</sup> cut key	KYC 35663J XX 99	\$61.72
5 pin Original/Biaxial cut key	KYC 74563J XX 99	\$61.72
6 pin Original/Biaxial cut key	KYC 74663J XX 99	\$61.72

Stamping is required on all restricted keyblanks.

## Hybrid Dummy heads only

Description	Part Number	Price
Original/Biaxial (25 pack)	CP-286531-25-EL	\$68.90
Medeco X4/Medeco <sup>3</sup> (25 pack)	CP-286541-25-EL	\$68.90

Description	Part Number	Price
5 pin Medeco <sup>3</sup>	KYB 355640 XX 99	\$12.30
6 pin Medeco <sup>3</sup>	KYB 356640 XX 99	\$12.30
5 pin Original/Biaxial	KYB 745640 XX 99	\$12.30
6 pin Original/Biaxial	KYB 746640 XX 99	\$12.30
6 pin Medeco KM	KYB 776640 XX 99	\$11.80
7 pin Medeco KM	KYB 777640 XX 99	\$11.80
6 pin Medeco X4 key blank	KYB 776940 XXX 99	\$11.80
7 pin Medeco X4 key blank	KYB 777940 XXX 99	\$11.80

Stamping is required on all restricted key blanks.

#### Hybrid Dummy heads with cut keys

Description	Part Number	Price
5 pin Medeco <sup>3</sup>	KYC 355640 XX 99	\$27.90
6 pin Medeco <sup>3</sup>	KYC 356640 XX 99	\$26.40
5 pin Original/Biaxial	KYC 745640 XX 99	\$27.90
6 pin Original/Biaxial	KYC 746640 XX 99	\$27.90
6 pin Medeco KM	KYC 776640 XX 99	\$25.70
7 pin Medeco KM	KYC 777640 XX 99	\$25.70
6 pin Medeco X4 cut key	KYC 776940 XXX 99	\$25.70
7 pin Medeco X4 cut key	KYC 777940 XXX 99	\$25.70

#### Hybrid Blades only, no heads, key blanks

Description	Part Number	Price
5 pin Medeco <sup>3</sup>	KYB 355600 XX 99	\$10.80
6 pin Medeco <sup>3</sup>	KYB 356600 XX 99	\$10.80
5 pin Original/Biaxial	KYB 745600 XX 99	\$10.80
6 pin Original/Biaxial	KYB 746600 XX 99	\$10.80
6 pin Medeco KM	KYB 776600 XX 99	\$10.30
7 pin Medeco KM	KYB 777600 XX 99	\$10.30
6 pin Medeco X4 key blank	KYB 776900 XXX 99	\$10.30
7 pin Medeco X4 key blank	KYB 777900 XXX 99	\$11.80

Stamping is required on all restricted key blanks.

#### Hybrid Blades only, no heads, cut keys

Description	Part Number	Price
5 pin Medeco³	KYC 355600 XX 99	\$26.40
6 pin Medeco <sup>3</sup>	KYC 356600 XX 99	\$26.40
5 pin Original/Biaxial	KYC 745600 XX 99	\$26.40
6 pin Original/Biaxial	KYC 746600 XX 99	\$26.40
6 pin Medeco KM	KYC 776600 XX 99	\$24.20
7 pin Medeco KM	KYC 777600 XX 99	\$24.20
6 pin Medeco X4 cut key	KYC 776900 XXX 99	\$24.20
7 pin Medeco X4 cut key	KYC 777900 XXX 99	\$24.20

#### Medeco 4/Medeco<sup>3</sup>/Biaxial Door Hardware Pin Kits

Description	Part Number	Price
Medeco 4 Side Pin Kit. 30 each of Bottom and Master Pins and 100 Springs.	KH-5701	\$570.00
Medeco 4 Distributor Pin Kit. 100 each of 0-3 Combination Pins.	KH-5702	\$1,022.00
Medeco Biaxial 10 through 50 Series broached and milled pin combination (Door Hardware), Large Metal Box, 30 Each of Bottom, Master, Top Pins	.KW5005	\$1,129.00
Medeco Biaxial 10 Through 50 Series (Door Hardware), Large Metal Box, 100 Each of Bottom, Master, & Top Pins	.KW5006	\$2,465.00
Medeco Biaxial 10 Through 50 Series (Door Hardware), Small Metal Box, 10 Each of Bottom, Master & Top Pins	.KW5007	\$848.00
Medeco Biaxial Pin Kit with 30 ea. 53 Series (broached) Pins for Biaxial Cylinders with Sidebars Manufactured Prior to 2/2003	.KW5011	\$1,129.00
Medeco Biaxial Pin Kit with 100 ea. 53 Series (broached) Pins for Biaxial Cylinders with Sidebars Manufactured Prior to 2/2003	.KW5012	\$2,465.00
Medeco Biaxial Pin Kit for 32 Series LFIC Cylinders. 4, 5, and 6 Pins Only with 50 each 53 Series Pins	.KW5010	\$561.00
Medeco Biaxial/Medeco <sup>3</sup> Pin Kit for Medeco <sup>3</sup> CLIQ	.KW5401	\$851.00

#### Medeco<sup>3</sup>/Biaxial Cam and Switch Lock Pin Kits

Description	Part Number	Price
Medeco Biaxial 60 Series (Cam & Switch locks), 100 Each of Bottom Pins (Top Pins Not Used)	.K-9001	\$1,554.00
Medeco Biaxial 60 Series (Cam & Switch Locks), Small Metal Box, 10 Each of Bottom Pins (Top Pins Not Used)	.KW9003	\$497.00

#### Medeco<sup>3</sup> BiLevel Pin Kits

Description	Part Number	Price
Medeco <sup>3</sup> BiLevel Pin Kit (100 ea. BiLevel Top & Bottom Pins)	.KJ1501	\$988.00

#### Medeco KM and X4 Pin Kits (Available in USA and Canada)

Description	Part Number	Price
Medeco KM and X4 Pin Kit for SFIC; Large Wood Kit, 100 Each Bottom and Master/Top Pins. Springs, Caps, Spring Covers, Set Screws, Pinning Fixture, Capping Punch, Pin Ejector and Key Gauge Included.	.K-4001	\$1,315.00
Medeco KM and X4 mini Pin Kit for SFIC; Small Metal Pin Kit, 30 Each Bottom Pins, 60 Each Master/Top Pins. Springs, Caps, and Spring Covers included.	.K-4002	\$321.00
Medeco X4 Pin Kit for Conventional Cylinders (.511 plug), not SFIC; 100 Each Bottom and Master/Top Pins. Springs, Spring Covers, Set Screws, and Key Gauge included.	.K-4006	\$955.00

#### Medeco KM and X4 Pin Kits (Available in Canada Only)

Description	Part Number	Price
Medeco KM Pin Kit; (Classic Only) Large Wooden Pin Kit, 100 Each Bottom, Master & Top Pins. Spring, Caps, Spring Covers, Set Screws, Pinning Fixture, Capping Punch, Pin Ejector & Key Gauge also included	K-4003	\$1,356.00
Medeco KM Mini Pin Kit; (Classic Only) Small Metal Pin Kit, 30 Bottom Pins, 60 Each of Master & Top Pins, Springs, Caps, Spring Covers, & Set Screws also included.	K-4004	\$329.00
Constant Endew (and ElC Disaria - Dava incomenta		

Contact Factory for LFIC Pinning Requirements.

# Medeco Original Door Hardware Pin Kits

Description	Part Number	Price
Medeco Original Door Hardware Pins, Full Step, Metal Box, 30 Ea. of Bottom & Top Pins	.K-1001	\$511.00
Medeco Original Door Hardware Pins, Full Step, Metal Box, 100 Ea. of Bottom & Top Pins	.K-1002	\$1,494.00
Medeco Original Door Hardware Pins, Full Step, Plastic Box, 100 Ea. of Master Pins #1 - #5 Only	.K-1003	\$110.00
Medeco Original Door Hardware Pins, Small Metal Box, 10 Ea. of Bottom, Master, & Top Pins	.K-1005	\$509.00
Medeco Original Door Hardware Pins, 1/2 Step, Large Metal Box, 100 Ea. of Bottom, Master & Top Pins	.K-1006	\$2,473.00

## Medeco Original Cam & Switch Lock Pin Kits

Description	Part Number	Price
Medeco Original Cam & Switch Type Pins, Full Step,		
Plastic Box, 100 Ea. of Bottom Pins (Top Pins		
Not Used)	.K-6001	\$1,239.00
Medeco Original Cam & Switch Style Pins, Full Step,		
Plastic Box, 100 Ea. of Master Pins (Top Pins Not		
Used)	.K-6002	\$1,447.00

## Pins (Sold in bags of 100)

Description	Part Number	Price
Medeco 4 Side Combination pin, 1-3, (qty of 10 per pack)	TP-F57-X	\$2.23
Medeco 4 Side Master Pin, 4-5, (qty of 10 per pack)	TP-F57-X	\$2.23
Medeco 4 Side Lift Pin, 0, (qty of 10 per pack)	TP-F57-0	\$2.23
Medeco Original Bottom Pins (.030" increment)	TP-F10-XX	\$1.36
Medeco Original Master Wafers (.030" increment)	TP-F10-XW	\$0.50
Mushroom driver	TP-F10-3M	\$0.87
Standard Driver	TP-F10-XT	\$0.52
Medeco <sup>3</sup> /Biaxial Bottom Pins (.025" increment)	TP-F50-XX	\$1.36
Medeco <sup>3</sup> /Biaxial Master Wafers (.025 increment)	TP-F50-XW	\$0.50
Original 60 Series Pins	TP-F60-XX	\$1.36
Medeco <sup>3</sup> /Biaxial 60 Series Pins (.025 increment)	TP-F90-XX	\$1.36
Medeco KM and X4 Bottom Pins, #0B-9B (qty of 100 pack) Note: Medeco X4 SFIC only	ТР-К40-ХХ-ВН	\$14.20
Medeco KM and X4 Top Pins #02-19T (qty of 100 in pack)	TP-K40-XX-TH	\$12.80
Medeco X4 Bottom Pins for Conventional Cylinders #00-09 (qty of 100 in pack)	ТР-К43-ХХ-ВН	\$20.70
Medeco BiLevel Top Pins	TP-F15-XT	\$0.51
Medeco BiLevel Bottom Pins (.025 increment)	TP-F15-XB	\$0.65
Medeco <sup>3</sup> /Medeco Biaxial Broached Bottom Pins (.025" increment)	TP-F53-XX	\$1.36
KM Offset Top Pin	TP-K42-Z9	\$1.36

## Caps (Sold in bags of 100)

Description	Part Number	Price
Medeco X4 I/C Pin Spring Caps (Stamped) (for rekeying)	CP-170430	\$6.75
Medeco X4 I/C Pin Spring Caps (Machined) (for new cylinder)	CP-170440	\$6.75
Spring Covers for Medeco LFIC, Corbin (7 pin) LFIC, and Yale LFIC (6 and 7 pin), Brass, 1.010" Length	CP-170011	\$0.63
5 Pin Spring Covers for Medeco 32 Series I/C, Cam and Switch Lock Plugs, Brass,. 840" Length	CP-170021	\$0.44
3 Pin Spring Covers for Cam and Switch Lock Plugs, Brass, .500" Length	CP-170031	\$0.63
4 Pin Spring Covers for Cam and Switch Lock Plugs, Brass, .670" Length	CP-170041	\$0.63
6 Pin Spring Covers for Medeco and Medeco X4 20 Series Key-in-Knob Cyls (Old Style), Schlage LFIC, Stainless Steel, .980" Length	CP-170051	\$0.63
5 Pin Spring Covers for Medeco 20 Series Key-in- Knob Cyls (Old Style), Stainless Steel, .810" Length	CP-170061	\$0.63
6 Pin Spring Covers for Medeco <sup>3</sup> 32*0202 Removable Cylinder for 50 Series Brass Body Padlocks, Brass, 1.010" Length (Notch in cover for steel ball bearing retainer)	CP-170271	\$0.63
6 Pin Spring Covers for Medeco & Medeco X4 20 Series Key-in-Knob Cylinders & Medeco X4 Schlage Style LFIC	CP-170730-6	\$0.71
5 Pin Spring Covers for Medeco 20 Series Key-in- Knob Cylinders	CP-170730-5	\$0.71
6 Pin Spring Cover for Corbin and Sargent LFIC	CP-170481	\$0.63

# Springs (Sold in bags of 100)

Description	Part Number	Price
Tumbler Springs, 10 Series Door Hardware	CP-030001	\$0.11
Tumbler Springs, 60 Series Cam & Switch Locks	CP-030017	\$0.11
Sidebar Springs	CP-030018	\$0.11
Tumbler Springs, 32 Series (stainless steel)	CP-030042	\$0.12
Medeco <sup>3</sup> Slider Springs	CP-030910	\$0.12
Medeco X4 Springs (Bag of 300)	CP-030590	\$21.70
Medeco 4 Side Pin Springs	CP-031560	\$0.12

## Screws (Sold in bags of 100)

Description	Part Number	Price
#2-56 x 3/16" Flat Head Cam Screw for 10-0100 Cylinder	CP-010203-030	\$0.27
#2-56 x 1/4" Flat Head Screw for 32 Series I/C Housing	CP-010103-040	\$0.73
#2-56 x 5/16" Flat Head Phillips, Nylon Patch Cam Screw for Mortise Cylinders	CP-010203-050	\$0.27
#2-56 x 1/4" Pan Head Screw for 20-0901 and Other Lazy Motion Retainers	CP-010503-040	\$0.40
#8-32 x 1/8" Allen Set Screw Cone for Pin Chambers (10 Series Rim & Mortise)	CP-011013-020	\$0.33
#8-32 x 1/4" Allen Set Screw Cone for Pin Chambers (23 Series Profile Cylinders)	CP-011013-040	\$0.46
Set Screw for non-I/C Medeco X4 Rim & Mortise Cylinders	CP-011011-020	\$0.28

#### **Misc.** Components

Description	Part Number	Price
Medeco 4 Sidebar - 5 pin	CP-0845A0	\$11.10
Medeco 4 Sidebar - 6 pin	CP-0846A0	\$11.10
5 Pin Sidebar Assembly .123" for Door Hardware Cylinders	CP-084571	\$9.04
6 Pin Sidebar Assembly .123" for Door Hardware Cylinders	CP-084671	\$9.04
Medeco <sup>3</sup> Slider and Spring Package	94-0174-XX	\$15.00
Medeco X4 Conventional Slider and Spring Package	94-0255-XX	\$15.00
Medeco X4 SFIC Slider and Spring Package	94-0256-XX	\$15.00
Medeco X4 Conventional Locking Pin	CP-064231	\$5.13
Medeco X4 Conventional Locking Pin Spring (Pack of 100)	CP-031170	\$0.39
Medeco X4 SFIC Locking Pin	CP-064701	\$5.13
Medeco X4 SFIC Locking Pin Spring (Pack of 100)	CP-031480	\$0.39

#### Cam & Tailpiece Kit

Description	Part Number	Price
10 and 20 Series Tailpieces (Plastic Box,		
Assorted Cams and Tailpieces for 10 & 20 Series) Includes: CT-Y02, CT-Y08, CT-Y24, CTY32,		
CT-Y49, CT-Y52, CT-Y53, CT-Z00, CT-Z01,		
CT-Z02, CT-Z04, CT-Z06, CT-Z07, CT-Z08, CTZ09,		
CT-Z16	.K-1099	\$685.00
Empty Pin Boxes - Any Technology		
Description	Part Number	Price
Large Latched Metal Pin Box (Empty) 60 Assorted Size		
Compartments. Overall Measurements 1.875" Deep,		
13.56" wide, 9.75 front to back.	CP-282460	\$275.00
Small Latched Metal Pin Box (Empty) 67 Assorted Size		
Compartments, Overall .688" Deep, 8.876" Wide, 5.875"		
Front to Back	CP-282470	\$165.00

#### Pin Hole Covers for 60 Series (sold in bags of 100)

Description	Part Number	Price
5 Pin, Pin Hole Covers-Brass	CP-170021	\$0.44
4 Pin, Pin Hole Covers-Brass	CP-170041	\$0.63
3 Pin, Pin Hole Covers-Brass	CP-170031	\$0.63

# 212 Tools & Fixtures

cription		Part Number	Price
	Spanner Wrench for Rim Cylinder Tailpiece Nut	90-0001	\$4.10
7.7. <u></u>	Medeco 4/Universal Key Gauge/Decoder	94-0323	\$40.50
	Installation Tool for Key-in-Knob capping	94-0207	\$2.24 (NET)
þ	5 Pin Staking Tool, 60 Series Cam/ Switch Locks and 32 Series LFIC	CP-282430	\$152.00
	Holding Block Assembly (use with 10, 20, 32, & 60 Series Cylinders)	CP-282451	\$1,100.00
	Switch Lock Tool (Facilitates spring insertion on momentary function)	T-7155	\$33.80
Ö	Medeco X4 I/C Pinning Block (6 or 7 Pin)	CP-282500	\$229.00
ea	= Medeco X4 I/C Pin Ejector	CP-282530	\$56.10
	Medeco X4 I/C Hand Capping Punch	CP-282540	\$36.30
	Medeco X4 Key Decoder	CP-286350	\$41.50
	Sargent LFIC (X4 and M3 cores primarily for pre 2008 housings) Shear tool	CP-286851	\$293.00 (NET)
	Corbin (For M3 cores) LFIC Shear tool	CP-287371	\$293.00 (NET)
ubricants			
escription		Part Number	Price
uid Film Spray (2	2.25oz.)	PX-KYLUBE-02	\$21.90
uid Film Spray (1	17507)	PX-KYLUBE-11	\$34.90

### **Key Machines**

Description	Part Number	Price
Key Machine, Original, 115V	95-M11000	\$15,662.00
Key Machine, Biaxial, 115V	95-M23000	\$15,662.00
Key Machine, Universal, 115V	95-M34000	\$16,668.00
Key Machine, KM, 115V	95-M45000	\$15,662.00
Key Machine, Medeco X4, 115V	95-M55000	\$15,662.00
Key Machine, Medeco X4 A2/A4, 115V	95-M56000	\$16,220.00
Medeco KM Key Punch Machine	95-000200	\$4,264.00
Medeco X4 Key Punch Machine	95-001100	\$4,264.00

Power Key Machines are also available in 220V versions. Ask your customer service representative for details. Note: Key Machines do not include keyway specific clamps. Must order from clamps shown below.

#### **Key Machine Parts**

Description	Part Number	Price
ITL 9700 M4 Insert - For M4 key cutting on the ITL 9700 and 9700A key machines	94-0326	\$268.00
Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Medeco 4	95-210100-MED4	\$1,602.00
Clamp Retrofit Kit (Clamp, Handle, Plunger) - Medeco 4	95-210130-MED4	\$1,574.00
Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Medeco <sup>3</sup>	95-210100-MED3	\$1,602.00
Clamp Retrofit Kit (Clamp, Handle, Plunger) - Medeco <sup>3</sup>	95-210130-MED3	\$1,574.00
Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Universal (Selected Biax)	95-210100-UNIV	\$894.00
Clamp Retrofit Kit (Clamp, Handle, Plunger) - Universal (Selected Biax)	95-210130-UNIV	\$803.00
Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Orig. and Biax. keyways	95-210100-XX	\$894.00
Clamp Retrofit Kit (Clamp, Handle, Plunger) - Orig. and Biax. keyways	95-210130-XX	\$803.00

#### **Key Machine Cutters**

Description	Part Number	Price
Cutter for all High Security technologies	95-100400	\$634.00
Cutter for Medeco X4 key machine	95-100070	\$634.00
Re-Sharpened Cutter – Must provide cutter for re-sharpening exchange	KM-SHARP-CUT	\$240.00

Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
12286		3307331		042-35		1014501 (P)	7
12288		3307350		100100 (P)		1014501 (S)	
13327		5004732		100100 (S)		1014502 (P)	
13346		5004734		100101 (P)		1014502 (S)	
13365		5004832		100101 (S)		1014503 (P)	
13375		5004834		100200		1014503 (S)	
200503		5005511		100200 (P)		1014504 (P)	
200901		5005521		100200 (S)		1014504 (S)	
200901		5005531		100200A (P)		1014505 (P)	
200902		5005541		100200A(S)		1014505 (S)	
200902		5005711		100202 (P)		1014506 (P)	
200904		5005721		100202 (S)		1014506 (S)	
310100		5005731		100202 (S)		1014507 (P)	
320201		5005741		100300H (S)		1014507 (S)	
320201		6270515		100300V (P)		1014508 (P)	
322201		6271515		100300V (S)		1014508 (S)	
490435		50047321		100305H (P)		1014508 (3)	
490435		50047321		• •			
				100305H (S)		1014600 (S)	
490436		50048321		100305V (P)		1014601 (P)	
490436		50048341		100305V(S)		1014601 (S)	
500020		50762011		100400H		1014602 (P)	
510600		50762014		100400H (P)		1014602 (S)	
510800		50762111		100400H (S)		1014603 (P)	
526000		50762114		100400H C		1014603 (S)	
526002		50772011		100400H G		1014604 (P)	
526010		50772014		100400V	45	1014604 (S)	7
526012	180	50772111		100400V (P)	78	1014605 (P)	7
526100	180	50772114		100400V(S)		1014605 (S)	7
526102	180	52110040		100400V C		1014607 (P)	7
526110		52111040		100400V G		1014607 (S)	7
526112		52120040		100403H		1014608 (P)	
526200		52121040		100403H(S)		1014608(S)	
526202		.K-1001		100403H C		10400 CUT J	
526210		.K-1002		100403V		10400 CUT T	
526212		.K-1002		100403V (P)		104001 (P)	
526300		.K-1005		100403V (S)		104001 (S)	
526302		.K-1005		100403V C		104207 (P)	
526310		.K-1099		1004030 C		104207 (1)	
526312		.K-4001		100500 (P)		104207 (3)	
650003		.K-4001		100500 (P)			
				100500 (S)		104207A(S)	
940010		.K-4003				104407HA (P)	
940174		.K-4004		100500 G		104407HA(S)	
940210		.K-4006		100500H (P)		105100	
940219		.K-6001		100500H (S)		105100 (P)	
940227		.K-6002		100501 (P)		105100 (S)	
940243		.K-9001		100501 (S)		105100 C	5
940261		.KJ1501	208	100600 (P)	78	105100 G	
940264	43	.KW5005		100600(S)	78	105104 (P)	7
940279	142	.KW5006	208	100602 (P)	97	105104(S)	7
1202800	158	.KW5007		100602 (S)		105200	4
1202800		.KW5010		100700	45	105200 (P)	7
1202900		.KW5011		100700 (P)		105200 (S)	
1202900		.KW5012		100700 (S)		105200 C	
1236200		.KW5401		100700 C		105300 (P)	
1243400		.KW5401		100702 (P)		105300 (S)	
2020000		.KW5401		100702 (S)		105400	
2020000		.KW9003		100903 (P)		105400 (P)	
				• •			
2020052		004-01		100903 (S)		105400 (S)	
2020073		004-02		100909 (P)		105400 C	
2020074		032-31		100909 (S)		105500 (P)	
2020078		032-33		1012040 (P)		105500 (S)	
2020097		032-35		1012040 (S)		105500 C	
2020173		032-37		101350 (P)		105600 (P)	
2021173		040-30		101350 (S)		105600 (S)	
2080147		040-31		101355 (P)	78	105700 (P)	
2080148	47	042-30	122	101355 (S)	78	105700(S)	7
		042-32		1014500 (P)		105700 C	

105800 (S)	73           73           73           73           73           73           73           94           94           94           94           94           96           94           94	11C31X (S)         11C32L (P)         11C32L (S)         11C32X (P)         11C32X (P)         11C34X (P)         11C39X (P)         11C39X (P)         11C39X (S)         11C39X (S)         11C42X         11C601         11C602         11C602 C         11C603 C         11C604		11C84X (S) 11C89X (P) 11C89X (S) 11C90X (P) 11C90X (S) 11C91X (P) 11C91X (S) 11C92X (P) 11C92X (S) 11C94X (P) 11C94X (S) 11R503 (P) 11R504 (P) 11R504 (S)		12020006 W 1202100 T 12021002 12021006 W 1203000 T 12030006 W 12126002 12126156 W 1212633 T 1238900 J 1239100 J 1251200 J	
105900 (S)	73           73           73           73           73           94           94           94           94           96           94           94	11C32L (S)         11C32X (P)         11C32X (S)         11C34X (P)         11C34X (S)         11C39X (P)         11C39X (S)         11C39X (S)         11C40X         11C40X         11C601         11C602         11C602         11C603         11C603         11C604		11C89X (S)         11C90X (P)         11C90X (S)         11C91X (P)         11C91X (S)         11C92X (P)         11C92X (S)         11C94X (P)         11C94X (S)         11C94X (S)         11R503 (P)         11R504 (P)		12021002 12021006 W 1203000 T 12030002 12030006 W 12126002 12126156 W 1212633 T 1238900 J 1239000 J 1239100 J	
105901 (P)	73 73 73 94 94 94 94 96 	11C32X (P)         11C32X (S)         11C34X (P)         11C34X (S)         11C39X (P)         11C39X (S)         11C40X         11C40X         11C601         11C602         11C602         11C603         11C603         11C604		11C90X (P) 11C90X (S) 11C91X (P) 11C91X (S) 11C92X (P) 11C92X (S) 11C92X (S) 11C94X (P) 11C94X (S) 11R503 (P) 11R503 (S) 11R504 (P) 11R504 (S)		12021006 W 1203000 T 12030002 12030006 W 12126002 12126156 W 1212633 T 1238900 J 1239000 J 1239100 J	75 79 79 98 98 98 98 98 79 79 75 75
105901 (S)	73 73 94 94 94 94 96	11C32X (S)         11C34X (P)         11C34X (S)         11C39X (P)         11C39X (S)         11C40X         11C40X         11C601         11C602         11C602 C         11C603 C         11C604 C		11C90X (S) 11C91X (P) 11C91X (S) 11C92X (P) 11C92X (S) 11C94X (P) 11C94X (S) 11R503 (P) 11R503 (S) 11R504 (P) 11R504 (S)		1203000 T 12030002 12030006 W 12126002 12126156 W 1212633 T 1238900 J 1239000 J 1239100 J	
105904 (P)         105904 (S)         1065140 (P)         1065140 (P)         1065140 (S)         1065140 (S)         1065140 (S)         1065154 (P)         1065154 (S)         1065244 (P)         1065244 (S)         1065254 (S)         1065254 (S)         1066154 (P)         1066254 (P)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (S)         110A01 (S)         110A02 (S)         110A03 (S)         110A03 (S)         110A04 (P)         110A04 (S)	73 73 94 94 94 96	11C34X (P) 11C34X (S) 11C39X (P) 11C39X (S) 11C40X 11C40X 11C601 11C601 C 11C602 C 11C603 11C603 11C604		11C91X (P) 11C91X (S) 11C92X (P) 11C92X (S) 11C94X (P) 11C94X (S) 11R503 (P) 11R503 (S) 11R504 (P) 11R504 (S)		12030002 12030006 W 12126002 12126156 W 1212633 T 1238900 J 1239000 J	
105904 (S)	73 94 94 94 96 96 96 96 96 96 96 96 96 96 96 96 94 94 94	11C34X (S) 11C39X (P) 11C39X (S) 11C40X 11C40X 11C601 11C601 C 11C602 C 11C603 11C603 11C604		11C91X (S) 11C92X (P) 11C92X (S) 11C94X (P) 11C94X (S) 11R503 (P) 11R503 (S) 11R504 (P) 11R504 (S)		12030006 W 12126002 12126156 W 1212633 T 1238900 J 1239000 J 1239100 J	
1065140 (P)         1065140 (P)         1065140 (S)         1065140 (S)         1065154 (P)         1065154 (S)         1065244 (P)         1065244 (S)         1065254 (P)         1065254 (S)         1066154 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         11-0018         11-0092         110A00 (P)         110A01 (P)         110A02 (S)         110A03 (S)         110A03 (S)         110A04 (P)         110A04 (S)		11C39X (P) 11C39X (S) 11C40X 11C40X 11C601 11C601 C 11C602 C 11C602 C 11C603 C 11C603 C 11C604 C		11C92X (P) 11C92X (S) 11C94X (P) 11C94X (S) 11R503 (P) 11R503 (S) 11R503 (S) 11R504 (P) 11R504 (S)	157 157 157 157 162 	12126002 12126156 W 1212633 T 1238900 J 1239000 J 1239100 J	
1065140 (P)         1065140 (S)         1065140 (S)         1065154 (P)         1065154 (S)         1065244 (P)         1065244 (P)         1065254 (S)         1065254 (S)         1065254 (S)         1066154 (S)         1066254 (P)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A01 (S)         110A02 (S)         110A03 (S)         110A03 (S)         110A04 (P)		11C39X (5) 11C40X 11C42X 11C601 11C602 11C602 C 11C603 11C603 11C604		11C92X (S) 11C94X (P) 11C94X (S) 11R503 (P) 11R503 (S) 11R504 (P) 11R504 (S)	157 157 157 162 162	12126156 W 1212633 T 1238900 J 1239000 J 1239100 J	
1065140 (S)         1065154 (P)         1065154 (S)         1065244 (P)         1065244 (S)         1065254 (P)         1065254 (S)         1065254 (S)         1066154 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A00 (S)         110A01 (S)         110A02 (S)         110A03 (S)         110A03 (S)         110A04 (P)         110A04 (S)	94 96 94 96 96 96 96 96 96 96 96 94 94 94	11C40X 11C42X 11C601 11C601 C 11C602 11C602 C 11C603 C 11C603 C 11C604 C		11C94X (P) 11C94X (S) 11R503 (P) 11R503 (S) 11R504 (P) 11R504 (S)	157 157 162 162	1238900 J 1239000 J 1239100 J	79 75 75
1065154 (P)         1065154 (S)         1065244 (P)         1065244 (S)         1065254 (P)         1065254 (S)         1066154 (P)         1066254 (P)         1066254 (P)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A00 (S)         110A01 (S)         110A02 (S)         110A03 (S)         110A04 (P)         110A04 (S)	96 94 94 96 96 96 96 96 96 96 96 94 94 94	11C601 11C601 C 11C602 11C602 C 11C603 11C603 C 11C604 11C604 C		11R503 (P) 11R503 (S) 11R504 (P) 11R504 (S)	162 162	1239000 J 1239100 J	75 75
1065154 (S)         1065244 (P)         1065244 (S)         1065254 (P)         1065254 (S)         1066154 (P)         1066254 (S)         1066254 (P)         1066254 (S)         1066254 (S)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A00 (S)         110A01 (S)         110A02 (S)         110A03 (S)         110A04 (P)         110A04 (S)	96 94 96 96 96 96 96 96 96 96 94 94	11C601 C 11C602 11C602 C 11C603 11C603 C 11C604 11C604 C		11R503 (S) 11R504 (P) 11R504 (S)	162	1239100 j	75
1065244 (P)         1065244 (S)         1065254 (P)         1065254 (S)         1066154 (P)         1066254 (S)         1066254 (P)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A01 (S)         110A01 (S)         110A02 (S)         110A03 (S)         110A04 (P)         110A04 (S)	94 96 96 96 96 96 96 94 94 94	11C602 11C602 C 11C603 11C603 C 11C604 11C604 C		11R504 (P) 11R504 (S)			
1065244 (S)         1065254 (P)         1065254 (S)         1066154 (P)         1066154 (S)         1066254 (P)         1066254 (S)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A01 (S)         110A02 (S)         110A03 (S)         110A03 (S)         110A04 (P)         110A04 (S)	94 96 96 96 96 96 96 96 94 94 94 94	11C602 C 11C603 11C603 C 11C604 11C604 C	62 	11R504 (S)			
1065254 (P)         1065254 (S)         1066154 (P)         1066154 (S)         1066254 (P)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A01 (S)         110A02 (S)         110A03 (S)         110A03 (S)         110A04 (P)	96 96 96 96 96 96 96 96 94 94 94	11C603 11C603 C 11C604 11C604 C		• •		1251300	
1065254 (S)         1066154 (P)         1066154 (S)         1066254 (P)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A01 (S)         110A01 (S)         110A02 (S)         110A03 (S)         110A03 (S)         110A04 (P)	96 96 96 96 96 96 96 94 94 94 94	11C603 C 11C604 11C604 C	62	11R523 (P)		2000400 (P)	
1066154 (P)         1066154 (S)         1066254 (P)         1066254 (S)         1075127 (P)         1075127 (S)         10M1350         11-0018         11-0092         110A00 (P)         110A01 (S)         110A01 (S)         110A02 (P)         110A03 (P)         110A03 (S)         110A04 (P)         110A04 (S)	96 96 96 96 94 94 94	11C604 C		11R523 (S)		2000400 (S)	
10662S4 (P)	96 96 94 94 46			11R524 (P)		2000700 (P)	
1066254 (S) 1075127 (P) 1075127 (S) 10M1350 11-0018 11-0092 110A00 (P) 110A00 (S) 110A01 (S) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P)	96 94 94 46			11R524(S)		2000700(S)	
1075127 (P) 1075127 (S) 10M1350 11-0018 11-0092 110A00 (P) 110A00 (S) 110A01 (P) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)	94 94 46	11C605		11R533 (P)		2000800 (P)	
1075127 (S) 10M1350 11-0018 11-0092 110A00 (P) 110A00 (S) 110A01 (S) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (S) 110A03 (S) 110A04 (P) 110A04 (S)	94 46	11C605 C		11R533 (S)		2000800 (S)	
10M1350 11-0018 11-0092 110A00 (P) 110A00 (S) 110A01 (P) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)	46	11C606 11C606 C		11R534 (P) 11R534 (S)		2000827 (P)	
11-0018 11-0092 110A00 (P) 110A00 (S) 110A01 (P) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)		11C60L		11R554 (3)		2000827 (P) 2000827 (S)	
11-0092 110A00 (P) 110A00 (S) 110A01 (P) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)	159	11C60L(P)		11R5DL		2000827 (S)	
110A00 (S) 110A01 (P) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)		11C60L(S)		11R601		20008S4 (P)	
110A01 (P) 110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)	158	11C60L C	62	11R601 C		20008S4 (S)	96
110A01 (S) 110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)		11C60X (P)		11R602		2000900 (P)	
110A02 (P) 110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)		11C60X(S)		11R602 C		2000900 (S)	
110A02 (S) 110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)		11C61L(P)		11R603		20009S4	
110A03 (P) 110A03 (S) 110A04 (P) 110A04 (S)		11C61L(S) 11C61X(P)		11R603 (P) 11R603 (S)		2000954 (P) 2000954 (P)	
110A03 (S) 110A04 (P) 110A04 (S)		11C61X (P)		11R603 (3)		2000954 (P)	
110A04 (P) 110A04 (S)		11C61X(S)		11R604		2000954 (S)	
		11C61X(S)		11R604 (P)		20009S4(S)	
110A05 (P)	158	11C621		11R604 (S)		20009S4(S)	
		11C621X (P)		11R604 C		2001200 (P)	
110A05 (S)		11C622		11R605		2001200 (S)	
110A06 (P) 110A06 (S)		11C623 11C624		11R605 C 11R606		2001300 (P) 2001300 (S)	
110A07 (P)		11C625		11R606 C		2001300 (3)	
110A07 (S)		11C626		11R60L		2001400 (S)	
110A08L		11C62L		11R60L C		200155 K	
110A09L	158	11C62L(P)		11R621		2001600 (P)	181
11-0A10		11C62L(S)		11R622		2001600(S)	
11-0A12		11C62X(S)		11R623		2001700 (P)	
11-0A14		11C63L(P)		11R623 (P)		2001700 (S)	
11-0A16 11-0A17		11C63L(S) 11C63LT(P)		11R623 (S) 11R624		2001851 (P) 2001851 (S)	
11-0A17		11C63LT (S)		11R624 (P)		2001831 (3)	
110A1911		11C63X (P)		11R624 (S)		200500 (S)	
110A1912	158	11C63X(S)		11R625		200503 (P)	
110A1913	158	11C63XT (P)	157	11R626	48	200503 (S)	93
110A1921		11C63XT(S)		11R62L		200503 C	
110A1922		11C64X (P)		11R633 (P)		200503 G	
110A1923		11C64X (S)		11R633 (S)		200700 (P)	
11-0A20 11-0A21		11C69X (P) 11C69X (S)		11R634 (P) 11R634 (S)		200700 (S) 200701 (P)	
11-0A22		11C70X		11R67L		200701 (S)	
11-0A23		11C71X		11R6DL		200801 (P)	
11C28X		11C72X		1200100 T		200801 (P)	
11C30L(P)		11C80X (P)		12001002		200801 (S)	
11C30L(S)		11C80X(S)		12001006 W		200801 (S)	
11C30X (P)		11C81X(P)		1200500 T		200802 (P)	
11C30X (S)		11C81X(S)		12005002		200802 (P)	
11C31L(P)		11C82X (P)		12005006 W 1202000 T		200802 (S)	
11C31L(S) 11C31X(P)		11C82X(S) 11C84X(P)				200802 (S)	

Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
200807 (S)		2020068 (P)		20200V0(S)		205003 (P)	
200808 (P)		2020068 (S)		20200V0 (S)		205003 (S)	
200808 (S)		2020070 (P)		20200V0 C		205004 (P)	
200901 (P)		2020070 (P)		20200V0 C		205004(S)	
200901 (P)		2020070 (S)		20200V0 G		205005 (P)	
200901 (S)		2020070 (S)		20200V1		205005 (S)	
200901 (S)		2020070 C		20200V1		205005 C	
200901 C		2020071 (P)		20200V1		205006 (P)	
200902 (P)		2020071 (P)		20200V1 (P)		205006 (S)	
200902 (P)		2020071 (S)		20200V1 (P)		205008 (P)	
200902(S)		2020071 (S)		20200V1 (P)		205008 (S)	
200902 (S)		2020072 (P)		20200V1 (P)		2051027 (P)	
200902 C		2020072 (S)		20200V1 (P)		2051027 (P)	
200903 (P)		2020073 (P)		20200V1 (P)		2051027 (S)	
200903 (P)		2020073 (P)		20200V1 (S)		2051027 (S)	
200903 (P)		2020073 (P)		20200V1 (S)		2051100 (P)	
200903 (P)		2020073 (P)		20200V1 (S)		2051100 (S)	
200903 (P)		2020073 (P)		20200V1 (S)		2051200 (P)	
200903 (S)		2020073 (S)		20200V1 (S)		2051200 (S)	
200903 (S)		2020073 (S)		20200V1 (S)		2051200 (P)	
200903 (S)		2020073 (S)		20200V1 (3)		2051500 (F)	
200903 (S)		2020073 (S)		20200V1 C		2051500 (3)	
200903 (S)		2020073 (S)		20200V1 C		2052000 (S)	
200909 (9) 200904 (P)		2020073 C		20200V1 G		206005 (P)	
200904 (S)		2020073 G		20200V1 G		206005 (P)	
200904 (3) 200904 C		2020073 G		20200V1 G		206005 (S)	
200907 (P)		2020073 (P)		20200V2 (P)		206005 (S)	
200907 (1) 200907 (S)		2020074(1)		20200V2 (1)		206100 (P)	
200907 (3) 201006 (P)		2020074 (3)		20200V2 (3)		206100 (P)	
201006 (S)		2020074 C		20200V2 C		206100 (F)	
201000 (3) 201006 G		2020078 (S)		20200V2 G		206100 (S)	
2011000 G 20110039 (P)		2020078 (3)		20200V3 (P)		200100 (3)	
20110039 (S)		2020078 C		20200V3 (S)		207001 (S)	
20110039 (3) 20112B1 G		2020097 (F)		20200V3 (3)		208005 (P)	
2020000 (P)		2020097 (3)		20200V9		208005 (P)	
2020000 (F) 2020000 (S)		2020097 G		20200V9 (P)		208005 (3)	
2020000 (3) 2020000 C		20200A1		• • •			
2020000 C 2020000 C		20200A1 (P)		20200V9 (S) 20200V9 C		208006 (S) 208007 (P)	
2020000 C 2020000 G		20200A1 (3)		20200V9 C		208007 (F)	
2020000 G		20200A1 C		20200V9 G		208007 (3)	
2020049 2020049 (P)		20200AT G		2020149 (P)		208008 (P)	
2020049 (P) 2020049 (P)		20200F1 (P)		2020149 (3)		208008 (3)	
2020049 (P)		20200F1 (S)		2020169 (S)		2080147 (S)	
2020049 (P)		20200F1 G		2020170 (P)		2080148 (P)	
2020049 (P)		20200H1 (P)		2020170 (S)		2080148 (S)	
2020049 (S)		20200H1 (P)		2020173 (P)		2080700 (P) 2080700 (P)	
2020049 (S)		20200H1 (S)		2020173 (S)		( )	
2020049 (S)		20200H1 (S)		2020249 (P)		2080700 (S)	
2020049 (S)		20200L1		2020249 (P)		2080700 (S)	
2020049 (S)		20200L1 (P)		2020249 (P)		210503 (P)	
2020049 C		20200L1 (S)		2020249 (P)		210503 (S)	
2020049 G		20200L1 C		2020249 (S)		2301016 (P)	
2020051 (P)		20200L1 G		2020249 (S)		2301016 (S)	
2020051 (P)		20200S1		2020249 (S)		23010168 (P)	
2020051 (S)		20200S1 (P)		2020249 (S)		23010168 (S)	
2020051 (S)		20200S1 (P)		2020249 C		2303016A (P)	
2020051 G		20200S1 (P)		2020249 C		2303015 G	
2020052 (P)		20200S1 (S)		2020349 (P)		2303015 G	
2020052 (P)		20200S1 (S)		2020349 (S)		2304005 (P)	
2020052 (S)		20200S1 (S)		2020575 (P)		2304005 (S)	
2020052 (S)		20200S1 C		2020575 (S)		2304006 (P)	
2020052 C		20200S1 G		2020777 (P)		2304006 (S)	
2020053 (P)		20200V0		2020777 (S)		2304015 (P)	
2020053 (S)		20200V0		2021173 C		2304015(S)	
2020054 (P)		20200V0 (P)		20211730 (P)		2304016 (P)	
2020054 (S)		20200V0 (P)		20211730 (S)		2304016(S)	151
2020058 (P)		20200V0 (P)		203000 (P)		2304025 (P)	151
2020058 (S)		20200V0 (S)		203000 (S)		2304025 (S)	

230020 (P)         151         237070 (S)         151         2320401         125         2304031 (S)         100           230031 (G)         151         232016 (S)         151         2320513 (S)         125         2304073 (S)         110           230031 (G)         151         2320016 (S)         142         2366015         40         3204074 (S)         110           230011 (G)         151         2320016 (S)         142         2366015         40         320600 (S)         109           230011 (G)         151         232016 300         142         2366015         40         320600 (S)         109           230011 (G)         151         232016 300         142         310100 (C)         105         32007 (S)         109           230011 (G)         151         232016 301         142         310100 (C)         105         3200 (C)         107           230011 (G)         151         232017 301 N         142         310100 (C)         107         32120 (C)         107           231010 (C)         151         232017 301 N         142         310100 (C)         107         32120 (C)         107           231010 (C)         151         232017 (S)         100	Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
224422(5)         151         2370016 (P)         152         22244751         110           2365116 (P)         151         2320016 (S)         151         23265130         40         2326601 (P)         100           2305116 (C)         151         2320016 (S)         151         23265130         40         236600 (P)         100           2306116 (C)         151         2322015 300         142         2366015         40         236600 (P)         100           2306116 (S)         151         2322015 300         142         310100 (P)         153         230705 (S)         110           2306016 (P)         151         2322016 301 S         13         10100 (P)         153         23200 (S)         107           2306016 (S)         151         2322017 301 N         142         310100 AG         33         23200 (S)         107           2306016 (S)         151         2322017 301 N         142         310100 AG         33         23200 (S)         107           231001 (C)         151         2322017 301 N         142         310101 A(P)         107         23201 (S)         107           231001 (C)         151         2322017 300 C         143         310101 A(P)         107<	2304026 (P)		2317016(P)		2326D21		320405H (S)	
2405015(5)         151         2420015(5)         161         2466015         40         324601(7)         110           2406016(7)         151         2322015 300         142         23666015         40         320600(P)         109           2400016(5)         151         2322015 300         142         23666015         40         320600(P)         109           2400016(5)         151         2322015 300         142         310100(5)         105         320700(P)         109           2400016(5)         151         2322015 300 S         13         310100(C)         105         320700(P)         109           2400016(7)         151         2322017 300 N         142         310100(C)         105         321200(S)         107           2400016(7)         151         2322017 300 N         142         310101(C)         107         231201(S)         107           2310015(5)         151         2322017 300 N         142         310101(C)         107         231201(S)         107           2310015(S)         151         2322017 300 N         142         310101(C)         107         231201(S)         107           2310015(S)         151         2322017 300 N         143	2304026 (S)	151	2317016 (S)	151	2326H01	125	32-0475H	110
2205015 C         -143         2222015 500         -142         23660015         -03         3206001(6)         .109           2306016 (c)         -151         2322015 500         .142         310100 (c)         .105         32-6675         .110           2306016 (c)         -151         2322016 300 S         .511         310100 (c)         .105         32-6675         .110           2307015 (c)         .512         2322016 300 S         .511         310100 (c)         .105         32-6775         .110           2300016 (c)         .513         2322017 301 N         .142         310100 (c)         .105         321201 (c)         .105           2300016 (c)         .513         2322017 301 N         .142         310100 (c)         .107         212150 (c)         .105           2310010 (c)         .513         2322017 301 N         .142         310101 (c)         .107         212150 (c)         .107           231000 (c)         .131         2322017 301 N         .142         310101 (c)         .107         212150 (c)         .107           231000 (c)         .149         2322015 301 C         .143         310101 (c)         .107         21305 X00 (c)         .107           2313005 X00 (c)								
2206016(F)         151         2222015 301         142         226001         40         320001(S)         109           23070165(F)         151         2222015 300         142         310100(F)         105         320701(S)         109           23070165(F)         151         2222015 300         142         310100A(F)         105         320701(S)         109           23080166(F)         151         2222015 3015         151         310100A(F)         105         320701(F)         109           23080166(F)         151         2222015 3015         1310100(C)         35         21210(F)         107           2308016(F)         151         222017 301N         142         310100(C)         31210(F)         107           2308016(F)         151         2322017 301N         142         310101(F)         107         312121(F)         107           231805 X00(F)         149         2322015 301G         143         3101014(S)         107         312135(F)         108           231805 X00(F)         149         2322015 301G         143         3101044(F)         109         322201(F)         106           231805 X01(F)         2322015 301G         143         3101044(F)         109								
22000165().         151         2222016 300         -142         310100(P)         105         32.0770         110           23070165(S)         151         2222016 300 5         51         310100(S)         105         3207075         110           23070165(S)         151         222016 300 5         143         310100A         47         3207015(S)         110           2300166(S)         151         222016 310 5         143         310100A(S)         105         21200(S)         107           230016(C)         151         222017 310 N         142         310100A(S)         105         21201(S)         107           230016(C)         151         222017 300 N         142         310101(C)         107         21212(S)         107           2310015(C)         151         222017 300 N         142         310101(C)         107         21212(S)         107           2310015(C)         151         222017 300 N         143         310101(C)         107         21212(S)         107           2310015(C)         142         222017 300 C         143         310101(C)         107         21212(S)         108           2310015(C)         142         310011(C)         109							• •	
23070165 (S)         151         2322016 300 S         143         310100A         47         320701(S)         1109           23080166 (S)         151         2322016 301 S         51         310100A (C)         105         32200(P)         107           2308016 (S)         151         2322017 300 N         142         310100A (C)         105         321200(F)         107           2308016 (S)         151         2322017 300 N         142         310100C (B IR)         105         321201(F)         105           2310017 (C)         2322015 300 C         43         310101 (A)         107         23130 (L)         106         23130 (L)         108         232201 (P)         106           231300 K00 (P)         149         232201 S 10 (C         443         310104 (P)         109         22201 (P)         106           231301 S 800 (S)         150         232201 S 10 (C         443         310104 (P)         109         23201 (S)         106           231301 S 800 (S)         150         232201 S 20 (C         403         310104 (P)         109         23201 (S) <td>• •</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	• •							
22080166 (P)         151         222016 301         142         310100A (P)         165         322007         110           2309016 (S)         151         2322016 301 S         1310100A (C)         163         321200 (P)         107           2309016 (S)         151         2322017 301 N         142         310100A (C)         163         321201 (S)         105           2310016 (P)         151         2322017 300 N         142         310101 (P)         107         231301 (S)         107           231001 (S)         151         2322015 300 C         143         310101 (P)         107         231305 (S)         107           2313005 X00 (P)         149         2322015 301 C         443         310101 (P)         109         232201 (P)         106           2314016 X00 (P)         149         2322015 302 C         443         310102 (P)         109         23221 (P)         106           2314016 X00 (P)         150         2322015 302 C         443         310104 (P)         109         32241 (P)         106           2314016 X00 (P)         150         232202 S 302 C         43         31014 (P)         109         32241 (P)         106           2314016 X00 (P)         150         232202 S 3					• •			
22080166 (S)         151         2322016 301 S         51         310100A (S)         105         232200(P)         107           2309016 (S)         151         2322017 300 N         142         310100A (G)         35         232101(P)         105           2310016 (S)         151         2322017 300 N         142         3101010C (B)         107         231201 (P)         105           2310016 (S)         151         2322017 300 G         443         310101A (P)         107         231305 (N)         107           2313005 X00 (P)         149         2322015 300 G         443         310101A (P)         107         231305 (N)         107           2313005 X00 (P)         149         2322015 301 G         443         310102H (P)         199         232201 (P)         106           2313005 X00 (P)         149         2322015 301 G         443         310102H (P)         199         232201 (P)         106           2313015 X00 (P)         150         2322015 302 G         443         310102H (P)         199         232201 (P)         106           2313015 X00 (P)         150         232202 S 20 G         43         310104H (P)         199         22201 (P)         106           2313015 X00 (P)								
2309016 (P)         151         2322013 015         143         3101002 (R)         365         2320015 (S)         107           2310016 (P)         151         2322017 301 N         142         3101010 (P)         107         3212015 (P)         105           2310016 (P)         152         2322015 300 G         143         310101 (P)         107         321350 (P)         107           2313005 X00 (P)         149         2322015 300 G         143         310101X (P)         109         3222017 (P)         106           2313005 X00 (P)         149         2322015 301 G         143         310102X (P)         109         3222017 (P)         106           2313015 800 (P)         150         2322015 301 G         143         310102X (P)         109         322017 (P)         106           2313015 800 (P)         150         2322015 302 G         143         310104X (P)         19         32201 (P)         106           2313015 800 (P)         150         2322015 302 G         143         310104X (P)         19         32201 (P)         106           2313015 800 (P)         150         232205 302 G         143         310134X (P)         10         32201 (P)         106           231015 800 (P)	· · ·							
240016 (S)         151         2322017 300 N         142         310100CC B1K1         105         232101 (P)         105           2310016 (S)         151         2322017 300 G         40         310101 (S)         107         23130 (D)         12330 (P)         107           23130 (CT)         203         2322015 300 G         443         310101 (S)         107         231350 (P)         106           2313005 X00 (P)         149         2322015 301 G         443         310101 (S)         107         231350 (F)         106           2313005 X00 (P)         149         2322015 301 G         143         310102 (S)         109         232201 (F)         106           2313015 500 (P)         150         2322015 302 G         443         310104 (P)         199         232201 (F)         106           2313015 500 (P)         150         232205 302 G         443         310104 (P)         199         22201 (P)         106           2313015 500 (P)         150         232202 530 G         443         31013 (H) (P)         192         22201 (P)         106           2313015 500 (P)         150         232202 530 C         443         31-0153 (H)         110         22201 (P)         106           2313							• •	
2310016 (S)         15         23201 SU0 G         40         310101 (S)         107         21330 (P)         107           23130 CUT         23201 SU0 G         143         310101A (P)         107         321350 (S)         107           231300 SN0 (P)         149         23201 SU0 G         143         310101A (P)         109         322201 (S)         106           231300 SN0 (P)         149         23201 SU0 G         143         310102V(P)         109         322201 (S)         106           231300 SN0 (P)         150         23201 SU0 C         143         310102V(P)         109         32201 (P)         106           231301 S80 (P)         150         23201 SU0 C         143         310104V(P)         193         32201 (P)         106           231301 S80 (P)         150         23202 SU0 C         40         31014V(P)         193         22401 (P)         106           231301 S80 (P)         150         23202 SU0 C         40         31014SV(P)         103         22401 (P)         106           231301 S80 (P)         150         23202 SU0 C         40         31014SV(P)         103         22401 (P)         106           231301 S80 (P)         150         23200 SU0 C					310100CC BI R1	105	321201 (P)	105
213 00 Cu <sup>2</sup> 203         222015 300 G         143         31001 Å(P)         107         321305 (S)         107           213 000 SV00 (S)         149         232015 300 G         143         31001 Å(P)         109         32201 (P)         106           213 000 SV00 (S)         149         232015 301 G         143         31001 2V(P)         109         32201 (P)         106           213 005 SV00 (S)         149         232015 302 G         143         31001 2V(P)         109         32201 (P)         106           213 015 SV0 (P)         150         232015 302 G         143         31001 4V(P)         109         32201 (S)         106           213 015 SV0 (P)         150         232025 302 G         40         31014V(P)         109         32201 (S)         106           213 016 SV0 (S)         150         232025 302 G         40         31014V(S)         109         32201 (S)         106           213 016 SV0 (P)         150         232025 302 G         40         31014V(S)         109         32201 (S)         106           213 016 SV0 (P)         150         232005 300 G         41         31-4175         108         324201 (S)         106           213 016 SV0 (P)         150 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>• •</td> <td></td>							• •	
2131005 X00 (P)         -149         232201 S300 G         -143         310101 A (S)         -107         32-175         -108           2313005 X00 (P)         -149         232201 S301 G         -143         3101024 (P)         -103         322201 (S)         -106           2313005 X00 (P)         -149         232201 S301 G         -143         3101024 (P)         -103         322201 (S)         -106           2313015 S80 (P)         -150         232201 S302 G         -143         3101044 (P)         -109         322301 (P)         -106           2313015 S80 (P)         -150         232201 S302 G         -143         3101044 (P)         -109         322401 (P)         -106           2313015 S80 (P)         -150         232202 S301 G         -143         310147 (S)         -109         322401 (P)         -106           2313016 S80 (P)         -150         232202 S302 G         -143         31-01534         -1103         22801 (P)         -106           2313016 S80 (P)         -150         23220 S301 G         -143         31-01534         -1103         322801 (P)         -106           2313015 S80 (P)         -150         23220 S301 G         -143         31-01754         -1108         25290 (P)         -107 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>• •</td><td></td></t<>							• •	
2131005 X00 (5)       149       2322015 301 G       40       310102H (P)       109       322201 (S)       106         2313006 X00 (5)       149       2322015 301 G       143       310102V (P)       109       322201 (S)       106         2313015 X00 (P)       150       2322015 302 G       143       310102V (P)       109       32201 (P)       106         2313015 X01 (P)       150       2322015 302 G       143       310104H (P)       109       32201 (P)       106         2313015 X01 (P)       150       2322025 301 G       40       310104W (P)       109       32201 (P)       106         2313015 X01 (P)       150       2322025 301 G       40       310104W (P)       109       32201 (P)       106         2313015 X01 (P)       150       23220X 5300       143       31-0175 L       108       324201 (P)       105         2313015 X01 (P)       150       23220X 300       143       31-0175 L       108       324201 (P)       105         2313015 X01 (P)       150       232210X 300       143       31-0175 L       108       324201 (P)       107         2313025 X01 (P)       150       232210X 300 G       143       31-0375 L       108       322400 (P)								
231306 X00 (P)       149       2322015 301 G       143       310102V(5)       109       322201 (S)       .06         231306 X00 (P)       150       2322015 302 G       40       310102V(5)       109       322301 (S)       .06         2313015 X00 (P)       150       2322015 302 G       413       310104H (P)       199       322401 (S)       .106         2313015 X01 (P)       150       2322015 302 G       403       310104H (P)       199       322401 (S)       .106         2313015 X01 (P)       150       2322025 300 G       40       310104H (P)       199       322401 (S)       .106         2313016 X01 (P)       150       2322025 302 G       40       31-0153H       .110       3224201 (P)       .106         2313016 X01 (P)       150       2322005 300       .443       31-0175       .108       324201 (P)       .105         2313025 X01 (S)       150       2322005 300       .443       31-0375H       .108       324201 (S)       .107         2313025 X01 (S)       150       2322105X 300 C       .443       31-0375H       .108       325400 (P)       .107         2313025 X01 (S)       150       2322105X 300 C       .443       31-0375H       .108       325400								
2131015 800 (P)       150       2322015 302 G       40       310102V (S)       169       322301 (S)       106         2313015 800 (P)       150       2322015 302 G       143       310104H (P)       169       322401 (S)       106         2313015 800 (P)       150       23220205 300 G       40       310104H (S)       109       322401 (S)       106         2313015 800 (P)       150       2322025 300 G       40       310104V (P)       109       322401 (S)       106         2313016 800 (P)       150       23220X 5300       443       31-0175       108       324201 (P)       105         2313016 800 (P)       150       23220X 5300       443       31-0175 A       108       324201 (S)       106         2313025 X00 (C)       150       23220X 5300       443       31-0375 M       110       325275       108         2313025 X01 (S)       150       232212X 30 G       143       31-0375 M       110       325475       108         2313025 X02 (S)       150       232212X 30 C       143       31-0375 M       110       325475       108         2313025 X02 (C)       150       2322105 X00 C       143       31-0375 M       108       325400 (P)       107	2313006 X00 (P)	149					322201 (S)	106
2131015 800 (\$)       150       232201 S 302 G       -143       31010441 (\$)       109       322401 (\$)       106         2313015 801 (\$)       150       2322025 303 G       -40       31010441 (\$)       109       322401 (\$)       106         2313015 800 (\$)       150       2322025 303 G       -40       31010441 (\$)       109       322801 (\$)       106         2313015 801 (\$)       150       2322025 302 G       -40       31-015344       110       322801 (\$)       106         2313016 801 (\$)       150       2322005 302 G       -40       31-015344       110       322801 (\$)       105         2313016 801 (\$)       150       2322005 302 G       -413       31-01754       108       322200 (\$)       107         2313025 X00 (\$)       150       2322005 302 G       -413       31-01754       108       325200 (\$)       107         2313025 X01 (\$)       150       232212 X\$ 300 G       -143       31-03754       110       32-5275       108         2313025 X01 (\$)       150       2323015 800 G       -142       320100 (\$)       107       25475       108         2313025 X02 (\$)       150       2323015 800 G       -142       320101 (\$)       105       325500 (\$)								
2131015 801 (P)       150       2322015 302 G       143       3101044 (c)       109       322401 (c)       106         2313015 801 (P)       150       2322025 301 G       40       310104V (S)       109       322801 (S)       106         2313015 801 (P)       150       2322025 302 G       40       310134V (S)       109       322801 (S)       106         2313015 801 (P)       150       232205 302 G       40       31-0133W       110       322801 (S)       106         2313015 801 (P)       150       232205 300 G       143       31-0135W       110       322200 (P)       107         2313025 800 (P)       150       232205 300 G       143       31-0375H       110       32-5275       108         2313025 801 (S)       150       2322125 301 G       143       31-0375V       110       32-5375       108         2313025 801 (S)       150       2323016 801 S       51       320100 (P)       107       23-5375       108         2313025 802 (P)       150       2323016 801 S       51       320100 (P)       107       23-5400 (P)       107         2313025 802 (P)       150       2323015 800 G       142       320101 (P)       105       32-5500 (P)       107	• • •				( )			
2131015 801 (\$)       150       2322025 301 G.       40       3110164V (\$)       109       322401 (\$)       106         2313016 800 (\$)       150       2322025 301 G.       40       3110164V (\$)       109       322801 (\$)       106         2313016 800 (\$)       150       23220X5 300       143       31-0175       108       324201 (\$)       105         2313015 801 (\$)       150       23220X5 300       143       31-0175       108       324201 (\$)       105         2313025 X00 (\$)       150       23220X5 300       143       31-0175       108       324201 (\$)       107         2313025 X00 (\$)       150       23220X5 300       143       31-03755       110       32-5275       108         2313025 X01 (\$)       150       232212X5 300 G       143       31-3375       108       32-5400 (\$)       107         2313025 X02 (\$)       150       2323016 801 S       51       321010 (\$)       107       32-5475       108         2313025 X11 (\$)       150       2323015 800 G       142       320101 (\$)       105       32-5500 (\$)       107         2313025 X12 (\$)       150       2323015 801 G       142       320101 (\$)       105       32-5500 (\$)       107<					• • •			
2131016 800 (P)       150       2322025 301 C       40       310164V(5)       109       322801 (F)       106         2313016 800 (S)       150       23220X5 300       143       31-0153V       110       334201 (F)       105         2313016 800 (P)       150       23220X5 300       143       31-0175       108       324201 (S)       105         2313025 X00 (P)       150       23220X5 300       143       31-0175       108       325200 (P)       107         2313025 X00 (S)       150       23220X5 300       143       31-0375H       110       325207       108         2313025 X01 (S)       150       232212X 301 C       143       31-0375V       110       32-5375       108         2313025 X02 (P)       150       2322015X 301 C       143       31-0375V       110       32-5475       108         2313025 X02 (P)       150       2323016 801 S       51       321010 (P)       107       325500 (F)       107         2313025 X02 (P)       150       2323015 800 G       142       320101 (P)       105       325500 (S)       107         2313025 X02 (P)       150       2323015 800 G       142       320101 (P)       105       325500 (S)       107 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>• •</td> <td></td>							• •	
2313016 801 (P)       150       23220X5 300       143       31-0175       108       324201 (\$)       105         2313016 801 (\$)       150       23220X6 300       143       31-0175       108       325200 (P)       107         2313025 X00 (\$)       150       23220X5 300       143       31-0375H       110       325200 (\$)       107         2313025 X01 (\$)       150       232212X5 X01 C       143       31-0375V       110       325275       108         2313025 X01 (\$)       150       232212X5 X01 C       143       31-0375V       110       325400 (P)       107         2313025 X02 (\$)       150       2322015 800 5       51       310010(\$)       107       325400 (\$)       107         2313025 X02 (\$)       150       2323016 800 5       51       320100 (\$)       107       325500 (\$)       107         2313025 X12 (\$)       150       2323015 800 6       402       20101 (\$)       105       325500 (\$)       107         2313025 X01 (\$)       150       2323015 800 6       402       20101 (\$)       105       325500 (\$)       107         2313025 X01 (\$)       150       2323015 800 6       402       320101 (\$)       105       325600 (\$)       107							322801 (P)	106
2313016 801 (s)       150       23220X5 320       143       31-0175       108       24201 (s)       107         2313025 X00 (P)       150       23220X5 330       143       31-0375H       110       325207 (s)       107         2313025 X01 (S)       150       232212SX 300 G       143       31-0375H       110       325275       108         2313025 X01 (S)       150       232212SX 301 G       143       31-0375V       110       32-5375       108         2313025 X02 (P)       150       2322016 800 S       51       31-0375V       108       325400 (P)       107         2313025 X02 (S)       150       2323016 800 S       51       31000 (P)       107       325475       108         2313025 X01 (P)       150       2323018 800 G       40       320101 (P)       105       32500 (P)       107         2313025 X01 (P)       150       2323015 801 G       40       320101 (P)       105       32500 (S)       107         2313025 X01 (P)       150       2323015 800 G       142       320101 (P)       105       32500 (S)       107         2313025 X01 (P)       150       2323015 800 G       142       320101 (P)       105       32500 (P)       107 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>• •</td> <td></td>							• •	
2313025 X00 (P)       150       23220X 5300       143       31-0175A       108       325200 (P)       107         2313025 X00 (P)       150       23220X 5300       143       31-0375S       110       325275       108         2313025 X01 (P)       150       232212SX 301 G       143       31-0375S       110       325275       108         2313025 X02 (P)       150       232212SX 301 G       143       31-3375       110       325400 (P)       107         2313025 X02 (P)       150       2322015 800 S       51       31C0100       36       325400 (P)       107         2313025 X11 (P)       150       2323015 800 G       40       32010 (S)       107       325500 (P)       107         2313025 X02 (P)       150       2323015 801 G       40       32010 (S)       105       325500 (S)       107         2313025 X00 (P)       150       2323015 801 G       40       320101 (P)       105       325500 (S)       107         2313025 X00 (P)       150       2323015 800 G       40       320101 (P)       105       325600 (P)       107         2313025 X02 (P)       150       2323015 800 G       412       32010 (P)       105       325600 (S)       107     <	• • •							
2313025 X00 (\$)       150       23220X \$300       143       31-0375H       110       325200 (\$)       107         2313025 X01 (\$)       150       232212SX 301 G       143       31-0375S       110       32-5375       108         2313025 X02 (\$)       150       232212SX 302 C       143       31-3375       108       325400 (\$)       107         2313025 X02 (\$)       150       2323016 801 S       51       31000 (\$)       107       32-5475       108         2313025 X11 (\$)       150       2323016 801 S       51       31000 (\$)       107       32-5475       108         2313025 X12 (\$)       150       2323015 800 G       40       320101 (\$)       105       325500 (\$)       107         2313025 X12 (\$)       150       2323015 801 G       40       320101 (\$)       105       325500 (\$)       107         2313025 X02 (\$)       150       2323015 801 G       40       320101 (\$)       105       325600 (\$)       107         2313025 X03 (\$)       152       2323015 800 G       142       320101 (\$)       105       325600 (\$)       107         2313025 X02 (\$)       150       2323015 800 G       142       32001 (\$)       107       32570 (\$)       107								
2313025 X01 (S)       150       2322125X 301 C       -143       31-3375V       110       32-5375       -108         2313025 X02 (P)       150       232205X 302 G       -143       31-5375       .108       325400 (P)       -107         2313025 X02 (S)       150       2322016 800 S       .51       3100100       .63       325400 (S)       .107         2313025 X11 (P)       150       2323015 800 G       .40       320101 (P)       .107       325500 (P)       .107         2313025 X12 (P)       150       2323015 800 G       .40       320101 (P)       .105       325500 (P)       .107         2313025 X00 (P)       150       2323015 801 G       .40       320101 (P)       .105       325500 (P)       .107         2313025 X00 (P)       150       2323015 801 G       .40       320101 (P)       .105       325500 (P)       .107         2313026 X00 (P)       150       2323015 800 G       .40       320101 (P)       .105       325600 (S)       .107         2313026 X01 (P)       150       2323015 800 G       .40       320200 (P)       .107       325705       .108         2313026 X02 (P)       150       2323015 800 G       .442       320201 (P)       .107       325							• •	
2313025 X02 (P)       150       232222X 302 G       .143       31-5375       .108       325400 (P)       .107         2313025 X02 (S)       .150       2323016 800 S       .51       31G0100       .36       325400 (S)       .107         2313025 X11 (P)       .150       2323016 800 S       .51       320100 (P)       .107       325500 (P)       .107         2313025 X12 (P)       .150       2323015 800 G       .40       320101 (P)       .105       325500 (S)       .107         2313025 X02 (P)       .150       2323015 800 G       .42       320101 (P)       .105       325500 (S)       .107         2313026 X01 (P)       .150       2323015 800 G       .442       320101 (P)       .105       325600 (P)       .107         2313026 X01 (P)       .150       2323015 800 G       .142       320207 (P)       .107       325700 (P)       .107         2313026 X01 (P)       .150       2323015 800 G       .142       320200 (P)       .107       325700 (P)       .107         2313026 X02 (P)       .150       2323015 800 G       .142       320200 (S)       .107       325700 (P)       .107         2313026 X02 (P)       .150       2323015 800 G       .142       320200 (S)       .1							32-5275	108
2313025 X02 (\$)       150       2323016 800 S       51       31G0100       36       325400 (\$)       107         2313025 X11 (P)       150       2323015 800 C       40       320100 (\$)       107       325500 (P)       107         2313025 X12 (P)       150       2323015 800 C       40       320101 (P)       105       325500 (P)       107         2313025 X12 (P)       150       2323015 801 C       442       320101 (P)       105       325500 (P)       107         2313026 X00 (P)       150       2323015 801 C       442       320101 (P)       105       325600 (P)       107         2313026 X00 (S)       150       2323015 800 C       442       320101 (P)       105       325600 (P)       107         2313026 X01 (S)       150       2323015 800 C       442       320200 (P)       107       325700 (P)       107         2313026 X01 (S)       150       2323015 800 C       442       320200 (P)       107       325700 (S)       107         2313026 X02 (P)       150       2323015 801 C       142       320200 (P)       107       325700 (S)       107         2313025 X00 (P)       150       2323015 801 C       142       320200 (S)       107       325770 (P)								
2313025 X11 (P)       150       2323015 800 C       40       320100 (P)       107       32-5475       108         2313025 X11 (S)       150       2323015 800 C       40       320101 (P)       105       325500 (P)       107         2313025 X12 (P)       150       2323015 800 C       40       320101 (P)       105       325500 (S)       107         2313026 X00 (P)       150       2323015 800 C       40       320101 (P)       105       325600 (S)       107         2313026 X00 (P)       150       2323015 800 C       142       320101H (P)       105       325600 (S)       107         2313026 X01 (P)       150       2323015 800 C       142       3200 (P)       107       325700 (S)       107         2313026 X01 (S)       150       2323025 X00 C       142       320200 (P)       75       325707 (S)       108         2313026 X02 (P)       150       2323055 X00 C       142       320200 (S)       75       325700 (S)       107         2313026 X12 (P)       150       2323065 X00 C       142       320200 (S)       75       326271       108         2313026 X12 (P)       150       2323065 X00 C       142       320200 (S)       75       3262201       36								
2313025 X11 (S)       150       2323015 800 C       40       320100 (S)       107       325500 (P)       107         2313025 X12 (P)       150       2323015 800 G       142       320101 (P)       105       325500 (S)       107         2313025 X12 (S)       150       2323015 801 G       142       3201011 (S)       105       325575       108         2313026 X00 (P)       150       2323015 800 G       142       3201011 (S)       105       325600 (P)       107         2313026 X01 (P)       150       2323015 800 G       40       3201011 (S)       105       325600 (S)       107         2313026 X01 (S)       150       2323025 X00       142       320200 (P)       107       325700 (P)       107         2313026 X02 (P)       150       2323025 X00 G       142       320200 (S)       75       325775       108         2313026 X12 (P)       150       2323015 X00 G       142       3202008 (P)       75       326201       36         2313026 X00 (S)       150       2323015 X00 G       142       320201 (P)       105       3262301       36         2313026 X00 (S)       149       2323015 X00 G       142       320201 (P)       181       336807W (P)       1								
2313025 X12 (\$)       150       2323015 801 G       40       320101 (\$)       105       32-5575       108         2313026 X00 (P)       150       2323015 801 G       142       320101H (P)       105       325600 (P)       107         2313026 X00 (S)       150       2323015 800 G       40       320101H (S)       105       325600 (S)       107         2313026 X01 (P)       150       2323015 800 G       40       320101 H (S)       108       32-5675       108         2313026 X01 (S)       150       2323025 X00       142       320200 (S)       107       325700 (P)       107         2313026 X02 (P)       150       232305 X00 G       142       320200 (S)       75       32-5775       108         2313026 X12 (S)       150       232305 X00 G       142       320201 (P)       105       32-6775       108         2313026 X12 (S)       150       232305 X00 G       142       320201 (P)       105       32-6775       108         2313026 X00 (P)       149       2323065 X11 G       40       320201 (P)       158       32-621       36         2313026 X00 (P)       149       2323065 X00 S       51       320201 (S)       151       33-07601       118	• • •							
2313026 X00 (P)       150       2323015 801 G       142       320101H (P)       105       325600 (P)       107         2313026 X00 (S)       150       2323015T 800 G       40       320101H (S)       105       325600 (S)       107         2313026 X01 (P)       150       2323015T 800 G       142       32007 (P)       107       325700 (P)       107         2313026 X02 (P)       150       2323025 X00       142       320200 (P)       107       325700 (S)       107         2313026 X02 (S)       150       2323025 X00 G       40       3202008 (P)       75       325775       108         2313026 X12 (P)       150       23230E5 X11 G       40       320201 (P)       105       32C201       36         2313025 X12 (S)       150       23230E5 X11 G       40       320201 (P)       158       32C201       36         2313035 X00 (P)       149       23230E6 X00 S       142       320201 (P)       181       33 6807W (P)       115         2313035 X00 (P)       149       23230K X00       142       320201 (S)       181       33-076021       118         2313045 X00 (P)       149       23230K X00       142       320201 (S)       181       33-076021       118 <td>2313025 X12 (P)</td> <td>150</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	2313025 X12 (P)	150						
2313026 X00 (S)       150       232301ST 800 G       40       320101H (S)       105       325600 (S)       107         2313026 X01 (P)       150       232301ST 800 G       142       32000 (P)       107       325700 (P)       107         2313026 X01 (S)       150       2323025 X00       142       320200 (S)       107       325700 (P)       107         2313026 X02 (P)       150       2323025 X00 G       40       320200 (S)       107       325700 (S)       107         2313026 X12 (P)       150       2323055 X00 G       40       320200 (S)       75       3262201       36         2313026 X12 (P)       150       2323055 X11 G       40       320201 (P)       158       3262301       36         2313025 X00 (P)       149       2323065 X00 S       142       320201 (P)       158       3262401       36         2313035 X00 (P)       149       2323065 X00 S       142       320201 (S)       158       33-076014       118         2313045 X00 (P)       149       2323065 X00 S       142       320201 (S)       181       33-076021       118         2313045 X00 (P)       149       2323005 X00 S       114       320201 (S)       181       33-076021       118								
2313026 X01 (P)       150       2323015T 800 G       142       32-0175       108       32-5675       108         2313026 X01 (S)       150       2323025 X00       142       320200 (P)       107       325700 (P)       107         2313026 X02 (P)       150       2323025 X00 G       40       320200 (S)       107       325700 (S)       107         2313026 X02 (P)       150       232305 X00 G       40       3202008 (S)       75       3262201       36         2313026 X12 (P)       150       2323065 X10 G       40       320201 (P)       105       3262201       36         2313035 X00 (P)       149       2323065 X11 G       42       320201 (P)       158       32G2401       36         2313035 X00 (P)       149       2323065 X00 S       142       320201 (P)       181       33 6807W (P)       115         2313036 X00 (S)       149       2323065 X00 S       142       320201 (S)       158       33 -075021       118         2313045 X00 (P)       149       2323005 X00 S       142       320201 (S)       181       33 -076025       118         2313045 X00 (P)       149       23230X7 500       142       320201 (S)       181       33 -076025       118 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>• •</td> <td></td>							• •	
2313026 X01 (\$)       150       2323025 X00       142       320200 (\$)       107       325700 (\$)       107         2313026 X02 (\$)       150       2323026 X00 (\$)       142       3202000 (\$)       107       325770 (\$)       107         2313026 X02 (\$)       150       23230E5 X00 (\$       .40       3202008 (\$)       75       32-5775       .108         2313026 X12 (\$)       150       23230E5 X00 (\$       .40       320200 (\$)       .75       32-2775       .36         2313026 X12 (\$)       150       23230E5 X11 (\$       .40       320201 (\$)       .158       32C2201       .36         2313025 X00 (\$)       149       23230E5 X00 (\$       .142       320201 (\$)       .158       32C2401       .36         2313035 X00 (\$)       149       23230E6 X00 (\$       .142       320201 (\$)       .158       33.6807W (\$)       .115         2313035 X00 (\$)       149       23230X5 X00       .142       320201 (\$)       .158       33.076011       .118         2313045 X00 (\$)       .149       23230X6 X00       .51       320201 (\$)       .158       33.076021       .118         2313045 X00 (\$)       .149       23230X7 500       .142       320201 (\$)       .163       33.07								
2313026 X02 (S)       150       23230E5 X00 G       40       3202008 (P)       75       32-5775       108         2313026 X12 (P)       150       23230E5 X00 G       142       3202008 (S)       75       32G2201       36         2313026 X12 (S)       150       23230E5 X11 G       40       320201 (P)       158       32G2301       36         2313035 X00 (S)       149       23230E5 X11 G       40       320201 (P)       158       32G2401       36         2313035 X00 (S)       149       23230E5 X00 S       142       320201 (S)       105       33 6B07W (P)       115         2313035 X00 (S)       149       23230K5 X00       142       320201 (S)       158       33-076011       118         2313045 X00 (P)       149       23230X6 X00 S       51       320201 (S)       181       33-076011       118         2313045 X00 (P)       149       23230X6 X00 S       51       320201 (C)       181       33-076025       118         2313045 X00 (P)       149       23230X7 500       142       320201 (P)       181       33-076025       118         2313055 X00 (P)       149       23230X7 500       142       320201 (P)       181       33-076048       118								
2313026 X12 (P)       150       23230E5 X00 G       142       320200B (S)       75       32G2201       36         2313026 X12 (S)       150       23230E5 X11 G       40       320201 (P)       105       32C2301       36         2313035 X00 (P)       149       23230E5 X11 G       142       320201 (P)       158       32C2401       36         2313035 X00 (S)       149       23230E6 X00 S       51       320201 (P)       181       33 6807W (P)       115         2313035 X00 (S)       149       23230E6 X00 S       142       320201 (S)       105       33 6807W (S)       115         2313035 X00 (S)       149       23230X6 X00       142       320201 (S)       158       33-07340       118         2313045 X00 (P)       149       23230X6 X00 S       51       320201 (S)       181       33-076021       118         2313045 X00 (P)       149       23230X6 X00 S       51       320201 (C BIR1       105       33-076021       118         2313045 X00 (P)       149       23230X7 500       142       320201 (H (P)       105       33-076028       118         2313055 X00 (P)       149       23230X7 500       142       320202 (S)       181       33-076048								
2313026 X12 (S)       150       23230E5 X11 G       40       320201 (P)       105       32G2301       36         2313035 X00 (P)       149       23230E5 X11 G       142       320201 (P)       188       33 GB07W (P)       115         2313035 X00 (S)       149       23230E5 X00 S       51       320201 (P)       181       33 GB07W (S)       115         2313036 X00 (P)       149       23230E5 X00       142       320201 (S)       105       33 GB07W (S)       115         2313036 X00 (P)       149       23230X5 X00       142       320201 (S)       158       33-07340       118         2313045 X00 (P)       149       23230X6 X00       142       320201 (S)       181       33-076011       118         2313045 X00 (P)       149       23230X6 X00 S       142       320201 (C BI R1       105       33-076021       118         2313046 X00 (S)       149       23230X7 500       142       320201 (P)       105       33-076028       118         2313045 X00 (S)       149       23230X7 500       142       320202 (P)       181       33-076048       118         2313045 X00 (S)       149       23230X5 X00 G       40       320300 (P)       193       3-076048       <								
2313035 X00 (P)       149       23230E5 X11 G       142       320201 (P)       158       32G2401       36         2313035 X00 (S)       149       23230E6 X00 S       51       320201 (P)       181       33 6B07W (P)       115         2313036 X00 (P)       149       23230E6 X00 S       142       320201 (S)       105       33 6B07W (S)       115         2313036 X00 (P)       149       23230X5 X00       142       320201 (S)       158       33-07340       118         2313045 X00 (P)       149       23230X6 X00 S       142       320201 (S)       181       33-076021       118         2313045 X00 (P)       149       23230X6 X00 S       142       320201H (P)       105       33-076021       118         2313046 X00 (P)       149       23230X7 500       142       320201H (S)       105       33-076025       118         2313055 X00 (P)       149       23230X7 500       142       320202 (P)       181       33-07603H       118         2313055 X00 (P)       149       23230X5 X00 G       40       320202 (S)       181       33-076048       118         2313056 X00 (P)       149       23230X5 X11 G       40       320300H (P)       109       33-076051       <					• • •			
2313035 X00 (\$)								
2313036 X00 (\$)       149       23230X5 X00       142       320201 (\$)       158       33-07340       118         2313045 X00 (P)       149       23230X6 X00       142       320201 (\$)       181       33-076011       118         2313045 X00 (\$)       149       23230X6 X00 \$       51       320201CC BI R1       105       33-076021       118         2313046 X00 (\$)       149       23230X7 500       142       320201H (P)       105       33-076025       118         2313046 X00 (\$)       149       23230X7 500       142       320201H (\$)       105       33-076028       118         2313055 X00 (\$)       149       23230X7 511       142       320202 (P)       181       33-076048       118         2313055 X00 (\$)       149       23230X5 X00 G       40       320202 (\$)       181       33-076048       118         2313056 X00 (\$)       149       23230X5 X00 G       142       32-0275       108       33-076048       118         2313056 X00 (\$)       149       23230X5 X11 G       40       320300H (P)       109       33-076061       118         2313065 X00 (\$)       149       2324D21       125       320300V (\$)       109       33600006 (P)       118 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
2313045 X00 (P)       149       23230X6 X00       142       320201 (S)       181       33-076011       118         2313045 X00 (S)       149       23230X6 X00 S       51       320201CC BI R1       105       33-076021       118         2313046 X00 (P)       149       23230X6 X00 S       142       320201H (P)       105       33-076025       118         2313046 X00 (S)       149       23230X7 500       142       320201H (S)       105       33-076028       118         2313055 X00 (P)       149       23230X7 500       142       320202 (P)       181       33-07603H       118         2313055 X00 (P)       149       23230X5 X00 G       40       320202 (S)       181       33-07604H       118         2313056 X00 (P)       149       23230X5 X01 G       40       320207 (S)       181       33-07604H       118         2313056 X00 (P)       149       23230X5 X11 G       40       320300H (P)       109       33-076051       118         2313065 X00 (P)       149       23240X5 X11 G       142       320300V (P)       109       33600006 (P)       118         2313065 X00 (S)       149       2324D25       125       320300V (S)       109       33600006 (P)			23230E6 X00 S	142	· ·			
2313045 X00 (S)       149       23230X6 X00 S       51       320201CC BI R1       105       33-076021       118         2313046 X00 (P)       149       23230X6 X00 S       142       320201H (P)       105       33-076025       118         2313046 X00 (S)       149       23230X7 500       142       320201H (S)       105       33-076028       118         2313055 X00 (P)       149       23230X7 511       142       320202 (P)       181       33-07603H       118         2313055 X00 (S)       149       23230X5 X00 G       40       320202 (S)       181       33-076048       118         2313056 X00 (P)       149       23230XS X00 G       142       32-0275       108       33-07604H       118         2313056 X00 (S)       149       23230XS X11 G       40       320300H (P)       109       33-076051       118         2313065 X00 (S)       149       2324D21       125       320300V (P)       109       33-076061       118         2313066 X00 (S)       149       2324D21       125       32030V (P)       109       33600006 (P)       115         231406 X00 (S)       149       2324D25       125       32030V (S)       109       33600006 (S)       115								
2313046 X00 (P)       149       23230X6 X00 S       142       320201H (P)       105       33-076025       118         2313046 X00 (S)       149       23230X7 500       142       320201H (S)       105       33-076028       118         2313055 X00 (P)       149       23230X7 511       142       320202 (P)       181       33-07603H       118         2313055 X00 (S)       149       23230X5 X00 G       40       320202 (S)       181       33-076048       118         2313056 X00 (P)       149       23230X5 X00 G       142       32-0275       108       33-07604H       118         2313056 X00 (S)       149       23230X5 X11 G       40       320300H (P)       109       33-076051       118         2313065 X00 (S)       149       2324021       125       320300V (P)       109       33-076061       118         2313066 X00 (P)       149       2324D21       125       320300V (P)       109       33600006 (P)       115         2314003 (P)       149       2324D25       125       32030V (S)       109       33600006 (S)       115         2314003 (S)       151       2324H05       125       32-0375V       110       33600006 (S)       158								
2313046 X00 (S)       149       23230X7 500       142       320201H (S)       105       33-076028       118         2313055 X00 (P)       149       23230X7 511       142       320202 (P)       181       33-07603H       118         2313055 X00 (S)       149       23230X5 X00 G       40       320202 (S)       181       33-076048       118         2313056 X00 (P)       149       23230X5 X00 G       142       32-0275       108       33-076044       118         2313056 X00 (S)       149       23230X5 X11 G       40       320300H (P)       109       33-076051       118         2313065 X00 (S)       149       2324021       125       320300H (S)       109       33-076061       118         2313066 X00 (P)       149       2324D21       125       32030V (P)       109       33600006 (P)       115         2313066 X00 (S)       149       2324H01       125       32-0375H       110       33600006 (S)       115         2314003 (P)       151       2324B12X       125       320400H (P)       109       33600006 (S)       115         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 (S)       115	• • •							
2313055 X00 (S)       149       23230XS X00 G       40       320202 (S)       181       33-076048       118         2313056 X00 (P)       149       23230XS X00 G       142       32-0275       108       33-07604H       118         2313056 X00 (S)       149       23230XS X11 G       40       320300H (P)       109       33-076051       118         2313065 X00 (S)       149       23230XS X11 G       142       320300H (S)       109       33-076061       118         2313065 X00 (S)       149       2324D21       125       32030V (P)       109       33600006 (P)       115         2313066 X00 (P)       149       2324D25       125       32030V (S)       109       33600006 (P)       115         2314003 (P)       149       2324H01       125       32-0375H       110       33600006 (S)       115         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 (S)       158         2315005 (P)       151       2324S12X       125       320400H (P)       109       33600006 (S)       158         2315005 (S)       151       2324S12X       125       320400H (P)       109       33600006 (S)       115 <tr< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr<>								
2313056 X00 (P)       149       23230XS X00 G       142       32-0275       108       33-07604H       118         2313056 X00 (S)       149       23230XS X11 G       40       320300H (P)       109       33-076051       118         2313065 X00 (S)       149       23230XS X11 G       142       320300H (P)       109       33-076061       118         2313065 X00 (S)       149       2324D21       125       320300V (P)       109       33600006 (P)       115         2313066 X00 (P)       149       2324D25       125       32030V (S)       109       33600006 (P)       115         2313066 X00 (S)       149       2324H01       125       32-0375H       110       33600006 (S)       115         2314003 (P)       151       2324B12X       125       32-0375V       110       33600006 (S)       158         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 (S)       158         2315005 (P)       151       2324S12X       125       320400H (P)       109       33600006 (S)       115         2315005 (S)       151       2324S12X       125       320400H (S)       109       33600007 (P)       115	2313055 X00 (P)	149			320202 (P)	181	33-07603H	118
2313056 X00 (S)       149       23230XS X11 G       40       320300H (P)       109       33-076051       118         2313065 X00 (P)       149       23230XS X11 G       142       320300H (S)       109       33-076061       118         2313065 X00 (S)       149       2324D21       125       320300V (P)       109       33600006 (P)       115         2313066 X00 (P)       149       2324D25       125       32030V (S)       109       33600006 (P)       158         2313066 X00 (S)       149       2324D25       125       32030V (S)       109       33600006 (S)       158         2314003 (P)       151       2324H01       125       32-0375V       110       33600006 (S)       158         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 (S)       158         2315005 (P)       151       2324S15X       125       320400H (S)       109       33600006 BI CC K       115         2315005 (S)       151       2324S52X       125       320400V (P)       109       33600007 (P)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125								
2313065 X00 (P)       149       23230XS X11 G       142       320300H (S)       109       33-076061       118         2313065 X00 (S)       149       2324D21       125       320300V (P)       109       33600006 (P)       115         2313066 X00 (P)       149       2324D25       125       320300V (S)       109       33600006 (P)       158         2313066 X00 (S)       149       2324H01       125       32-0375H       110       33600006 (S)       115         2314003 (P)       151       2324H05       125       32-0375V       110       33600006 (S)       158         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 (S)       158         2315005 (P)       151       2324S12X       125       320400H (P)       109       33600006 (S)       115         2315005 (S)       151       2324S15X       125       320400H (S)       109       33600007 (P)       115         2315005 (S)       151       2324S52X       125       320400V (P)       109       33600007 (S)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
2313065 X00 (S)       149       2324D21       125       32030V (P)       109       33600006 (P)       115         2313066 X00 (P)       149       2324D25       125       32030V (S)       109       33600006 (P)       158         2313066 X00 (S)       149       2324D25       125       32030V (S)       109       33600006 (P)       158         2314003 (P)       151       2324H01       125       32-0375H       110       33600006 (S)       115         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 (S)       158         2315005 (P)       151       2324S15X       125       320400H (S)       109       33600006 BI CC K       115         2315005 (S)       151       2324S15X       125       320400H (S)       109       33600007 (P)       115         2315005 (S)       151       2324S15X       125       320400V (P)       109       33600007 (S)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125	• • •							
2313066 X00 (P)       149       2324D25       125       320300V (S)       109       33600006 (P)       158         2313066 X00 (S)       149       2324H01       125       32-0375H       110       33600006 (S)       115         2314003 (P)       151       2324H05       125       32-0375V       110       33600006 (S)       158         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 BI CC K       115         2315005 (P)       151       2324S15X       125       320400H (S)       109       33600007 (P)       115         2315005 (S)       151       2324S52X       125       320400V (P)       109       33600007 (S)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125	2313065 X00 (S)	149						
2314003 (P)       151       2324H05       125       32-0375V       110       33600006 (S)       158         2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 BI CC K       115         2315005 (P)       151       2324S15X       125       320400H (S)       109       33600007 (P)       115         2315005 (S)       151       2324S52X       125       320400V (P)       109       33600007 (S)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125	2313066 X00 (P)	149					33600006 (P)	158
2314003 (S)       151       2324S12X       125       320400H (P)       109       33600006 BI CC K       115         2315005 (P)       151       2324S15X       125       320400H (S)       109       33600007 (P)       115         2315005 (S)       151       2324S52X       125       320400V (P)       109       33600007 (S)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125							• •	
2315005 (P)       151       2324S15X       125       320400H (S)       109       33600007 (P)       115         2315005 (S)       151       2324S52X       125       320400V (P)       109       33600007 (S)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125								
2315005 (S)       151       2324S52X       125       320400V (P)       109       33600007 (S)       115         2316004 (P)       151       2325005 C       64       320400V (S)       109       3360000R (P)       125								
2316004 (P)151 2325005 C	• •							
2316004 (S)151 2325025 C			2325005 C	64	320400V (S)	109	3360000R (P)	125
	2316004(S)	151	2325025 C	64	320405H (P)	109	3360000R (S)	125

Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
33602012 (P)	117	490258 (P)		5005731(S)		5433500 (P)	174
33602012 (S)	117	490258 (S)		5005731 G		5433500 (S)	
33602013 K (P)	117	490358 C	63	50-0573L	167	54335R0 (P)	174
33602013 K (S)		490359 C		5005741 (P)		54335R0 (S)	174
33602032 (P)		490359 G		5005741 (S)		5433F00 (P)	
33602032 (S)		490361 C		5005741 G		5433F00 (S)	
33602033 K (P)		490366 C		50-0574L		5433FR0 (P)	
33602033 K (S)		490366 G		5008201 (P)		5433FR0 (S)	
33602042 (P)		490368 C		5008201 (S)		5451500 (P)	
33602042 (S)		490375 T		5008211 (P)		5451500 (S)	
33602043 K (P)		490423 G		5008211 (S)		5451500 G	
33602043 K (S)		490426 G		5009201 (P)		54515K0	
33602052 (P)		490432 G		5009201 (S)		54515L0	
33602052 (S)		490437 G		5009211 (P)		54515R0(P)	
33602053 K (P)		49G0431		5009211 (S)		54515R0(S)	
33602053 K (S)		500020 (P)		50-74201		54515R0 G	
33602062 (P)		500020 (S)		50-74211		54515X0	
33602062 (S)		5002201 (P)		50-75201		5451F00 (P)	
33602063 K (P)		5002201 (S)		50-75211		5451F00 (S)	
33602063 K (S)		5002211 (P)		50-81732		5451F00 G	
33-6B010 (P)		5002211 (S)		50-817321		5451FK0	
33-6B010(S)		5003201 (P)		50-81734		5451FL0	
33-6B01W (P)		5003201 (S)		50-817341		5451FR0 (P)	
33-6B01W (S)		5003211 (P)		50-81832		5451FR0(S)	
33-6B070 (P)		5003211 (S)		50-818321		5451FR0 G	
33-6B070 (S)		5004732 (P)		50-81834		5451FX0	
33700006 (P)		5004732 (S)		50-818341		5452500 (P)	
33700006 (P)		5004732 G		510600 (P)		5452500 (S)	
33700006 (S)		50047321 (P)		510600 (P)		5452500 G	
33700006 (S)		50047321 (S)		510600 (S)		54525K0	
33700007 (P)		5004734 (P)		510600 (S)		54525L0	
33700007 (S)		5004734 (S)		510600 C		54525R0(P)	
3370000R (P)		5004734 G		510600 G		54525R0(S)	
3370000R (S)		50047341 (P)		510800 (P)		54525R0 G	
3370000S (P)		50047341 (S)		510800 (S)		54525X0	
3370000S (S)		5004832 (P)		510800 G		5461500 (P)	
33702022 (P)		5004832 (S)		526001 (P)		5461500 (S)	
33702022 (S)		50048321 (P)		526001 (S)		54615K0	
33702023 K (P)		50048321 (S)		526001 (9)		54615L0	
33702023 K (S)		5004834 (P)		526011 (S)		54615R0(P)	
33702042 (P)		5004834 (S)		526101 (P)		54615R0(S)	
33702042 (S)		50048341 (P)		526101 (S)		54615X0	
33702043 K (P)		50048341 (S)		526101 (9)		5461F00 (P)	
33702043 K (S)		5005511 (P)		526111 (S)		5461F00 (S)	
337020B2 (P)		5005511 (S)		526201 (P)		5461FK0	
337020B2 (S)		5005511 G		526201 (S)		5461FL0	
337020C2 (P)		50-0551L		526201 (5)		5461FR0 (P)	
337020C2 (S)		5005521 (P)		526211 (S)		5461FR0(S)	
337020E2 (P)		5005521 (1)		526301 (P)		5461FX0	
337020E2 (S)		5005521 G		526301 (S)		54625X0	
33-7B010 (P)		50-0552L		526301 (5)		5471500 (P)	
33-7B010 (S)		5005531 (P)		526311 (S)		5471500 (S)	
33-7B01W (S)		5005531 (S)		5293000 (P)		5471500 (3)	
33-7B01W(P)		5005531 G		5293000 (T)		54715K0	
33-7B070 (P)		50-0553L		5293000 (3)		54715L0	
33-7B070 (S)		5005541 (P)				54715L0	
33-7B070S (P)		5005541 (P)		52930L0 5431500 (P)		54715R0(P)	
				• •			
33-7B070S (S)		5005541 G		5431500 (S)		54715R0 G	
33-7B07W (P)		50-0554L		54315K0		54715X0	
33-7B07W (S)		5005711 (P)		54315L0		5471F00 (P)	
33-7B07WS (P)		5005711 (S)		54315R0 (P)		5471F00 (S)	
33-7B07WS (S)		5005711 G		54315R0 (S)		5471F00 G	
490078 (P)		50-0571L		5431F00 (P)		5471FK0	
490078 (S)		5005721 (P)		5431F00 (S)		5471FL0	
490079 (P)		5005721 (S)		5431FK0		5471FR0 (P)	
490079 (S)		5005721 G		5431FL0		5471FR0(S)	
490214 (P)		50-0572L		5431FR0 (P)		5471FR0 G	
490214 (S)	75	5005731 (P)	1.00	5431FR0 (S)	174	5471FX0	50

Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
5472500(P)		6212555 G XX		652650T 102 (S)		94-0305-M0P	
5472500 (S)	175	6212555T (P)		652650T 111 (P)		94-0305-MBP	
5472500 G		6212555T(S)		652650T 111 (S)		94-0306	
54725K0		6221554T (P)		652650T 131 (P)		94-0307	
54725L0 54725R0 (P)		6221554T (S) 6221557T (P)		652650T 131 (S) 652650T 132 (P)		94-0309 94-0312	
54725R0 (S)		6221557T (S)		652650T 132 (S)		94-0316	
54725R0 G		6261557T (P)		652650T 133 (P)		94-0317-516	
54725X0		6261557T(S)	197	652650T 133 (S)		94-0317-716	
54815X0		6280550 G		66391 (P)		94-0318	
5481FX0 54825X0		6280550 G -XX 6282550 G		66391 (P)		94-0323 94-0325	
600250T (P)		6282550 G -XX		66391 (P) 66391 (S)		94-0325	
600250T (S)		640155CT (P)		66391 (S)		95-001100	
600350T (P)	188	640155CT (S)		66391 (S)		95-100070	213
600350T(S)		640155T (P)		66418 (P)		95-100400	
600350T KIT (P)		640155T(S)		66418(S)		95-210100-MED3	
600350T KIT (S)		640250T (P)		90-0001 90-0028		95-210100-MED4 95-210100-UNIV	
600450T (P) 600450T (S)		640250T (S) 640251T (P)		90-0028		95-210100-UNIV 95-210100-XX	
600550T (P)		640251T(S)		94-0029		95-210130-MED3	
600550T(S)		640550AT (P)		94-0030		95-210130-MED4	
600650269 G -XX		640550AT (S)		94-0034		95-210130-UNIV	
600650T (P)		640550FT (P)		94-0035		95-210130-XX	
600650T (S)		640550FT (S)		94-0036		95-M11000	
600650T KIT (P) 600650T KIT (S)		640550T (P) 640550T (S)		94-0051 94-0052		95-M23000 95-M34000	
600750T (P)		640750ET (P)		94-0058-MED		95-M45000	
600750T (S)		640750ET (S)		94-0059		95-M55000	
600850T (P)		640750GT (P)		94-0061	102	95-M56000	
600850T(S)		640750GT(S)		94-0067		960357 (P)	
600950T (P)		640950T (P)		94-0098		960357 (S)	
600950T (S)		640950T (S)		94-0174-XX 94-0174-XX		960358 (P)	
601150T (P) 601150T (S)		640952T (P) 640952T (S)		94-0174-XX		960358 (S) 960590 W 26-S6	
601150T KIT (P)		641050T (P)		94-0188-XX		CARD 1 X XX	
601150T KIT (S)		641050T(S)		94-0199		CARD 2 X XX	
601250T(P)	188	641051T (P)		94-0203		CARD 6 X XX	
601250T(S)		641051T(S)		94-0204		CARD KS XX 8E	
601251T (P)		641200 C 641200 C		94-0207 94-0207		CARD XX 56 XX	
601251T (S) 601450T (P)		641200 C		94-0207		CARD XX 66 XX CB-CODE-BIA	
601450T (S)		641201 C		94-0212		CB-CODE-BIA	
601450T KIT (P)		641201 C		94-0213		CN-DIES	
601450T KIT (S)	187	641201D C		94-0221	146	CP-010103-040	
601452T(P)		652150T 011 (P)		94-0222		CP-010203-030	
601452T (S)		652150T 011 (S)		94-0223		CP-010203-050	
60300 CUT W 219 607155XT (P)		652150T 012 (P) 652150T 012 (S)		94-0227-XX 94-0227-XX		CP-010203-050 CP-010203-050	
607155XT (S)		652150T 021 (P)		94-0227-XX		CP-010234-320	
607255XT (P)		652150T 021 (S)		94-0239		CP-010235-120-XX	
607255XT (S)		6522560 G -121-XX		94-0249	65	CP-010503-040	
607355XT (P)		6522560 G -122-XX		94-0255-XX		CP-010503-040	
607355XT (S)		6522560T 121 (P)		94-0256-XX		CP-011011-020	
607455XT (P) 607455XT (S)	190 190	6522560T 121 (S) 6522560T 122 (P)		94-0261 94-0269		CP-011011-020 CP-011011-020	
607555XT (P)		6522560T 122 (S)		94-0271		CP-011013-020	
607555XT (S)		6522560T 132 (P)		94-0272		CP-011013-020	
60810 XXX C	63	6522560T 132 (S)	201	94-0283	143	CP-011013-020	152
60810D XXX C		6522560T 133 (P)		94-0285		CP-011013-020	
60820 XXX C		6522560T 133 (S)		94-0287		CP-011013-040	
60820D XXX C 6210555 G XX		6522560T 134 (P)		94-0288 94-0289		CP-011013-040 CP-011511-000	
6210555T (P)		6522560T 134 (S) 6522560T 221 (P)		94-0290		CP-011751	
6210555T (S)		6522560T 221 (S)		94-0291		CP-011753	
6211555 G XX		652650T 101 (P)		94-0292	43	CP-011754	159
6211555T (P)		652650T 101 (S)	199	94-0304-M0P		CP-011757	
6211555T (S)	196	652650T 102 (P)	199	94-0304-MBP	54	CP-011762	159

Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
CP-011763		CP-070711		CP-170041	210	CP-200771-20	
CP-011764	159	CP-070721	160	CP-170041	211	CP-200771-25	
CP-011767	159	CP-070731	160	CP-170051	210	CP-200771-25	
CP-012409-030		CP-070741		CP-170061		CP-200801-00	
CP-012411-030	152	CP-084571		CP-170250		CP-200801-02	
CP-012411-040	152	CP-084571	79	CP-170271	210	CP-200801-04	
CP-012917-000		CP-084571		CP-170430		CP-200801-06	
CP-014213-061		CP-0845A0		CP-170440	210	CP-200801-08	
CP-014642-591	167	CP-084671		CP-170481	210	CP-200801-0A	
CP-020010		CP-084671		CP-170730-5		CP-200801-12	
CP-020020		CP-084671		CP-170730-5		CP-200801-14	
CP-020031		CP-0846A0		CP-170730-6		CP-200801-16	
CP-020040		CP-100111		CP-170730-6		CP-200801-18	
CP-020100		CP-100761		CP-170930		CP-200801-1A	
CP-020240		CP-100771-Z00		CP-170930		CP-200801-22	
CP-021011		CP-100771-Z01		CP-170930		CP-200801-24	
CP-021031		CP-100771-Z02		CP-171011		CP-200801-26	
CP-021121		CP-100771-Z20		CP-171021		CP-200801-28	
CP-021121		CP-100771-Z34		CP-171021		CP-200801-28	
CP-021370		CP-100781-Z00		CP-180021		CP-200801-2A	
CP-021370		CP-100781-200		CP-180021		CP-200801-44	
CP-021400		CP-100781-201		CP-180031		CP-200801-46 CP-200801-48	
CP-021651		CP-100781-Z20		CP-180061		CP-200801-4A	
CP-022030		CP-100781-Z34		CP-200720		CP-200801-66	
CP-030001		CP-130101		CP-200751-10		CP-200801-68	
CP-030001		CP-130510		CP-200751-10		CP-200801-6A	
CP-030017		CP-142043		CP-200751-15		CP-200801-88	
CP-030018		CP-142543		CP-200751-15		CP-200801-8A	
CP-030018		CP-144110		CP-200751-20		CP-200801-AA	
CP-030018		CP-144120		CP-200751-20		CP-200830	
CP-030024	152	CP-144130	182	CP-200751-25	144	CP-200851-10	
CP-030025		CP-144140		CP-200751-25		CP-200851-15	145
CP-030042	210	CP-144150		CP-200751-30		CP-200851-20	145
CP-030430	182	CP-144160	182	CP-200751-40		CP-200851-25	
CP-030590	210	CP-144270	167	CP-200751-45		CP-200851-30	
CP-030670		CP-144280	167	CP-200751-50	144	CP-200851-45	
CP-030860		CP-144290		CP-200751-55		CP-200851-55	
CP-030860		CP-144300		CP-200751-60		CP-200851-60	
CP-030910		CP-150082		CP-200751-65		CP-200851-65	
CP-031030		CP-150102		CP-200751-70		CP-200851-70	
CP-031170		CP-150142		CP-200751-75		CP-200851-75	
CP-031480		CP-150152		CP-200751-80		CP-200851-80	
CP-031560		CP-160051		CP-200751-85		CP-200851-85	
CP-041200		CP-160061		CP-200751-90		CP-200851-90	
CP-050050		CP-160071		CP-200761-05		CP-220071	
CP-050060		CP-160081		CP-200761-10		CP-220071	
CP-050120		CP-160091		CP-200761-15		CP-220071	
CP-060106		CP-160101		CP-200761-20		CP-220090	
CP-060203		CP-160101		CP-200761-20		CP-220090	
CP-060203				CP-200761-25			
		CP-160121				CP-220201	
CP-063220		CP-160180		CP-200761-40		CP-230081	
CP-064231		CP-160271		CP-200761-45		CP-230091	
CP-064490		CP-160301		CP-200761-50		CP-240761-500	
CP-064701		CP-160541		CP-200761-55		CP-240771-5P	
CP-070011		CP-160551		CP-200761-60		CP-240771-6P	
CP-070111		CP-160571		CP-200761-65		CP-250010	
CP-070131	193	CP-160591		CP-200761-70	144	CP-250020	
CP-070141		CP-160601		CP-200761-75		CP-250030	
CP-070161		CP-160611		CP-200761-80		CP-250040	
CP-070171	193	CP-160661-50		CP-200761-85	144	CP-250140	
CP-070181	193	CP-160661-55	148	CP-200761-90	144	CP-250180	167
CP-070201	193	CP-160691		CP-200771-05	145	CP-270511	
CP-070441		CP-160910		CP-200771-05		CP-270521	
CP-070451		CP-170011		CP-200771-10		CP-270531	
CP-070481		CP-170021		CP-200771-10		CP-270541	
CP-070501		CP-170021		CP-200771-15		CP-270551	
CP-070691		CP-170031		CP-200771-15		CP-270561	
CI - UI UU J I		CP-170031		CI-200111-13	148	CI-ZIUJUI	

Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
CP-280271	50	CT-D00	191	CT-Y46	100	DE-CODE-LOK	202
CP-280271		CT-D01		CT-Y47		EA-100088	
CP-280330		CT-D02		CT-Y49	100	EA-100107	
CP-280620		CT-D03		CT-Y52	100	EA-100108	
СР-282430		CT-D04	191	CT-Y53	100	EA-100109	42
СР-282451		CT-D05		CT-Y54		EA-100109	
CP-282460		CT-D06		CT-Y55		EA-100110	
CP-282470		CT-D07		CT-Y57		EA-100111	
CP-282500		CT-D08		CT-Y58		EA-100117	
CP-282530		CT-D09		СТ-Үб0		EA-100119-XX	
CP-282540		CT-D11		СТ-Үб1		EA-100121	
CP-285901		CT-D12		СТ-Үб7		EA-100125	
CP-285901 CP-285921-500		CT-D15 CT-D19		CT-Y68 CT-Y69		EA-100126 EA-100138	
CP-285921-500		CT-F34		CT-Y70		EA-100138	
CP-285931		CT-F35		CT-Y71		EA-100145	
CP-285931		CT-F36		CT-Y72		EA-100143	
CP-285951-500		CT-F37		CT-Y73		EA-100149	
CP-285951-500		CT-F38		СТ-Ү74		EA-100154	
CP-285961		CT-F40		CT-Y75		EA-100156	
CP-285961		CT-F42		CT-Y76	152	EA-100159	65
CP-285981-500		CT-F43	160	CT-Y77	101	EA-100160	
CP-285981-500		CT-F44	160	CT-Y78	101	EA-100167	65
CP-285991	147	CT-H00		CT-Y97	101	EA-100168	56
CP-285991		СТ-Н07	191	CT-Z00		EA-100173	41
CP-286011-500		СТ-Н09		CT-Z01		EA-100173	
CP-286011-500		СТ-Н14		CT-Z02		EA-100174	
CP-286021		СТ-Н15		CT-Z04		EA-100174	
CP-286041-500		CT-H16		CT-Z05		EA-100177	
CP-286041-500		СТ-Н17		CT-Z06		EA-100178	
CP-286051		СТ-Н19		CT-Z07 CT-Z08		EA-100179 EA-100180	
CP-286071-500 CP-286131		CT-H20 CT-H27		CT-Z08		EA-100180	
CP-286180		СТ-Н30		CT-Z16		EA-100182	
CP-286350		CT-H32		CT-Z17		EA-100182	
CP-286531-25-EL		CT-J01		CT-Z18		EA-100199-A00	
CP-286541-25-EL		CT-J05		CT-Z19		EA-100199-A01	
CP-286851		CT-J07		CT-Z20		EA-100199-M00	
CP-287260		CT-108		CT-Z21		EA-100199-M01	
CP-287260		CT-j11		CT-Z22	77	EA-100199-MD0	
CP-287260		CT-J12		CT-Z26		EA-100199-MD1	
CP-287371	212	CT-J13	192	CT-Z29	152	EA-100199-MU0	
CP-287720		CT-J14		CT-Z34		EA-100199-MU1	
CP-287770		CT-J15		CT-Z45		EA-100206	
CP-301290		CT-J18		CT-Z47		EA-100207	
CT-A00		CT-J22		CT-Z48		EA-100208	
CT-A01		СТ-J27		CT-Z50		EA-100210	
CT-A02		СТ-J28		CT-Z50		EA-100219	
CT-A03 CT-A04		CT-J29 CT-V00		CT-Z51 CT-Z51		EA-100220 EA-100221	
CT-A04		CT-V01		CT-Z55		EA-100221	
CT-A06		CT-V02		CT-Z56		EA-100224	
CT-A07		CT-V02		CT-Z57		EA-100229	
CT-A08		CT-V19		CT-Z58		EA-100230	
CT-A09		CT-V35		CT-Z59		EA-100232	
CT-A11		CT-V39		CT-Z61		EA-100236-M00	
CT-A12	190	CT-V40		CT-Z69	77	EA-100236-M01	
CT-A13	190	CT-Y02		CT-Z70	77	EA-100236-MD0	
CT-A14	190	CT-Y08		CT-Z84	77	EA-100236-MD1	
CT-A15		CT-Y08		CT-Z87		EA-100236-MU0	
CT-A16		CT-Y24		CT-Z88		EA-100236-MU1	
CT-A19		CT-Y27		CT-Z88		EA-100237-M00	
СТ-С02		CT-Y28		CT-Z98		EA-100237-M01	
CT-C04		CT-Y29		CT-Z98		EA-100237-MD0	
CT-C05		CT-Y31		CT-Z99		EA-100237-MD1	
CT-C08		CT-Y32		CT-ZA2		EA-100237-MU0	
CT-C09		СТ-ҮЗ5		СТ-ZA6		EA-100237-MU1	
CT-C11		CT-Y37	100	DE-CODE-KEY	202	EA-100240	

Product No.	Page	Product No.	Page	Product No.	Page	Product No.	Page
EA-100242-000		KEC 42602B	65	KYB 77663F NM XX	205	RE-KEY	202
EA-100242-00G		KEC 42603B		KYB 77663H NM XX		RE-KEY-MK	
EA-100242-010		KEC 4260CR		KYB 77663N NM XX		RH 49G0429	
EA-100242-01G		KEC 426P2B		KYB 77663P XX 99		ST-LASER	
EA-100242-100		KEC 426P3B		KYB 776900 XXX 99		SW-500001	
EA-100242-10G EA-100245		KEC 47X002 KEC 47X003		KYB 77693P XXX 99 KYB 776940 XXX 99		SW500101-1 SW-500101-1	
EA-100247-A00		KEC 47X003		KYB 777600 XX 99		SW500101-3	
EA-100247-A01		KEC 47X013		KYB 77763P XX 99		SW-500101-3	
EA-100247-M00		KEC 47XB03		KYB 777900 XXX 99		SW500101-5	
EA-100247-M01		KEC 47XP02		KYB 77793P XXX 99		SW-500101-5	
EA-100247-MD0		KEC 47XP03		KYB 777940 XXX 99		SW-500111-R	
EA-100247-MD0		KEC 48X002		KYB A50000-AXX00		SW-500121-0	53
EA-100247-MU0		KEC 48X003		KYB A60000-AXX00		SW-500121-1	
EA-100247-MU1		KEC 48X013		KYB XX5400 XX 99		SW-500121-1R	
EA-100248-A00		KEC 48X023		KYB XX6605		SW-500141	
EA-100248-A01		KEC 48XB03		KYB XX6611		SW-500141-1	
EA-100248-M00		KEC 48XP02		KYB XX6620 XX 05		SW-500141-1R	
EA-100248-M01		KEC 48XP03		KYB XX6X31		SW-500150-R	
EA-100248-MD0 EA-100248-MD1		KEC 49X002 KEC 49X003		KYB XX7X11		SW-5001570 SW-500160-5R	
EA-100248-MD1		KEC 49X003		KYB XX7X31 KYC 355600 XX 99		SW-500170-R	
EA-100248-MU1		KEC 49X013		KYC 35563 XX 99		SW-500301-1	
EA-100249-A00		KEC 49XP02		KYC 35563K XX 99		SW-500301-1R	
EA-100249-A01		KEC 49XP03		KYC 35563P XX 99		SW-500301-2	
EA-100249-M00		KM KYB 776640 XX 99		KYC 355640 XX 99		SW-500301-3	
EA-100249-M01		KM KYB 777640 XX 99		KYC 356600 XX 99		SW-500301-4	
EA-100249-MD0		KM-SHARP-CUT		KYC 35663 XX 99		SW-600001	
EA-100249-MD1		KM-SHARP-CUT	213	KYC 35663K XX 99		SW-600201	213
EA-100249-MU0		KYB 105400 XX 00	204	KYC 35663P XX 99	205	SW-600401	213
EA-100249-MU1		KYB 10X600 XX XX		KYC 356640 XX 99		SW-600801	
EA-100250-A00		KYB 10X605 XX		KYC 4L X600 XX 99 XXX		SW-600801-6	
EA-100250-A01		KYB 115400 S6 43		KYC 4L X600 XX XX XXX		SW-600801-6R	
EA-100250-M00		KYB 115400 XX 00		KYC 4S X600 XX 99 XXX		SW-600801-6R	
EA-100250-M01		KYB 12X600 XX 99		KYC 45 X600 XX XX XXX		SW-600901	
EA-100250-MD0		KYB 17X600 XX 99		KYC 745600 XX 99		SW-600901-1	
EA-100250-MD1 EA-100250-MU0		KYB 32X600 XX 99 KYB 32X900 XX 99		KYC 74563J XX 99 KYC 74563K XX 99		SW-600901-1R SW-600901-R	
EA-100250-MU0		KYB 33X600 XX 99		KYC 74563P XX 99		Т-7155	
EA-100254		KYB 34X600 XX 99		KYC 745640 XX 99		TP-F10-2W (.060")	
EA-200058		KYB 355600 XX 99		KYC 746600 XX 99		TP-F10-3M	
EA-250059		KYB 35563J XX 99		KYC 74663 XX 99		TP-F10-3W (.090")	
EA-250066		KYB 35563K XX 99		KYC 74663K XX 99		TP-F10-4T (.180")	
EA-300069-01-EL		KYB 35563P XX 99		KYC 74663P XX 99		TP-F10-4W-6T (.120")	
EA-300070-01-EL	205	KYB 355640 XX 99		KYC 746640 XX 99	207	TP-F10-5T (.150")	
EA-300086-01-EL		KYB 356600 XX 99		KYC 776600 XX 99	207	TP-F10-XT	209
EA-300087-01-EL	206	KYB 35663J XX 99		KYC 77663P XX 99	205	TP-F10-XW	
EA-300088-01-EL		KYB 35663K XX 99		KYC 776640 XX 99		TP-F10-XX	
EA-300089-01-EL		KYB 35663P XX 99		KYC 776900 XXX 99		TP-F15-XB	
EA-300239		KYB 356640 XX 99		KYC 77693P XXX 99		TP-F15-XT	
EA-300241		KYB 38X600 XX 99		KYC 776940 XXX 99		TP-F50-XW	
EA-300242		KYB 38X900 XX 99		KYC 777600 XX 99		TP-F50-XX TP-F53-XX	
EA-300243 EA-300244		KYB 4L X600 XX 99 XXX KYB 4S X600 XX 99 XXX		KYC 77763P XX 99 KYC 777640 XX 99		TP-F53-XX	
EA-300245		KYB 745600 XX 99		KYC 777900 XXX 99		TP-F57-x	
EA-350084		KYB 74563F NM XX		KYC 77793P XXX 99		TP-F60-XX	
EA-500054-M0P		KYB 74563H NM XX		KYC 777940 XXX 99		TP-F90-XX	
EA-500054-MBP		KYB 74563J XX 99		KYC A50000 AXX 00		TP-H10-9W (.135")	
EN-150002-XXX		KYB 74563K XX 99		KYC A60000 AXX 00	202	ТР-К40-ХХ-ВН	
EN-150002-XXX (Op Co	de)39	KYB 74563N NM XX		KYC XX5600 XX 99		ТР-К40-ХХ-ТН	209
EN-150003-XXX (Op Co		KYB 74563P XX 99		KYC XX6600 XX XX	202	ТР-К42-Z9	
EV-8501D		KYB 745640 XX 99		KYC XX6900 XXX 99	202	ТР-К43-ХХ-ВН	209
EV-8501D		KYB 746600 XX 99		KYC XX6900 XXX XX			
EV-8501S		KYB 74663J XX 99		LH 49G0428			
EV-8501S		KYB 74663K XX 99		PK-KYLUBE-02			
KEB 47600C		KYB 74663P XX 99 KYB 746640 XX 99		PK-KYLUBE-11 PX-KYLUBE-02			
KEB 48600C							


# Finishes Available – Commercial & Industrial Locks



Note: Product appearance may differ from this chart as a result of the differences in plated versus printed materials.

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, locks, perimeter fencing, access control and service.





**MEDECO USA** 

3625 Alleghany Drive | Salem, Virginia 24153-0330 Customer Service **1.877.633.3261** 

MEDECO CANADA 160 Four Valley Drive | Vaughan,ON L4K 4T9 CANADA Customer Service 1.888.633.3264

© 2022 Medeco Security Locks



Ô

facebook.com/medecolocks

youtube.com/medecolocks

enewsletter sign up: medeco.com

in linkedin.com/company/medecolocks/

LT-922119 REV 17