
Installation Instructions

SARGENT
ASSA ABLOY

End Cap Mounting Plate

PE80 Series Exit Devices

1



Slide mounting plate into rail, until the mounting plate is firmly against the rail.

⚠ WARNING

This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.

⚠ WARNING

Attention Installer: Improper installation may result in damage to the product and void the factory warranty.

1-800-727-5477 • www.sargentlock.com


Copyright © 2023, SARGENT Manufacturing Company. All rights reserved. Reproduction in whole or in part without the express written permission of SARGENT Manufacturing Company is prohibited. Patent pending and/or patent www.assaabloydss.com/patents.

A8317-1 05/23

Experience a safer and more open world


SARGENT
ASSA ABLOY

2




Ensure mounting rail bracket is against the rail without a gap.

3




For new installation, use the inner mounting holes. (For retrofit, use whichever holes are in-line with the holes in the door.)

4



Mounting plate base should rest flat on door or shims, without any overlap of the mounting plate base and rail.

5



New installation shown

Copyright © 2023, SARGENT Manufacturing Company. All rights reserved. Reproduction in whole or in part without the express written permission of SARGENT Manufacturing Company is prohibited. Patent pending and/or patent www.assaabloydss.com/patents.

A8317-1 05/23

Experience a safer and more open world