

# Frameless Shower Door Hardware





Cover: Prima Hinges - Polished Chrome  
This page: Melbourne Hinges - Polished Chrome

# Table of Contents

## Finishes

2 Hardware Finishes

## Shower Door Hinges

4 Hinges At A Glance

6 Geneva Hinges

7 Adjustable Geneva Hinges

8 Pinnacle Hinges

9 Adjustable Pinnacle Hinges

10 Vienna Hinges

11 Adjustable Vienna Hinges

12 Cologne Hinges

13 Adjustable Cologne Hinges

14 Victoria Hinges

14 Plymouth Hinges

15 Melbourne Hinges

16 Vernon Hinges

17 Zurich Hinges

18 Prima Hinges

19 Senior Prima Hinges

19 Junior Prima Hinges

20 Cardiff Hinges

20 Senior Cardiff Hinges

21 Palermo Hinges

21 Scala Hinges

## Sliding Shower Door Systems

23 Deluxe Serenity Series

25 Deluxe Serenity V-Corner Series

27 Senior Deluxe Serenity Series

29 Cambridge Series

31 Crescent Series

33 Hydroslide Series

35 Bristol Series

37 Contempo Series

39 Clear Space Series

41 Essence Series

43 Cabo Soft Slide Series

45 Cottage CK Series

47 Cottage DK Series

49 Suite EK Series

51 MK Series

## Shower Door Pull Handles & Knobs

53 Pull Handles

57 Knobs

## Towel Bars & Grab Bars

59 Towel Bars

65 Handle/Towel Bar Combinations

69 Grab Bars

## Glass Clamps, Brackets & U-Channels

71 Square Clamps

72 Beveled Clamps

73 Traditional Clamps

73 Adjustable Clamps

74 Glass Brackets

74 Sleeve Over Clamps

75 U-Channels

## Shower Door Headers & Support Bars

77 Deluxe Shower Door Headers

79 EZ-Adjust Shower Door Headers

79 Shower Door Thresholds

81 Support Bars

## Water Seals & Sweeps

85 Water Seals & Sweeps

## Complete Design and Estimating Program for Shower Enclosures

88 Showers Online®

# Unmatched Quality and Selection

CRL Frameless Shower Door Hardware is designed to enhance the beauty and function of today's residential and commercial shower enclosures. Every component is meticulously engineered to provide premium aesthetics and lasting durability. A complete selection of hinges, knobs, pull handles, towel/grab bars, headers, u-channels, and sliding shower door systems offers one-stop shop convenience. As the industry leader, CRL stays on top of the latest trends and innovations.

CRL offers a large selection of shower door hardware finishes. Our extensive options can complement the look and feel of virtually any interior.



Polished  
Chrome



Satin Chrome  
(Matte)



Brushed  
Satin Chrome



Polished  
Stainless Steel



Brushed  
Stainless Steel



Polished  
Nickel



Satin  
Nickel



Brushed  
Nickel



Antique  
Brushed Nickel



Gold  
Plated



Polished  
Brass



Satin  
Brass



Unlaquered  
Brass



Ultra  
Brass



Antique  
Brass



Polished  
Copper



Brushed  
Copper



Antique  
Brushed Copper



Antique  
Bronze



Brushed  
Bronze



Oil Rubbed  
Bronze



Matte  
Black



Black



Gun  
Metal



# Hinges At A Glance

Each hinge series is designed and engineered for a unique style and function. Here's a quick look.



**Geneva**



**Pinnacle**



**Vienna**



**Melbourne**



**Vernon**



**Cologne**



**Victoria**



**Plymouth**



**Zurich**



**Prima**



**Cardiff**



**Palermo**



**Scala**

# Geneva Series Hinges

The Geneva Series of professional hinges accommodates 1/2", 3/8", or 5/16" (12, 10, or 8 mm) glass. A variety of styles provide design flexibility, including three wall mount and four glass-to-glass types. Geneva Hinges are self-centering and contain a reversible 5° Pivot Pin (select styles). In addition, Custom Pivot Pins are available to accommodate "off-angle" installations (see below). The hinges are made of solid brass with all moving parts (pins and springs) in stainless steel. Several Geneva Hinges offer the choice of Standard Model, or a 5° Pre-Set Model that allows the door to press in snugly against a jamb.

## Geneva Series



**Cat. No. GEN037**  
Wall Mount  
Full Back Plate



**Cat. No. GEN074**  
Wall Mount  
Short Back Plate



**Cat. No. GEN044**  
Wall Mount  
Offset Back Plate



**Cat. No. GEN180**  
180° Glass-to-Glass



**Cat. No. GEN537**  
5° Pre-Set Model  
Full Back Plate



**Cat. No. GEN574**  
5° Pre-Set Model  
Short Back Plate



**Cat. No. GEN544**  
5° Pre-Set Model  
Offset Back Plate



**Cat. No. GEN580**  
5° Pre-Set Model  
180° Glass-to-Glass



**Cat. No. GEN092**  
90° Glass-to-Glass



**Cat. No. GENT90**  
"T" Configuration  
Glass-to-Glass



**Cat. No. GEN045**  
135° Glass-to-Glass



**Cat. No. GEN545**  
5° Pre-Set Model  
135° Glass-to-Glass

## Pony Wall Mount Geneva Series



**Cat. No. GEN280**  
Pony Wall Mount  
for 180° Application



**Cat. No. GEN245**  
Pony Wall Mount  
for 135° Application

# Adjustable Geneva Series Hinges

The Adjustable Geneva Series can be adjusted to accommodate the desired angle (up to 90°) after the door is installed. Once the door is hung, simply loosen the Allen set screws and move the door to the desired closed position. By tightening the Allen screws, the door will self-center to the desired closing position. The door can swing 90° inward and 90° outward (adjusting angle from factory set position will reduce 90° swing in that direction). For doors pulling outwards only (using a clear door jamb), the hinge adjusts to close 5° inside the shower area, allowing the door to close snugly against the jamb.

## Adjustable Geneva Series



**Cat. No. GEN337**  
Adjustable Wall Mount  
Full Back Plate



**Cat. No. GEN344**  
Adjustable Wall Mount  
Offset Back Plate



**Cat. No. GEN380**  
Adjustable  
180° Glass-to-Glass



**Cat. No. GEN345**  
Adjustable  
135° Glass-to-Glass

## Geneva Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/2", 3/8", or 5/16" (12, 10, or 8 mm) Tempered Safety Glass  |
| Special Feature           | Offers choice of Standard Model factory set at standard 0° closing position, or 5° Pre-Set Model for tighter closure into shower interior so the door can press snugly against a jamb |
| Construction              | Solid Brass   |
| Hinge Swings              | Approximately 90° in and 90° out  |
| Closing Type              | Self-Centering when within 15° of closed position   |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions   |

|                     |                   |                     |
|---------------------|-------------------|---------------------|
|                     | <b>Two Hinges</b> | <b>Three Hinges</b> |
| Maximum Door Weight | 80 lbs/36 kg      | 120 lbs/54 kg       |
| Maximum Door Width  | 28"/711 mm        | 32"/813 mm          |



# Pinnacle Series Hinges

The Pinnacle Series has radius corners and beveled edges for a sleek appearance. Pinnacle Hinges accommodate 1/2", 3/8", or 5/16" (12, 10, or 8 mm) thick tempered safety glass, and are self-centering when within 15° of the closed position. Pinnacle hinges are constructed of solid brass, and have stainless steel plunger tips, pins, and springs to ensure a long service life and reliable door closure. The Pinnacle Hinge also contains the same Reversible 5° Pivot Pin featured in our Geneva, Cathedral, Roman, Ultimate, and Elite Series Hinges. A Custom Pivot Pin is also available for "off-angle" installations.

## Pinnacle Series



**Cat. No. P1N037**  
Wall Mount  
Full Back Plate



**Cat. No. P1N074**  
Wall Mount  
Short Back Plate



**Cat. No. P1N044**  
Wall Mount  
Offset Back Plate



**Cat. No. P1N180**  
180° Glass-to-Glass



**Cat. No. P1N537**  
5° Pre-Set Model  
Full Back Plate



**Cat. No. P1N574**  
5° Pre-Set Model  
Short Back Plate



**Cat. No. P1N544**  
5° Pre-Set Model  
Offset Back Plate



**Cat. No. P1N580**  
5° Pre-Set Model  
180° Glass-to-Glass



**Cat. No. P1N045**  
135° Glass-to-Glass



**Cat. No. P1N092**  
90° Glass-to-Glass

## Pony Wall Mount Pinnacle Series Hinges



**Cat. No. P1N280**  
Pony Wall Mount  
for 180° Application

# Adjustable Pinnacle Series Hinges

Adjustable Pinnacle Series Hinges are designed to accommodate the desired angle (up to 90°) after the door is installed. Once the door is hung, simply loosen the Allen set screws and move the door to the desired closed position. By tightening the Allen screws, the door will self-center to the desired closed position. The door can swing approximately 90° inward and also 90° outward (adjusting angle from factory set position will reduce 90° swing in that direction).

## Adjustable Pinnacle Series



**Cat. No. P1N337**  
Adjustable Wall Mount  
Full Back Plate



**Cat. No. P1N344**  
Adjustable Wall Mount  
Offset Back Plate



**Cat. No. P1N380**  
Adjustable  
180° Glass-to-Glass



**Cat. No. P1N345**  
Adjustable  
135° Glass-to-Glass

## Pinnacle Series Specifications

|                           |   |  |
|---------------------------|---|--|
| Glass Thicknesses         | 1/2", 3/8", or 5/16" (12, 10, or 8 mm) Tempered Safety Glass  |  |
| Special Feature           | Offers choice of Standard Model factory set at standard 0° closing position, or 5° Pre-Set Model for tighter closure into shower interior so the door can press snugly against a jamb |  |
| Construction              | Solid Brass   |  |
| Hinge Swings              | Approximately 90° in and 90° out  |  |
| Closing Type              | Self-Centering when within 15° of closed position   |  |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions   |  |

|                     |                   |                     |
|---------------------|-------------------|---------------------|
|                     | <b>Two Hinges</b> | <b>Three Hinges</b> |
| Maximum Door Weight | 80 lbs/36 kg      | 120 lbs/54 kg       |
| Maximum Door Width  | 28"/711 mm        | 32"/813 mm          |



# Vienna Series Hinges

Vienna Hinges are designed for wider, heavier doors. Two strategically placed steel pins inside the hinge provide template options. For the safety of “mouse-ears” type cut-outs, the two steel pins should be left in place. This allows the Vienna Hinge to be used with its own CRL “mouse-ears” cut-out. For increased adjustability, the two pins can be removed.

## Vienna Series



**Cat. No. V1E037**  
Wall Mount  
Full Back Plate



**Cat. No. V1EH037**  
“H” Wall Plate Hinge



**Cat. No. V1E074**  
Wall Mount  
Short Back Plate



**Cat. No. V1E044**  
Wall Mount  
Offset Back Plate



**Cat. No. V1E180**  
180° Glass-to-Glass



**Cat. No. V1E537**  
5° Pre-Set Model  
Full Back Plate



**Cat. No. V1E544**  
5° Pre-Set Model  
Offset Back Plate



**Cat. No. V1E580**  
5° Pre-Set Model  
180° Glass-to-Glass



**Cat. No. V1E045**  
135° Glass-to-Glass



**Cat. No. V1E092**  
90° Glass-to-Glass

## “Positive Close” Vienna Series Hinges



**Cat. No. V1E067**  
Full Back Plate



**Cat. No. V1E780**  
180° Glass-to-Glass

# Adjustable Vienna Series Hinges

The Adjustable Vienna Series is designed to accommodate the desired angle (up to 90 degrees) after the door is hung. Simply loosen the Allen set screws and move the door to the desired closed position. By tightening the Allen screws, the door will self-center to the desired closed position. The door can swing 90 degrees inward and 90 degrees outward (adjusting angle from factory set position will reduce 90 degree swing in that direction).

## Adjustable Vienna Series



**Cat. No. VIE337**  
Adjustable Wall Mount  
Full Back Plate



**Cat. No. VIE344**  
Adjustable Wall Mount  
Offset Back Plate



**Cat. No. VIE380**  
Adjustable  
180° Glass-to-Glass

## Vienna Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/2" or 3/8" (12 or 10 mm) Tempered Safety Glass  |
| Construction              | Solid Brass                                       |
| Hinge Swings              | Approximately 90° in and 90° out                  |
| Closing Type              | Self-Centering when within 15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |

### Except VIE074, VIE044 and VIE544 Models

|                     | Two Hinges    | Three Hinges  |
|---------------------|---------------|---------------|
| Maximum Door Weight | 110 lbs/50 kg | 140 lbs/63 kg |
| Maximum Door Width  | 36"/914 mm    | 36"/914 mm    |

### For VIE074, VIE044 and VIE544 Models Only

|                                       | Two Hinges    | Three Hinges  |
|---------------------------------------|---------------|---------------|
| Maximum Door Weight                   | 100 lbs/45 kg | 130 lbs/59 kg |
| Maximum Door Width 3/8" (10 mm) Glass | 34"/864 mm    | 34"/864 mm    |
| Maximum Door Width 1/2" (12 mm) Glass | 32"/813 mm    | 32"/813 mm    |



# Cologne Series Hinges

Cologne Hinges have radius corners and beveled edges. Cologne Hinges are designed for wider, heavier doors. Two strategically placed steel pins inside the hinge provide template options, and satisfy two schools of thought for mounting shower door hinges. For the safety of "mouse-ears" type cut-outs, the two steel pins should be left in place. This allows the Cologne Hinge to be used with its own CRL "mouse-ears" cut-out. For increased adjustability, the two pins can be removed.

## Cologne Series



**Cat. No. COL037**  
Wall Mount  
Full Back Plate



**Cat. No. COL044**  
Wall Mount  
Offset Back Plate



**Cat. No. COL180**  
180° Glass-to-Glass



**Cat. No. COL045**  
135° Glass-to-Glass



**Cat. No. COL537**  
5° Pre-Set Model  
Full Back Plate



**Cat. No. COL544**  
5° Pre-Set Model  
Offset Back Plate



**Cat. No. COL092**  
90° Glass-to-Glass

## "Positive Close" Cologne Series Hinges



**Cat. No. COL067**  
Wall Mount Full Plate



**Cat. No. COL780**  
180° Glass-to-Glass

# Adjustable Cologne Series Hinges

The Adjustable Cologne Series is designed to accommodate the desired angle (up to 90°) after the door is installed. Once the door is hung, simply loosen the Allen set screws and move the door to the desired closed position. By tightening the Allen screws, the door will self-center to the desired angle. The door can swing 90° inward and also 90° outward (adjusting angle from factory set position will reduce 90° swing in that direction).

## Adjustable Cologne Series



**Cat. No. COL337**  
Adjustable Wall Mount  
Full Back Plate



**Cat. No. COL380**  
Adjustable  
180° Glass-to-Glass

## Cologne Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/2" or 3/8" (12 or 10 mm) Tempered Safety Glass  |
| Construction              | Solid Brass                                       |
| Hinge Swings              | Approximately 90° in and 90° out                  |
| Closing Type              | Self-Centering when within 15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |

### Except COL044 and COL544 Models

|                     | Two Hinges    | Three Hinges  |
|---------------------|---------------|---------------|
| Maximum Door Weight | 110 lbs/50 kg | 140 lbs/63 kg |
| Maximum Door Width  | 36"/914 mm    | 36"/914 mm    |

### For COL044 and COL544 Models Only

|                                       | Two Hinges    | Three Hinges  |
|---------------------------------------|---------------|---------------|
| Maximum Door Weight                   | 100 lbs/45 kg | 130 lbs/59 kg |
| Maximum Door Width 3/8" (10 mm) Glass | 34"/864 mm    | 34"/864 mm    |
| Maximum Door Width 1/2" (12 mm) Glass | 32"/813 mm    | 32"/813 mm    |



# Victoria Series Hinges

Victoria Series Hinges are designed to support heavier, wider doors using two hinges instead of three. Victoria Series Hinges utilize an integrated stiffening beam to minimize clamping plate flex, resulting in exceptional holding power. They also deliver increased self-centering force, and heat-treated stainless steel springs produce enhanced durability. Do not exceed two hinges per door.



**Cat. No. VCT037**  
Wall Mount

## Victoria Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/2" or 3/8" (12 or 10 mm) Tempered Safety Glass  |
| Construction              | Solid Brass                                       |
| Hinge Swings              | Approximately 90° in and 90° out                  |
| Closing Type              | Self-Centering when within 15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |



**Cat. No. VCT180**  
180° Glass-to-Glass

|                     |                             |
|---------------------|-----------------------------|
| Maximum Door Weight | Two Hinges<br>140 lbs/64 kg |
| Maximum Door Width  | 39"/1 m                     |



# Plymouth Series Hinges

Plymouth Series Hinges are designed to support heavier, wider doors using two hinges. This produces a frameless aesthetic by reducing the amount of hardware needed. Plymouth Series Hinges utilize an integrated stiffening beam to minimize clamping plate flex, resulting in exceptional holding power. They also deliver increased self-centering force, and heat-treated stainless steel springs produce enhanced durability.



**Cat. No. PLY037**  
Wall Mount

## Plymouth Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/2" or 3/8" (12 or 10 mm) Tempered Safety Glass  |
| Construction              | Solid Brass                                       |
| Hinge Swings              | Approximately 90° in and 90° out                  |
| Closing Type              | Self-Centering when within 15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |



**Cat. No. PLY180**  
180° Glass-to-Glass

|                     |                             |
|---------------------|-----------------------------|
| Maximum Door Weight | Two Hinges<br>140 lbs/64 kg |
| Maximum Door Width  | 39"/1 m                     |



# Melbourne Series Hinges

Melbourne Series Hinges feature large hinge plates that provide more clamping force. The required simple rectangular cut-out and inset style gasket system allow ease of installation. Constructed of forged solid brass, the Melbourne Series offers five versions of Wall Mount Models, a 180 Degree Glass-to-Glass Model (with or without Cover Plates), a 180 Degree Glass-to-Glass Adjustable Model, and Replacement Cover Plates (for MEL024 and MEL182 only) to conceal rear hinge screws and wall mount screws (MEL024 only). Melbourne Hinges contain the same 5 degree reversible pivot pin used in our Geneva Series Hinges..



**Cat. No. MEL037**  
Wall Mount  
Full Back Plate



**Cat. No. MEL044**  
Wall Mount  
Offset Back Plate



**Cat. No. MEL024**  
\* Wall Mount  
Offset Back Plate



**Cat. No. MEL054**  
Face Mount  
with Cover Plate



**Cat. No. MEL324**  
Adjustable  
Wall Mount Offset Back  
Plate with Cover Plate



**Cat. No. MEL180**  
180° Glass-to-Glass  
Hinge Only



**Cat. No. MEL380**  
Adjustable  
180° Glass-to-Glass



**Cat. No. MEL024CP**  
Replacement  
Cover Plates  
Only for MEL024



**Cat. No. MEL180CP**  
Replacement  
Cover Plates  
Only for MEL182



**Cat. No. MEL182**  
Includes Hinge and  
MEL180CP Cover Plates

\* Includes Hinge and MEL024CP Cover Plate

## Melbourne Series Specifications

|                           |  |  |
|---------------------------|--|--|
| Glass Thicknesses         | 1/2", 3/8", or 5/16" (12, 10, or 8 mm) Tempered Safety Glass |  |
| Construction              | Solid Brass  |  |
| Hinge Swings              | Approximately 90° in and 90° out                             |  |
| Closing Type              | Self-Centering when within 15° of closed position            |  |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions            |  |

|                     |               |               |
|---------------------|---------------|---------------|
|                     | Two Hinges    | Three Hinges  |
| Maximum Door Weight | 100 lbs/45 kg | 120 lbs/54 kg |
| Maximum Door Width  | 30"/762 mm    | 34"/864 mm    |



# Vernon Series Hinges

The self-closing Vernon Hinge represents the synthesis between automatic mechanical hinges and hydraulic door closers. A choice of Hold Open and No Hold Open models allows for flexibility of installation. A control valve allows for adjust of hinge to the desired closing speed. Vernon is ambidextrous, with positive stops at zero and 90 degrees, providing even more design freedom. The Vernon Hinge features an aluminum body in distinct configurations for Wall Mount and Glass-to-Glass applications.



**Cat. No. H8010BT**  
Hold Open Model  
Wall Mount  
Full Back Plate



**Cat. No. H8011BT**  
Hold Open Model  
Wall Mount  
Offset Back Plate



**Cat. No. H8060BT**  
Hold Open Model  
Wall Mount  
One-Way Swinging



**Cat. No. H8015BT**  
Hold Open Model  
180° Glass-to-Glass



**Cat. No. H8210BT**  
No Hold Open Model  
Wall Mount  
Full Back Plate



**Cat. No. H8211BT**  
No Hold Open Model  
Wall Mount  
Offset Back Plate



**Cat. No. H8260BT**  
No Hold Open Model  
Wall Mount  
One-Way Swinging



**Cat. No. H8215BT**  
No Hold Open Model  
180° Glass-to-Glass

## Vernon Series Specifications

|                           |  |
|---------------------------|--|
| Glass Thicknesses         | 9/16", 1/2", 3/8", or 5/16" (13.52, 12, 10, or 8 mm) |
| Construction              | Aluminum   |
| Hinge Swings              | Approximately 90° in and 90° out                     |
| Closing Type              | Self-Centering when within 15° of closed position    |
| Cut-Out Required Includes | Snap-In Molded Gaskets; Hex Screws                   |

## Wall Mount Models and Glass-to-Glass Models

|                     | Wall Mount     | Glass-to-Glass |
|---------------------|----------------|----------------|
|                     | Two Hinges     | Two Hinges     |
| Maximum Door Weight | 220 lbs/100 kg | 176 lbs/80 kg  |
| Maximum Door Width  | 39"/1m         | 39"/1m         |



# Zurich Series Hinges

The Zurich Series is a bifold Hinge for 3/8" or 5/16" (10 or 8 mm) tempered safety glass. All seven Zurich Hinge models feature stainless steel or brass construction, and are available in up to nine finishes. In addition, screws and washers are interchangeable (see below). Only two holes per Hinge per panel are required, with no cut-out necessary.



**Cat. No. ZUR01**  
180° Glass-to-Glass  
Outswing or Bi-Fold  
Inswing



**Cat. No. ZUR02**  
180° Glass-to-Glass  
Inswing or Bi-Fold  
Outswing



**Cat. No. ZUR03**  
Wall Mount Inswing



**Cat. No. ZUR04**  
Glass-to-Glass  
90° Inswing



**Cat. No. ZUR05**  
Wall Mount Outswing



**Cat. No. ZUR06**  
Glass-to-Glass  
90° Outswing



**Cat. No. ZUR07**  
Glass-to-Glass  
Inline Outswing



**Cat. No. ZUR70**  
Screw and Washer  
Accent Kits

## Zurich Series Specifications

|                           |   |  |
|---------------------------|---|--|
| Glass Thicknesses         | 5/16" or 3/8" (8 or 10 mm) Tempered Safety Glass  |  |
| Construction              | Stainless Steel or Solid Brass                    |  |
| Hinge Swings              | See descriptions next to photos of hinges         |  |
| Closing Type              | Self-Centering when within 15° of closed position |  |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |  |

|                     |                   |                     |
|---------------------|-------------------|---------------------|
|                     | <b>Two Hinges</b> | <b>Three Hinges</b> |
| Maximum Door Weight | 100 lbs/45 kg     | 150 lbs /68 kg      |
| Maximum Door Width  | 36"/914 mm        | 40"/1016 mm         |



# Prima Series Hinges

Prima Series Pivot Hinges are designed for use with 3/8" or 5/16" (10 or 8 mm) tempered safety glass, and provide a wide array of application possibilities. Advantages of pivot type hinges include the fact that they carry the majority of the door weight on the bottom and have the ability to be inset from the wall, enabling clearance for towel bars and other projections.



**Cat. No. PPH01**  
Top or Bottom Mount



**Cat. No. PPH08**  
Top or Bottom Mount  
with Rear Drip Plate



**Cat. No. PPHWP1**  
Drip Plate Only for Top  
and Bottom Mount Hinge



**Cat. No. PPH06**  
Header Mount Compatible  
Only with EZ Adjust Header



**Cat. No. PPH05L**  
Offset Bracket Wall Mount  
Left Hand Mount



**Cat. No. PPH05R**  
Offset Bracket Wall Mount  
Right Hand Mount



**Cat. No. PPH03**  
L-Bracket  
Wall Mount



**Cat. No. PPH02**  
Glass-to-Fixed  
Transom Mount



**Cat. No. PPH04**  
Inline Panel Mount



**Cat. No. PPH07**  
Top or Bottom Mount with  
Attached Reversible U-Clamp



**Cat. No. PPH135L**  
135° Glass-to-Glass Left



**Cat. No. PPH135R**  
135° Glass-to-Glass Right



**Cat. No. PPH0735L**  
Top or Bottom Mount  
135° Glass-to-Glass Left



**Cat. No. PPH0735R**  
Top or Bottom Mount  
135° Glass-to-Glass Right



**Cat. No. PPH301**  
Adjustable  
Top or Bottom Mount



## Prima Series Specifications

|                           |  |
|---------------------------|--|
| Glass Thicknesses         | 3/8" or 5/16" (10 or 8 mm)                           |
| Construction              | Solid Brass  |
| Hinge Swings              | Full Rotation  |
| Closing Type              | Self-Centering when within<br>15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass<br>Fabrication Dimensions |
| Maximum Door Weight       | Two Hinges<br>100 lbs/45 kg                          |
| Maximum Door Width        | 31"/787 mm   |

# Senior Prima Series Hinges

Senior and Junior Prima Series Hinges carry the majority of the weight on the bottom, and have the ability to be inset from the wall, enabling clearance for towel bars and other projections. The Glass-to-Fixed Transom Mount Pivot Hinge is used for doors having fixed transoms above them. When placed vertically, either style can be used in movable transom installations.



**Cat. No. SRPPH01**  
Top or Bottom Mount



**Cat. No. SRPPH02**  
Glass-to-Fixed  
Transom Mount



**Cat. No. SRPPH06**  
Top Mount with  
EZ-Adjust Header



**Cat. No. SRPPH07**  
Top or Bottom Mount  
with Attached  
Reversible U-Clamp



**Cat. No. SRPPH05L**  
Offset Bracket Wall Mount  
Left Hand Mount



**Cat. No. SRPPH05R**  
Offset Bracket Wall Mount  
Right Hand Mount

## Senior Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/2" (12 mm)                                      |
| Construction              | Solid Brass                                       |
| Hinge Swings              | Full Rotation                                     |
| Closing Type              | Self-Centering when within 15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |



|                     |               |
|---------------------|---------------|
| Two Hinges          |               |
| Maximum Door Weight | 145 lbs/66 kg |
| Maximum Door Width  | 36"/914 mm    |

# Junior Prima Series Hinges



**Cat. No. JRPPH01**  
Top or Bottom Mount



**Cat. No. JRPPH02**  
Glass-to-Fixed  
Transom Mount

## Junior Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/4" (6 mm)                                       |
| Construction              | Solid Brass                                       |
| Hinge Swings              | Full Rotation                                     |
| Closing Type              | Self-Centering when within 15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |



|                     |              |
|---------------------|--------------|
| Two Hinges          |              |
| Maximum Door Weight | 62 lbs/28 kg |
| Maximum Door Width  | 28"/711 mm   |

# Cardiff Series Hinges

Cardiff Series Hinges are designed for use with 3/8" or 5/16" (10 or 8 mm) tempered safety glass, and provide a wide array of application possibilities. Advantages of pivot type hinge include the fact that they carry the majority of the door weight on the bottom hinge, and have the ability to be inset from the wall, enabling clearance for towel bars and other projections.



**Cat. No. CAR01**  
Top or Bottom Mount



**Cat. No. CAR02**  
Glass-to-Fixed  
Transom Mount



**Cat. No. CAR05L**  
Offset Bracket Wall Mount  
Left Hand Mount



**Cat. No. CAR05R**  
Offset Bracket Wall Mount  
Right Hand Mount



**Cat. No. CAR07**  
Top or Bottom Mount with  
Attached Reversible U-Clamp

## Cardiff and Senior Cardiff Series Specifications

|                           |  |
|---------------------------|--|
| Glass Thicknesses         | 1/2", 3/8" or 5/16" (12, 10 or 8 mm)                 |
| Construction              | Solid Brass  |
| Hinge Swings              | Full Rotation  |
| Closing Type              | Self-Centering when within 15° of closed position    |
| Cut-Out Required Includes | Gaskets, Screws, and<br>Glass Fabrication Dimensions |



Maximum Door Weight  
Maximum Door Width

| Cardiff Series | Senior Cardiff Series |
|----------------|-----------------------|
| 100 lbs/45 kg  | 145 lbs/65 kg         |
| 31"/787 mm     | 36"/914 mm            |

# Senior Cardiff Series Hinges

Senior Cardiff Series Top and Bottom Mount Pivot Hinges are designed for use with 1/2" (12 mm) thick tempered safety glass. Advantages of the Top and Bottom Mount Pivot Hinges include the fact that they carry the majority of the door weight on the bottom hinge, and have the ability to be inset from the door edge, enabling sufficient clearance for towel bars or other projections. Senior Cardiff Hinges are self-centering, with four strong springs for maximum retention strength.



**Cat. No. SRCAR01**  
Top or Bottom Mount



**Cat. No. SRCAR05L**  
Offset Bracket Wall Mount  
Left Hand Mount



**Cat. No. SRCAR05R**  
Offset Bracket Wall Mount  
Right Hand Mount

# Palermo Series Hinges

The sleek Palermo Series Hinge is unlike any other hinge. The precision lines help shape the unique design of this hinge for 3/8" to 1/2" (10 mm to 12 mm) glass. All fasteners are concealed. The hinge has an adjustable closing position that is accessed when the door is hung. The hinges are self-centering within 30° of the closed position. Using two hinges, a maximum door width of 39" (1 m) and a maximum weight of 110 lb (50 kg) can be achieved.



**Cat. No. PAL044**  
Wall Mount

## Palermo Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 1/2" or 3/8" (12 or 10 mm) Tempered Safety Glass  |
| Construction              | Solid Brass                                       |
| Hinge Swings              | Approximately 90° in and 90° out                  |
| Closing Type              | Self-Centering when within 15° of closed position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions |



**Cat. No. PAL180**  
180° Glass-to-Glass

|                     |                             |
|---------------------|-----------------------------|
| Maximum Door Weight | Two Hinges<br>140 lbs/64 kg |
| Maximum Door Width  | 39"/1 m                     |



# Scala Series Hinges

Scala offers a new design in frameless shower door hinges. The body of the hinge remains fixed while the door pivots from a hidden axle. Scala hinges are single-acting and only swing outwards. A stop or strike is required to prevent the door from swinging inward. The Scala hinge works with 5/16" and 3/8" (8 mm and 10 mm) glass. The exterior of the hinge can be customized with a specific design, making it ideal for hospitality applications. Hinges are "handed" (right hand/left hand) when viewed from outside the shower.



**Cat. No. SCA044R**  
Wall Mount Right

**Cat. No. SCA044L**  
Wall Mount Left

## Scala Series Specifications

|                           |   |
|---------------------------|---|
| Glass Thicknesses         | 5/16" or 3/8" (8 or 10 mm) Tempered Safety Glass        |
| Construction              | Solid Brass   |
| Hinge Swings              | Out Only  |
| Closing Type              | Fine Tune Adjustment of up to 1-1/2° in Closed Position |
| Cut-Out Required Includes | Gaskets, Screws, and Glass Fabrication Dimensions       |



**Cat. No. SCA180R**  
180° Glass-to-Glass Right

**Cat. No. SCA180L**  
180° Glass-to-Glass Left

|                     |                             |
|---------------------|-----------------------------|
| Maximum Door Weight | Two Hinges<br>100 lbs/45 kg |
| Maximum Door Width  | 30"/762 mm                  |





# Sliding Door Systems



Deluxe Serenity Series - Polished Stainless

# Deluxe Serenity Series Sliding Shower Door System

Our Deluxe Serenity Series Sliding Shower Door System is unique from traditional sliding shower doors. The use of minimal hardware provides a frameless look that gives the enclosure floating appearance. Specially designed roller bearings allow for quiet and easy opening and closing of the door. This unique roller system operates above and below the header bar that spans the top of the enclosure. One sliding and one fixed panel make the 180 Degree Standard Kit beautiful and practical. Units will work with 3/8" or 5/16" (10 or 8 mm) thick tempered glass (not included).



**Cat. No. SER90**  
90 Degree Accessory Kit

## Cat. No. SER78 and SER95 Standard 180 Degree Kit Includes

- One - 78-3/4" (2 m) or 95" (2.41 m) Length Header Bar
- Four - Rollers
- One - Stopper
- Two - Track Holder Fittings for Wall
- Two - Track Holder Fittings for Fixed Panel
- One - Thru-Glass Pull
- One - Door Guide
- One - 95" (2.41 m) Clear L-Seal

## Deluxe Serenity Series Sliding Shower Door System Kit Components



**Cat. No. SERH2**  
78-3/4" (2 m) Header Bar  
Low Profile 1-9/16" (40 mm)  
Height



**Cat. No. SERNR1**  
Roller



**Cat. No. SERNS1**  
Stopper



**Cat. No. SERAHW2**  
Track Holder  
Fittings for Wall



**Cat. No. SERFP2**  
Track Holder Fittings  
for Fixed Panel



**Cat. No. SERNHP2**  
Thru-Glass Pull



**Cat. No. SERUG2**  
Door Guide



**Cat. No. DK98L**  
95" (2489 mm) Clear  
L-Seal



Deluxe Serenity Series V-Corner - Polished Stainless

# Deluxe Serenity Series V-Corner System

Creating a unique and attractive V-Corner shower enclosure is now easier than ever. Simply purchase two 180 Degree Serenity Series Sliding Systems along with one 90 Degree Double Door Connector Bracket (see below). Combining the two sliding doors in a V-corner allows you to build a beautiful double door sliding enclosure, ideal for smaller bathroom areas. A choice of beautiful and durable polished or brushed stainless steel finishes match most any modern bathroom décor. Matte Black is available on special order. No glass fabrication is required for the Connector Bracket itself.



**Cat. No. SERC2**  
90 Degree Door  
Connector Bracket

Purchase two 180 Degree Serenity Series Sliding Systems (see page 23) along with 90 Degree Door Connector Bracket



Senior Deluxe Serenity Series - Polished Stainless

# Senior Deluxe Serenity Series Sliding Door System

Senior Deluxe Serenity Sliding Shower Door System is designed for use with 1/2" (12 mm) thick tempered safety glass (not included). Utilizing many of the attractive and practical features of the Deluxe Serenity, Senior Deluxe Serenity is sure to grab attention with its majestic appearance in an elegant bathroom. The Senior Deluxe Serenity Kit comes with the hardware for installation of a 180 degree door and fixed panel, except U-channel or glass clamps, which are ordered separately. Also purchased separately, our Senior 90 Degree Accessory Kit can be used to construct enclosures having a 90 degree return panel. The Senior Deluxe Serenity Sliding Kit is available in a choice of polished or brushed stainless steel.



**Cat. No. SRSER90**  
90 Degree Accessory Kit

**Cat. No. SRSER78**  
**Standard 180 Degree Kit Includes**

- One - 78-3/4" (2 m) Length Header Bar
- Four - Rollers
- One - Stopper
- Two - Track Holder Fittings for Wall
- Two - Track Holder Fittings for Fixed Panel
- One - Thru-Glass Pull
- One - Door Guide
- One - 95" (2.41 m) Clear L-Seal

## Senior Deluxe Serenity Series Sliding Door System Components



**Cat. No. SRSERH2**  
78-3/4" (2 m) Header Bar  
Low Profile 1-9/16" (40 mm)  
Height



**Cat. No. SRSERR4**  
Roller



**Cat. No. SRSERS4**  
Stopper



**Cat. No. SRSERF4W**  
Track Holder  
Fittings for Wall



**Cat. No. SRSERF4FP**  
Track Holder Fittings  
for Fixed Panel



**Cat. No. SERNHP2**  
Thru-Glass Pull



**Cat. No. SERDG2**  
Door Guide



**Cat. No. DK98L**  
95" (2489 mm) Clear  
L-Seal



Cambridge Series Two Door Bypass - Brushed Stainless

# Cambridge Series Two Door Bypass Sliding Shower Door System

The Cambridge Series Two Door Bypass Sliding Shower Door System utilizes a modern top roller system that features four rollers on each door for ease of sliding. This quiet, smooth sliding system is made of high quality stainless steel, thus ensuring easy opening and closing of the doors. The Cambridge Series is versatile in design, able to adapt to full standing showers or above bathtubs. The Cambridge Series Bypass Sliding Shower Door System accommodates 3/8" or 5/16" (10 or 8 mm) thick tempered safety glass (not included). Offered in polished or brushed stainless steel matte black finish.



**CAM90**  
90 Degree Accessory Kit

**Cat. No. CAM73**  
**Standard 180 Degree Kit Includes**

- One - 73" (1854 mm) Length of Header Bar
- Eight - Rollers
- Two - Stoppers
- Two - Track Holder Fittings for the Wall
- One - Bottom Guide
- Two - 40" (1016 mm) Bottom Sweeps With Drip Rail
- Two - 80" (2032 mm) Clear L-Jamb
- Two - 24" (610 mm) Single-Sided Towel Bars
- One - Tool Kit

## Cambridge Series Two Door Bypass Sliding Shower Door System Kit Components



**Cat. No. CAMH1**  
73" (1854 mm)  
Length of Header Bar



**Cat. No. CAMR4**  
Roller



**Cat. No. CAMS1**  
Stopper



**Cat. No. CAMW2**  
Track Holder  
Fittings for the Wall



**Cat. No. CAMG1**  
Bottom Guide



**Cat. No. P995WS**  
Bottom Sweep  
with Drip Rail



**Cat. No. DK80L**  
80" (2032 mm) Clear  
L-Jamb



**Cat. No. BMNW24**  
Single-Sided Towel Bar



Crescent Series - Brushed Stainless

# Crescent Series Sliding Shower Door System

The circular shaped header and the round rollers of the Crescent Series Sliding Door System are the perfect complement to each other. The use of minimal hardware lends itself to the popular modern sliding shower door systems by showing more glass, and less hardware. The high quality rollers ensure quiet door travel, and make the door easy to slide. The Crescent Series Sliding System accommodates 1/2" or 3/8" (12 or 10 mm) thick tempered safety glass (not included), and the system allows that the fixed and sliding panels are reversible for installation as desired. The Crescent Series Sliding Door System is available in a choice of polished stainless steel, brushed stainless steel, or matte black finish.



## CRE90

90 Degree Accessory Kit

## Cat. No. CRE78

### Standard 180 Degree Kit Includes

- One - 78" (1981 mm) Length "I Beam" Header Bar
- Four - Rollers
- One - Stopper
- Two - Wall Mount Fittings
- Two - Track Holder Fittings for Fixed Panel
- One - Bottom Guide
- Two - 40" (1016 mm) Bottom Sweep with Drip Rail
- Two - 80" (2032 mm) Clear L-Jamb

## Crescent Series Sliding Shower Door System Kit Components



### Cat. No. CREH1

78" (1981 mm) Length of Header Bar



### Cat. No. CRER2

Roller



### Cat. No. CRES1

Stopper



### Cat. No. CREW1

Wall Mount Fitting



### Cat. No. CREF1

Track Holder Fitting for Fixed Panel



### Cat. No. CREG1

Bottom Guide



### Cat. No. P995WS

40" Bottom Sweeps with Drip - 3/8" (10 mm)

### Cat. No. P997WS

40" Bottom Sweeps with Drip - 1/2" (12 mm)



### Cat. No. DK80L


80" (2032 mm) Clear L-Jamb



Hydroslide Series - Chrome

# Hydroslide Sliding Shower Door System

Hydroslide Sliding Shower Door Kits are designed for full standing showers or above bathtubs. The Hydroslide System accommodates a wide range of shower designs with fixed glass panels on either end, or both sides at 90 or 180 degrees. The Hydroslide System also accommodates the option of floor-to-near-ceiling glass panels with a sliding door. 180 Degree Hydroslide Sliding Shower Door Kits feature the latest 'all-glass' look. Kits are available in either 60" or 84" (1524 or 2134 mm) widths. Installers can cut the width to size, and height is optional as long as the sliding door glass weighs less than 88 pounds (40 kg). 90 Degree wall-to-glass installations require the 180 Degree Standard Kit, plus the 90 Degree Wall-to-Glass Accessory Kit.



**Cat. No. HYDK60**  
60" 180° Standard Kit

**Cat. No. HYDK84**  
84" 180° Standard Kit

**Cat. No. HYDA9**  
90° Wall-to-Glass  
Accessory Kit

## Standard 180 Degree Kit Includes

- One – Sliding Glass Door Upper Track
- Two – Rolling Hangers for Sliding Glass Door
- Two – Sliding Glass Door Roller Stops
- One – Sliding Glass Door Floor Guide
- Two – 90 Degree Wall to Upper Track Connector
- Two – 180 Degree Glass to Sliding Track Connector
- One – 36" (914 mm) Half-Round Threshold
- One – 95" (2489 mm) Clear L-Seal

## \*90 Degree Wall-To-Glass

### Accessory Kit consists of:

- One - 90 Degree Glass-to-Sliding Track Connector
- One - 90 Degree Wall-to-Glass Bracket
- \*90 Degree Units require that you order one  
180 Degree Standard Kit plus one 90 Degree  
Wall-to-Wall Accessory Kit

## Hydroslide Standard Sliding Shower Door System Kit Components



**Cat. No. HYD60**  
Sliding Glass Door  
Upper Track (for 60" Kit)

**Cat. No. HYD84**  
Sliding Glass Door  
Upper Track (for 84" Kit)



**Cat. No. HYD01**  
Rolling Hangers for  
Sliding Glass Door



**Cat. No. HYD02**  
Sliding Glass Door  
Roller Stops



**Cat. No. HYD03**  
Sliding Glass Door  
Floor Guide



**Cat. No. HYDW90**  
90 Degree Wall to  
Upper Track Connector



**Cat. No. HYDG180**  
180 Degree Glass to  
Sliding Track Connector



**Cat. No. SDT980**  
36" (914 mm) Half-Round  
Threshold



**Cat. No. DK98L**  
95" (2489 mm) Clear  
L-Seal



Bristol Series - Polished Stainless

# Bristol Sliding Shower Door System

The Bristol Series Sliding System's use of minimal hardware provides a frameless look that gives the enclosure a floating appearance. Specially designed roller bearings allow for quiet and easy opening and closing of the door. One sliding panel and one fixed panel make the Bristol Series both practical and beautiful.



**BR178**  
180° Standard Kit

## Cat. No. BR178

### Standard 180 Degree Kit Includes

- One - 78-3/4" (1981 mm) Length Header Bar
- Four - Rollers
- One - Stopper
- Two - Track Holder Fittings for Wall
- One - Thru-Glass Pull
- One - Bottom Door Guide
- Two - 80" (2032 mm) Clear L-Jamb
- Two - Fixed Panel Fittings

## Bristol Series Sliding Shower Door System Kit Components



**Cat. No. BR1H2**  
Header Bar



**Cat. No. BR1NR1**  
Roller



**Cat. No. BR1NDS1**  
Door Stop



**Cat. No. BR1AHW2**  
Wall Bracket



**Cat. No. BR1FP2**  
Fixed Panel Fitting



**Cat. No. SERNHP2**  
Thru-Glass Pull



**Cat. No. BR1UG2**  
Door Guide



**Cat. No. DK80L**  
80" (2032 mm) Clear  
L-Jamb



Contempo Series - Polished Stainless

# Contempo Series Sliding Door System

The Contempo Series "I Beam" Bypass Sliding Shower Door System has the flexibility to be installed either in a full standing shower, or above a bathtub. The Header is clad in polished or brushed stainless steel, or matte black to present an elegant appearance. The Contempo Series has two hangers (four rollers) per door to assure a smooth, gliding opening and closing of the bypassing doors using only fingertip control. The "adjustable height" header allow a wiggle room for installation. The Contempo Series Sliding System accommodates 3/8" or 5/16" (10 or 8 mm) thick tempered safety glass (not included). A 90 Degree Accessory Kit is available for enclosures with a return panel.



## Cat. No. CON73 Standard 180 Degree Kit Includes

- One - 73-13/16" (1875 mm) Length "I Beam" Header Bar
- Four - Hangers (Eight Rollers)
- Two - Stoppers
- Two - Track Holder Fittings for the Wall
- One - Bottom Guide
- Two - 95" (2489 mm) Clear L-Seal
- One - 73-13/16" (1875 mm) Threshold

### CON73

Standard 180 Degree  
Contempo Kit

## Contempo Series Sliding Shower Door System Kit Components



**Cat. No. CONH1**  
73-13/16" (1875 mm)  
Header Bar



**Cat. No. CONR4**  
Hangers



**Cat. No. CONS2**  
Stoppers



**Cat. No. CONW2**  
Track Holder Fittings



**Cat. No. CONG1**  
Bottom Guide



**Cat. No. SDT44**  
73-13/16" (1875 mm)  
Threshold



**Cat. No. DK98L**  
95" (2489 mm) Clear  
L-Seal



Clear Space™ Series - Polished Chrome

# Clear Space™ Tub and Shower Enclosure System

Clear Space™ is a state-of-the-art shower and bath enclosure system that is as functional as it is beautiful. An industry first elliptical door swing that gets out of the way, creating an open floor space on both sides of the enclosure. Large openings up to 72" (1829 mm) wide can result (based on a double door scenario), as the door projects only 10-1/2" (267 mm) into the enclosure, and 10-1/2" to 16-1/2" (267- 419 mm) out from the enclosure, avoiding sinks, toilets, and shower valves in the open floor space. Natural pivot door operation enhances the user experience, producing door space efficiency, without a header! The Top Door Guide automatically rotates open against the interior wall when the door is operated. Clear Space™ is perfect for assisting physically challenged individuals, because the distance that the door travels toward the wheel chair is drastically reduced, and this is very important when producing wide openings. Natural pivot door operation and assisted opening/closing further enhances ergonomics while ensuring that the door stays put in both positions.



## Each Clear Space™ Complete Swinging Kit Includes

- Two – Wall Mount Hinges
- Two – 180° Glass-to-Glass Hinges
- One – Control Arm (Left or Right)
- One – Top Guide

### **CLSK1**

Complete Swinging Kit

## Clear Space™ Tub and Shower Enclosure System Kit Components



**Cat. No. CLS02**  
Control Arm  
(Left or Right)



**Cat. No. CLS01**  
Top Guide



**Cat. No. CLS337**  
Wall Mount Hinge



**Cat. No. CLS181**  
180° Glass-to-Glass Hinge



Essence Series - Polished Chrome

# Essence Series Bottom Rolling Shower

Our Essence Series allows a headerless appearance by utilizing a bottom rolling system that includes an anti-derail/anti-pinch guard feature. The bottom rollers also have an integrated height adjustment for door to vertical jamb alignment. By being completely header-free, a frameless vertical and horizontal appearance is achieved. Smooth and quiet operation of the door is the cornerstone of this bottom rolling unit. At the same time, excellent water management is accomplished at the sill via the bottom track, and vertically with the use of a clear L-shape jamb.



**Cat. No. ESS1**  
Rounded Style



**Cat. No. ESS3**  
Square Style

## Basic ESS1 or ESS3 Kits Include the Following

- Two - Bottom Rollers
- One - Spanner Wrench for Roller Adjustment
- One - Top Door Guide
- One - 64" (1.63 m) Bottom Track
- One - 98" (2.49 m) U-Channel
- One - 98" (2.49 m) Plastic L-Seal
- One - SDCEC12 End Cap for Channel
- Two - Shower Door Bumpers
- One - 1/16" (1.6 mm) Neoprene Setting Block

## Essence Series Bottom Rolling Shower Specifications

|                             |   |
|-----------------------------|---|
| Glass Thickness             | 1/2" (12 mm) Tempered Safety Glass (Not Included)                       |
| Materials                   | Rollers and Top Guide, Bottom Sliding Track and U-Channel, L-Jamb Stock |
| Maximum Door Size           | Do Not Exceed Either 34" (864 mm) Wide or 127 Pounds (57.6 kg)          |
| Basic Kit Glass Fabrication | Notch Required for Bottom Rollers, Holes Required for Top Guide         |



Cabo Soft Slide Series - Polished Chrome

# Cabo Soft Slide Series

The Cabo Soft Slide Sliding Door System offers the 'Softbrake' Braking System on the door, ensuring smooth operation. 'Softbrake' cushions the opening and closing of the door gently, quietly, and is completely concealed inside the header. 'Softbrake' controls the last 4" (102 mm) of door travel, preventing the glass from impacting the frame or adjacent glass panel. The Cabo Soft Slide Series offers a choice of two clamp cover designs (rounded or square), and is available in five architectural finishes. Each Kit comes complete with a Header, two Top Clamps with Covers, two Wall Mount Brackets, two Top Fixed Glass Fasteners with Covers, and a Bottom Guide.



**Cat. No. CABR65**  
65" (1.65 m)  
rounded style

**Cat. No. CABR84**  
84" (2.13 m)  
rounded style



**Cat. No. CABS65**  
65" (1.65 m)  
square style

**Cat. No. CABS84**  
84" (2.13 m)  
square style

## Cabo Soft Slide Series Specifications

|                       |   |
|-----------------------|---|
| Glass Thickness       | 1/2", 3/8", or 5/16" (12, 10, or 8 mm) Tempered Safety Glass (Not Included)                       |
| Materials             | Aluminum  |
| Maximum Door Weight   | 176 lbs (80 kg)   |
| Finished Opening Size | Minimum 60" (1.52 m) Wide for 65" (1.65 m) Kit;<br>Minimum 65" (1.65 m) Wide for 84" (2.13 m) Kit |
| Glass Fabrication     | Holes and Notches Required  |
| Includes              | Gaskets, Screws, and Glass Fabrication Information  |



Cottage CK Series - Brushed Nickel

# Cottage CK Series


Cottage CK Series Sliders are unique in that they utilize clear polycarbonate side jambs instead of traditional metal side jambs, thus providing an 'all-glass' look. Bolt-Through Top Hangers allow immediate fabrication and installation, with no waiting for messy adhesive to dry. Cottage Series Kits come in Brite Anodized, Brite Gold Anodized, Brushed Nickel, and Oil Rubbed Bronze finishes, with other finishes available on special order.

The top hung stock units include: Header, Top Hangers for 3/8" or 1/4" (10 or 6 mm) glass, Clear Polycarbonate Side Jambs, Bottom Sill, Back-to-Back Knob, 24" (610 mm) Towel Bar, Nylon Rollers, and Bottom Guide. Tempered glass Since all rollers are overhead, the Bottom Sill and Clear Side Jambs are uncluttered, making cleaning easy. Available in up to six stock sizes. Extrusions, Bottom Guides, Hardware Packages, and other accessories may be ordered separately.

**Cat. No. CK386072**  
For 3/8" (10 mm) Glass

**Cat. No. CK146072**  
For 1/4" (6 mm) Glass

## Cottage CK Series Sliding Shower Door System Kit Includes



**Cat. No. DK61**  
One - Header



**Cat. No. DK63**  
One - Bottom Sill



**Cat. No. SDKP112**  
One - Back-to-Back Knob  
(With Plastic Sleeve)



**Cat. No. DK67**  
Four - Top Hangers for  
1/4" (6 mm) Glass or

**Cat. No. DK66**  
Four - Top Hangers for  
3/8" (10 mm) Glass



**Cat. No. DK98L**  
Two - Clear Polycarbonate  
Jambs (Tape Pre-Applied  
at Factory)



**Cat. No. DK6914**  
One - Bottom Guide  
1/4" (6 mm)

**Cat. No. DK6938**  
One - Bottom Guide  
3/8" (10 mm)



**Cat. No. BMNW24**  
One - 24" (610 mm) Towel Bar



Cottage DK Series - Brushed Nickel

# Cottage DK Series


Cottage DK Series Sliders utilize metal side jambs for a traditional frameless sliding shower door appearance. Bolt-Through Top Hangers allow immediate fabrication and installation, with no waiting for messy adhesive to dry. Our DK Series Kits come in Brite Anodized, Brite Gold Anodized, Brushed Nickel, and Oil Rubbed Bronze finishes, with other finishes available on special order.

The top hung stock units include: Extruded Aluminum Header, Side Jambs, and Bottom Sill; Top Hangers for 3/8" or 1/4" (10 or 6 mm) glass, Back-to-Back Knob, 24" (610 mm) Towel Bar, Nylon Rollers, Bottom Guide, Screws, and Bumpers. Tempered glass and silicone sealant complete the installation. Since all rollers are overhead, the Bottom Sill and Side Jambs are uncluttered, making cleaning easy. They are available in up to six stock sizes. Extrusions, Bottom Guides, Hardware Packages, and other accessories may be ordered separately. Custom units are available for special installations.

**Cat. No. DK386072**  
For 3/8" (10 mm) Glass

**Cat. No. DK146072**  
For 1/4" (6 mm) Glass

## Cottage DK Series Sliding Shower Door System Kit Includes



**Cat. No. DK61**  
One - Header



**Cat. No. DK63**  
One - Bottom Sill




**Cat. No. SDKP112**  
One - Back-to-Back Knob  
(With Plastic Sleeve)



**Cat. No. DK67**  
Four - Top Hangers for  
1/4" (6 mm) Glass or

**Cat. No. DK66**  
Four - Top Hangers for  
3/8" (10 mm) Glass



**Cat. No. DK65**  
Two - Metal Side Jambs



**Cat. No. DK6914**  
One - Bottom Guide  
1/4" (6 mm)

**Cat. No. DK6938**  
One - Bottom Guide  
3/8" (10 mm)



**Cat. No. BMNW24**  
One - 24" (610 mm) Towel Bar




# Suite EK Series

The Suite EK Series Frameless Sliding Shower Door Kit for 1/4" (6 mm) thick tempered safety glass provides an alternative design and mounting method to our Deluxe Cottage Series Sliders. The Hanger Bracket is a cost-reducing device, as it clamps directly onto the glass and eliminates the need for drilling holes (set screws only). The brackets allow for smooth, quiet operation and long service life at a lower cost. The specially designed Header is only 2-9/16" (65 mm) tall. This reduces the visibility of the top metal, and allows more of the frameless, 'all-glass' look. It is reversible so the customer has the choice of using the gently curved side, or the flat side with top and bottom edge bevels. The Suite EK Series is available exclusively with metal side jambs, does not offer the clear jamb system, and is available only for inline units. Kits with fixed panels are not available. Two popular stock sizes are available: 60" W x 60" H (1.52 m x 1.52 m) and 60" W x 72" H (1.52 m x 1.83 m). The Suite EK Series comes in four popular finishes. Custom finishes are available upon request. Glass is not included in any Suite EK Series Kit.

**Cat. No. EK146060**  
60" x 60" (1.52 m x 1.52 m)

**Cat. No. EK146072**  
60" x 72" (1.52 m x 1.83 m)

## Suite EK Series Sliding Shower Door System Kit Includes



One - Reversible Header



One - Bottom Sill



Two - Side Jamb



Four - 'No Drill' Top Hangers



One - Back-to-Back Knob  
(With Plastic Sleeve)



One - Bottom Guide



One - 24" (610 mm) Towel Bar



MK Series - Brite Anodized

# MK Series

The MK Series Frameless Slider Kits provide all the extrusions (Header, Top Hanger Rails, Bottom Track, and Side Jamb) necessary for installation, as well as a Towel Bar, Knob, Rollers, Guide, and Installation Hardware. The silicone sealant is supplied by the installer. The easy-to-clean Bottom Track utilizes a center-mounted guide. Available in custom sizes, configurations, and finishes on special order.

## Cat. No. S386072

MK Slider Kits for  
3/8" (10 mm) Glass

## Cat. No. S146072

MK Slider Kits for  
1/4" (6 mm) Glass

## MK Series Specifications

|                     |  |
|---------------------|--|
| Materials           | Extrusions (Aluminum); Towel Bar and Knob (Solid Aluminum)   |
| For Glass Thickness | 3/8" or 1/4" (10 or 6 mm) - Glass not included in Kit  |
| Stock Kits Include  | Aluminum Extrusions, 24" (610 mm) Towel Bar, Knob, Hardware Package  |
| Glass Fabrication   | Towel Bar - Two 1/2" (12 mm) Diameter Holes 24" (610 mm) Center-to-Center; Knob - One 1/2" (12 mm) Diameter Hole |

## MK Series Replacement Parts and Accessories

|                     |  |
|---------------------|--|
| Materials           | Extrusions (Aluminum); Towel Bar and Knob (Solid Aluminum)   |
| For Glass Thickness | 3/8" or 1/4" (10 or 6 mm) - Glass not included in Kit  |
| Stock Kits Include  | Aluminum Extrusions, 24" (610 mm) Towel Bar, Knob, Hardware Package  |
| Glass Fabrication   | Towel Bar - Two 1/2" (12 mm) Diameter Holes 24" (610 mm) Center-to-Center; Knob - One 1/2" (12 mm) Diameter Hole |



**Header**  
3/8" (10 mm) or  
1/4" (6 mm)



**Top Hanger Rail**  
3/8" (10 mm) or  
1/4" (6 mm)



**Bottom Track**  
3/8" or 1/4" (10 or 6 mm)



**Side Jamb**  
3/8" or 1/4" (10 or 6 mm)



# Pull Handles

CRL offers a variety of pull handles in numerous finishes. Each one is constructed of the finest materials. Custom designs and finishes are also available.



## Square Ladder Pull

**Cat. No. SLP6X6**  
6" (152 mm)


**Cat. No. SLP8X8**  
8" (203 mm)



## BM Series

**Cat. No. BM6X6**  
6" (152 mm)

**Cat. No. BM8X8**  
8" (203 mm)



## BM Series - No Washer

**Cat. No. BMNW6X6**  
6" (152 mm)

**Cat. No. BMNW8X8**  
8" (203 mm)



## SQ Series

**Cat. No. SQ6X6**  
6" (152 mm)

**Cat. No. SQ8X8**  
8" (203 mm)



## MT Series

**Cat. No. MT6X6**  
6" (152 mm)

**Cat. No. MT8X8**  
8" (203 mm)



## Colonial Series

**Cat. No. COL6X6**  
6" (152 mm)

**Cat. No. COL8X8**  
8" (203 mm)



## Ladder Series

**Cat. No. LP6X6**  
6" (152 mm)

**Cat. No. LP8X8**  
8" (203 mm)

**Cat. No. LP24**  
24" (305 mm)

**Cat. No. LP36**  
36" (610 mm)

**Cat. No. LP48**  
48" (914 mm)



## Victorian Series

**Cat. No. VIC6X6**  
6" (152 mm)

**Cat. No. VIC8X8**  
8" (203 mm)

# Pull Handles



**Crescent Style**  
**Cat. No. CSH6X6**  
 6" (152 mm)  
**Cat. No. CSH8X8**  
 8" (203 mm)



**Regular Style**  
**Cat. No. SDPR6**  
 6" (152 mm)



**Circular Style**  
**Cat. No. SDPC575**  
 5-1/8" (130 mm)



**Sculptured Style**  
**Cat. No. SSDP6**  
 6" (152 mm)  
**Cat. No. CQ10X10**  
 10" (254 mm)



**OR Series**  
**Cat. No. OR6X6**  
 6" (152 mm)  
**Cat. No. OR8X8**  
 8" (203 mm)



**RM Series**  
**Cat. No. RM6X6**  
 6" (152 mm)  
**Cat. No. RM8X8**  
 8" (203 mm)



**Solid Brass - No Washer**  
**Cat. No. BPD6**  
 6" (152 mm)  
**Cat. No. BPD8**  
 8" (203 mm)



**Solid Brass with Washer**  
**Cat. No. SPH6**  
 6" (152 mm)  
**Cat. No. SPH8**  
 8" (203 mm)



**Solid Brass - Single Sided  
 No Washer**  
**Cat. No. BPS6**  
 6" (152 mm)  
**Cat. No. BPS8**  
 8" (203 mm)



**Solid Brass - Single Sided  
 with Washer**  
**Cat. No. SSP6**  
 6" (152 mm)  
**Cat. No. SSP8**  
 8" (203 mm)



**Solid Brass - 1" Diameter**  
**Cat. No. SBP81**  
 8" (203 mm)

# Pull Handle Replacement Parts



**Cat. No. 30WK**  
Washer Kit



**Cat. No. 30SK**  
Two End Caps  
with Threaded Rod



**Cat. No. SQMW10**  
Metal Washers  
for SQ Pulls



**Cat. No. SSBM10**  
Set Screws



**Cat. No. BMSK**  
Washer/Stud Set



**Cat. No. BMNWSK**  
Stud Kit



**Cat. No. SQSK**  
Washers/Stud Kit  
for SQ Series



**Cat. No. COLSKLP**  
Low Profile Stud Kit  
for Cologne Series



**Cat. No. HW058**  
3/4" Clear Hard Washer



**Cat. No. HW059**  
1/2" O.D. x 1/4" I.D.



**Cat. No. DH114GASK**  
1-1/4" Clear Gasket

## Pull Handle Specifications

|                               |  |
|-------------------------------|--|
| Material                      | Brass  |
| Glass Thickness Range         | 1/2", 3/8", 5/16", or 1/4"<br>(12, 10, 8, or 6 mm) |
| Hole Diameter Required        | 1/2" (12 mm) or 5/8" (18 mm)                       |
| Center-to-Center Hole Spacing | Varies   |



Crescent Grip Back-to-Back Knob - Polished Chrome

# Knobs

Knobs can be back-to-back or single-sided. Select from brass, crystal or glass construction.



**Traditional Style**  
**Cat. No. SDK100**  
 Back-to-Back Knob  
**Cat. No. SDK200**  
 Single Sided Knob



**Contemporary Style**  
**Cat. No. SDK106**  
 Back-to-Back Knob  
**Cat. No. SDK206**  
 Single Sided Knob



**Flush Ring Style**  
**Cat. No. SDK118**  
 Back-to-Back Knob



**Junior Contemporary**  
**Cat. No. SDK107**  
 Back-to-Back Knob



**Protruding Ring Style**  
**Cat. No. SDK643**  
 Back-to-Back Knob



**Square Style**  
**Cat. No. SDK160**  
 Back-to-Back Knob



**Single Sided Square**  
**Cat. No. SDK270**  
 For Mounting on Single-Sided SQ Towel Bars



**Ball Style**  
**Cat. No. SDK075**  
 Back-to-Back Knob



**Flair Style**  
**Cat. No. SDK053**  
 Back-to-Back Knob



**Ribbed Bow Tie**  
**Cat. No. SDK046**  
 Back-to-Back Knob



**Standard Bow Tie**  
**Cat. No. SDK109**  
 Back-to-Back Knob



**Crescent Grip**  
**Cat. No. SDK140**  
 Back-to-Back Knob



**Mini Bulb Style**  
**Cat. No. SDK19MK**  
 Single Sided Knob



**Solid Glass Knob**  
**Cat. No. SDK061**  
 Single Sided Knob



**Paddle Style**  
**Cat. No. SDK180**  
 Back-to-Back Knob



**Glass Style**  
**Cat. No. SDK410CR**  
 Back-to-Back Knob



**Crystal Knobs**  
**Cat. No. SDK406CR**  
 Contemporary  
 Single Sided Knob  
**Cat. No. SDK400CR**  
 Traditional  
 Single Sided Knob



**Euro Style**  
**Cat. No. SDK120**  
 Back-to-Back Knob



**Knob Latches**  
**Cat. No. LAT001**  
 180° Model with J Hook  
**Cat. No. LAT135**  
 135° Model with J Hook



**Cylinder Style**  
**Cat. No. SDK112**  
 Back-to-Back Knob  
**Cat. No. SDKP112**  
 Back-to-Back Knob  
 with Plastic Sleeve  
**Cat. No. SDK212**  
 Single Sided Knob

**Cat. No. SDKP212**  
 Single Sided Knob  
 with Plastic Sleeve



# Towel Bars



MT Series Round Tubing Mitered Corner Towel Bars - Polished Chrome

# Towel Bars

## BM Series Single-Sided Towel Bar with Metal Washers



**Cat. No. BM12**

12" (305 mm) Towel Bar

**Cat. No. BM18**

18" (457 mm) Towel Bar

**Cat. No. BM20**

20" (508 mm) Towel Bar

**Cat. No. BM24**

24" (610 mm) Towel Bar

**Cat. No. BM26**

26" (660 mm) Towel Bar

**Cat. No. BM27**

27" (686 mm) Towel Bar

**Cat. No. BM28**

28" (711 mm) Towel Bar

**Cat. No. BM30**

30" (762 mm) Towel Bar

## BM Series Single-Sided Towel Bar without Metal Washers



**Cat. No. BMNW12**

12" (305 mm) Towel Bar

**Cat. No. BMNW18**

18" (457 mm) Towel Bar

**Cat. No. BMNW20**

20" (508 mm) Towel Bar

**Cat. No. BMNW24**

24" (610 mm) Towel Bar

**Cat. No. BMNW26**

26" (660 mm) Towel Bar

**Cat. No. BMNW27**

27" (686 mm) Towel Bar

**Cat. No. BMNW28**

28" (711 mm) Towel Bar

**Cat. No. BMNW30**

30" (762 mm) Towel Bar

## BM Series Back-to-Back Towel Bar with Metal Washers



**Cat. No. BM12X12**

12" (305 mm) Towel Bar

**Cat. No. BM18X18**

18" (457 mm) Towel Bar

**Cat. No. BM20X20**

20" (508 mm) Towel Bar

**Cat. No. BM24X24**

24" (610 mm) Towel Bar

**Cat. No. BM30X30**

30" (762 mm) Towel Bar

## BM Series Back-to-Back Towel Bar without Metal Washers



**Cat. No. BMNW12X12**

12" (305 mm) Towel Bar

**Cat. No. BMNW18X18**

18" (457 mm) Towel Bar

**Cat. No. BMNW24X24**

24" (610 mm) Towel Bar

**Cat. No. BMNW30X30**

30" (762 mm) Towel Bar

# Towel Bars

## MT Series Round Tubing Mitered Corner Single-Sided Towel Bar



**Cat. No. MT18**  
18" (457 mm) Towel Bar

**Cat. No. MT24**  
24" (610 mm) Towel Bar

## MT Series Round Tubing Mitered Corner Back-to-Back Towel Bar



**Cat. No. MT18X18**  
18" (457 mm) Towel Bar

**Cat. No. MT24X24**  
24" (610 mm) Towel Bar


## SQ Series Square Corner Single-Sided Towel Bar



**Cat. No. SQ18**  
18" (457 mm) Towel Bar

**Cat. No. SQ24**  
24" (610 mm) Towel Bar

## SQ Series Square Corner Back-to-Back Towel Bar



**Cat. No. SQ18X18**  
18" (457 mm) Towel Bar

**Cat. No. SQ24X24**  
24" (610 mm) Towel Bar

## SD Series Single-Sided Towel Bar



**Cat. No. SDTBS12**  
12" (305 mm) Towel Bar  
**Cat. No. SDTBS18**  
18" (457 mm) Towel Bar

**Cat. No. SDTBS24**  
24" (610 mm) Towel Bar

## SD Series Back-to-Back Towel Bar



**Cat. No. SDTB12X12**  
12" (305 mm) Towel Bar  
**Cat. No. SDTB18X18**  
18" (457 mm) Towel Bar

**Cat. No. SDTB24X24**  
24" (610 mm) Towel Bar

# Towel Bars

## OR Series Oval/Round Single-Sided Towel Bar



**Cat. No. OR18**  
18" (457 mm) Towel Bar

**Cat. No. OR24**  
24" (610 mm) Towel Bar

## OR Series Oval/Round Back-to-Back Towel Bar



**Cat. No. OR18X18**  
18" (457 mm) Towel Bar

**Cat. No. OR24X24**  
24" (610 mm) Towel Bar

## Crescent Series Single-Sided Towel Bar



**Cat. No. CSH18**  
18" (457 mm) Towel Bar

**Cat. No. CSH24**  
24" (610 mm) Towel Bar

## Crescent Series Back-to-Back Towel Bar



**Cat. No. CSH18X18**  
18" (457 mm) Towel Bar

**Cat. No. CSH24X24**  
24" (610 mm) Towel Bar

## Colonial Series Single-Sided Towel Bar



**Cat. No. COL18**  
18" (457 mm) Towel Bar

**Cat. No. COL24**  
24" (610 mm) Towel Bar

## Colonial Series Back-to-Back Towel Bar



**Cat. No. COL18X18**  
18" (457 mm) Towel Bar

**Cat. No. COL24X24**  
24" (610 mm) Towel Bar

# Towel Bars

## Ladder Series Single-Sided Towel Bar



**Cat. No. LTB18**  
18" (457 mm) Towel Bar

**Cat. No. LTB24**  
24" (610 mm) Towel Bar

## Ladder Series Back-to-Back Towel Bar



**Cat. No. LTB18X18**  
18" (457 mm) Towel Bar

**Cat. No. LTB24X24**  
24" (610 mm) Towel Bar

## Victorian Series Single-Sided Towel Bar



**Cat. No. VIC18**  
18" (457 mm) Towel Bar

**Cat. No. VIC24**  
24" (610 mm) Towel Bar

## Victorian Series Back-to-Back Towel Bar



**Cat. No. VIC18X18**  
18" (457 mm) Towel Bar

**Cat. No. VIC24X24**  
24" (610 mm) Towel Bar



BM Series Single-Sided with Metal Washers - Matte Black



# Handle / Towel Bar Combinations



# Handle/Towel Bar Combinations

## BM Series Pull Handle/Towel Bar Combination with Washers



**Cat. No. BM6X12**

6" (152 mm) Pull/  
12" (305 mm) Towel Bar

**Cat. No. BM6X18**

6" (152 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. BM6X22**

6" (152 mm) Pull/  
22" (559 mm) Towel Bar

**Cat. No. BM6X24**

6" (152 mm) Pull/  
24" (610 mm) Towel Bar

**Cat. No. BM8X18**

8" (203 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. BM8X20**

8" (203 mm) Pull /  
20" (508 mm) Towel Bar

**Cat. No. BM8X22**

8" (203 mm) Pull /  
22" (559 mm) Towel Bar

**Cat. No. BM8X24**

8" (203 mm) Pull /  
24" (610 mm) Towel Bar

**Cat. No. BM12X24**

12" (305 mm) Pull /  
24" (610 mm) Towel Bar

## BM Series Pull Handle/Towel Bar Combination without Washers



**Cat. No. BMNW6X12**

6" (152 mm) Pull/  
12" (305 mm) Towel Bar

**Cat. No. BMNW6X18**

6" (152 mm) Pull /  
18" (457 mm) Towel Bar

**Cat. No. BMNW6X22**

6" (152 mm) Pull/  
22" (559 mm) Towel Bar

**Cat. No. BMNW6X24**

6" (152 mm) Pull/  
24" (610 mm) Towel Bar

**Cat. No. BMNW8X18**

8" (203 mm) Pull /  
18" (457 mm) Towel Bar

**Cat. No. BMNW8X22**

8" (203 mm) Pull /  
22" (559 mm) Towel Bar

**Cat. No. BMNW8X24**

8" (203 mm) Pull /  
24" (610 mm) Towel Bar

**Cat. No. BMNW12X24**

12" (305 mm) Pull /  
24" (610 mm) Towel Bar

## Ladder Series Pull Handle/Towel Bar Combination Set



**Cat. No. LTB6X18**

6" (152 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. LTB6X24**

6" (152 mm) Pull/  
24" (610 mm) Towel Bar

**Cat. No. LTB8X18**

8" (203 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. LTB8X24**

8" (203 mm) Pull /  
24" (610 mm) Towel Bar

## SD Series Tubular Brass Pull Handle/Towel Bar Combination Set



**Cat. No. SDP6TB12**

6" (152 mm) Pull/  
12" (305 mm) Towel Bar

**Cat. No. SDP6TB18**

6" (152 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. SDP6TB24**

6" (152 mm) Pull/  
24" (610 mm) Towel Bar

**Cat. No. SDP12TB24**

12" (305 mm) Pull /  
24" (610 mm) Towel Bar

# Handle/Towel Bar Combinations

## Colonial Series Pull Handle/Towel Bar Combination Set



**Cat. No. COL6X18**  
6" (152 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. COL6X24**  
6" (152 mm) Pull/  
24" (610 mm) Towel Bar

## Victorian Series Pull Handle/Towel Bar Combination Set



**Cat. No. V1C6X18**  
6" (152 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. V1C6X24**  
6" (152 mm) Pull/  
24" (610 mm) Towel Bar

**Cat. No. V1C8X18**  
8" (203 mm) Pull /  
18" (457 mm) Towel Bar

**Cat. No. V1C8X24**  
8" (203 mm) Pull /  
24" (610 mm) Towel Bar

## SQ Series Square Corner Pull Handle/Towel Bar Combination Set



**Cat. No. SQ6X18**  
6" (152 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. SQ6X24**  
6" (152 mm) Pull/  
24" (610 mm) Towel Bar

**Cat. No. SQ8X18**  
8" (203 mm) Pull /  
18" (457 mm) Towel Bar

**Cat. No. SQ8X24**  
8" (203 mm) Pull /  
24" (610 mm) Towel Bar

## MT Series Round Tubing With Mitered Corners Pull Handle/Towel Bar Combination Set




**Cat. No. MT6X18**  
6" (152 mm) Pull/  
18" (457 mm) Towel Bar

**Cat. No. MT6X24**  
6" (152 mm) Pull/  
24" (610 mm) Towel Bar

**Cat. No. MT8X18**  
8" (203 mm) Pull /  
18" (457 mm) Towel Bar

**Cat. No. MT8X24**  
8" (203 mm) Pull /  
24" (610 mm) Towel Bar

## Towel Bar/Knob Combinations



**Cat. No. TBCC18**  
18" (457 mm) Towel Bar  
with Knob

**Cat. No. TBCC24**  
24" (610 mm) Towel Bar  
with Knob

## Towel Bar/Knob Combinations



**Cat. No. TBCT18**  
18" (457 mm) Towel Bar  
with Knob

**Cat. No. TBCT24**  
24" (610 mm) Towel Bar  
with Knob

# Handle/Towel Bar Combinations

## Wall Mount Towel Bar



**Cat. No. WTB12**  
12" (305 mm) Towel Bar

## Wall Mount Towel Bar



**Cat. No. WTB18**  
18" (457 mm) Towel Bar

## Wall Mount Towel Bar



**Cat. No. WTB24**  
24" (610 mm) Towel Bar

## Acrylic Back-to-Back Towel Bar



**Cat. No. CAP6X6**  
6" (152 mm)  
Back-to-Back Pull Handle

**Cat. No. CAP8X8**  
8" (203 mm)  
Back-to-Back Pull Handle



# Grab Bars



Straight Round Grab Bar - Polished Stainless

# Grab Bars

## Designer Grab Bars 1-1/4" (35 mm) Diameter



**Cat. No. GBA18**  
18" Straight  
Round Grab Bar

**Cat. No. GBA24**  
24" Straight  
Round Grab Bar




**Cat. No. GBB18**  
18" Mitered  
Round Grab Bar

**Cat. No. GBB24**  
24" Mitered  
Round Grab Bar



**Cat. No. GBC18**  
18" "S"  
Round Grab Bar

**Cat. No. GBC24**  
24" "S"  
Round Grab Bar



**Cat. No. GBD18**  
18" Straight  
Square Grab Bar

**Cat. No. GBD24**  
24" Straight  
Square Grab Bar



**Cat. No. GBE18**  
18" Mitered  
Square Grab Bar

**Cat. No. GBE24**  
24" Mitered  
Square Grab Bar



**Cat. No. GBF18**  
18" "S"  
Square Grab Bar

**Cat. No. GBF24**  
24" "S"  
Square Grab Bar



# Glass Clamps, Brackets and U-Channels



Standard 180° & 135° Glass-to-Glass Clamps - Brushed Nickel

# Square Style Heavy-Duty Glass Clamps



**Cat. No. SCU4**  
Wall Mount Clamp  
(Hole-In-Glass)



**Cat. No. SGCUI1**  
Wall Mount Clamp  
(Notch-In-Glass)



**Cat. No. SGC037**  
Fixed Panel Clamp  
(with Small Leg)



**Cat. No. SGC039**  
Fixed Panel Clamp  
(with Large Leg)



**Cat. No. SCU4G**  
Replacement Gasket  
for Hole in Glass



**Cat. No. SGCUI1G**  
Replacement Gasket  
for Notch in Glass



**Cat. No. SGC180**  
180° Glass-to-Glass



**Cat. No. SGC182**  
"Y" Inline Glass



**Cat. No. SGC90**  
90° Glass-to-Glass



**Cat. No. SGC0F90**  
90° Glass-to-Glass  
"Open Face"



**Cat. No. SGC135**  
135° Glass-to-Glass



**Cat. No. SGC186**  
Wall Mount  
Movable Transom




**Cat. No. SGC188**  
180° Glass-to-Glass  
Movable Transom



**Cat. No. SGC90T**  
90° Glass-to-Glass  
"T" Junction

# Beveled Style Heavy-Duty Glass Clamps



**Cat. No. BCU4**  
Wall Mount Clamp  
(Hole-In-Glass)



**Cat. No. BGCUI1**  
Wall Mount Clamp  
(Notch-In-Glass)



**Cat. No. BGC037**  
Fixed Panel Clamp  
(with Small Leg)



**Cat. No. BGC039**  
Fixed Panel Clamp  
(with Large Leg)



**Cat. No. BCU4G**  
Replacement Gasket  
for Hole in Glass



**Cat. No. BGCUI1G**  
Replacement Gasket  
for Notch in Glass



**Cat. No. BGC182**  
"Y" Inline Glass



**Cat. No. BGC180**  
180° Glass-to-Glass



**Cat. No. BGC135**  
135° Glass-to-Glass



**Cat. No. BGC90**  
90° Glass-to-Glass



**Cat. No. BGC186**  
Wall Mount  
Movable Transom



**Cat. No. BGC188**  
180° Glass-to-Glass  
Movable Transom




**Cat. No. EST111**  
90° Glass-to-Glass  
"Open Face"



**Cat. No. BGC90T**  
90° Glass-to-Glass  
"T" Junction

## Traditional Glass Clamps

Traditional Glass Clamps are designed to secure glass panels in contemporary shower enclosures. They assist in maintaining the frameless appearance, and provide a clean looking alternative to U-Channels. All Traditional Clamps feature solid brass construction and a variety of finishes to match our complete line of Shower Door Hinges. Appropriate mounting screws and one set of clear gaskets are included with each Clamp. Extra Cat. No. UCG77 Clear Gaskets (2 per pack) may be ordered separately.



**Cat. No. UC77**  
Standard Fixed Panel  
U-Clamp



**Cat. No. UC79**  
Oversized Fixed Panel  
U-Clamp



**Cat. No. GCB90**  
Standard  
90° Glass Clamp



**Cat. No. GCB91**  
Oversized  
90° Glass Clamp



**Cat. No. GCB135**  
Standard  
135° Glass Clamp



**Cat. No. GCB180**  
Standard  
180° Glass Clamp



**Cat. No. GCB184**  
180° Double Stud  
Glass Clamp



**Cat. No. GCB182**  
180° Split Face and  
"Y" Inline Clamp

## Adjustable Glass Clamps

Solid brass Adjustable Glass Clamps are designed to secure glass panels in contemporary shower enclosures. They assist in maintaining the frameless appearance, and provide a clean-looking alternative when a wall is not at 90° to the fixed panel, or the glass-to-glass application is not a standard angle. This range of glass clamps can accommodate 1/2", 3/8", or 5/16" (12, 10, or 8 mm) glass.



**Cat. No. ADJ037**  
Adjustable  
Wall Mount Clamp



**Cat. No. ADJ180**  
Adjustable  
Glass-to-Glass Clamp



**Cat. No. ADJSQ037**  
Adjustable Square  
Wall Mount Clamp



**Cat. No. ADJSQ180**  
Adjustable Square  
Glass-to-Glass Clamp



**Cat. No. ADJBEV037**  
Adjustable Beveled  
Wall Mount Clamp



**Cat. No. ADJBEV180**  
Adjustable Beveled  
Glass-to-Glass Clamp

# Glass Brackets

Wall Mount and 90° Glass-to-Glass Brackets match the look of many of our most popular hinge series. Solid brass brackets come with gaskets; wall mount brackets have gaskets and mounting screws.



**Cat. No. GE90S**  
Geneva  
Wall Bracket



**Cat. No. GE090**  
Geneva  
90° Glass-to-Glass



**Cat. No. GE90SCP**  
Geneva Cover Plates  
for GES Clamp



**Cat. No. ME90S**  
Melbourne  
Wall Bracket



**Cat. No. P190S**  
Pinnacle  
Wall Bracket



**Cat. No. P1090**  
Pinnacle  
90° Glass-to-Glass



**Cat. No. R090S**  
Roman  
Wall Mount

# “Sleeve Over” Glass Clamps

“Sleeve Over” Glass Clamps provide a mechanical fastener to assist with the shear forces placed on the glass panels. They also hold the glass panels in position while the applied silicone sealant in the joint cures. Clamps are secured in place by nylon tipped Allen set screws.



**Cat. No. SOGC37L**  
Left Hand  
Wall Mount Clamp



**Cat. No. SOGC37R**  
Right Hand  
Wall Mount Clamp



**Cat. No. SOGC01**  
Ceiling Mount Clamp



**Cat. No. SOGC91**  
Adjustable  
90° to 180° Clamp



**Cat. No. SOGC90**  
90° Clamp



**Cat. No. SOGC135**  
135° Clamp



**Cat. No. SOGCT90**  
90° Clamp  
“T” Junction

# U-Channels

Fixed Panel Regular and Deep U-Channels are used to securing fixed panels of tempered glass to the wall, ceiling or floor. Widths suitable for 3/8" or 1/2" (10 or 12 mm) glass are available in each style, and are individually wrapped to protect the finish.

## Fixed Panel Deep U-Channel




**Cat. No. SDCD38**  
95" (2.41 m) Stock Length  
for 3/8" (10 mm) glass



**Cat. No. SDCD12**  
95" (2.41 m) Stock Length  
for 1/2" (12 mm) glass



**Cat. No. SDCD3812**  
144" (3.65 m) Stock Length  
for 3/8" (10 mm) glass



**Cat. No. SDCD1212**  
144" (3.65 m) Stock Length  
for 1/2" (12 mm) glass

## Fixed Panel Regular U-Channel



**Cat. No. SDCR38**  
95" (2.41 m) Stock Length  
for 3/8" (10 mm) glass



**Cat. No. SDCR12**  
95" (2.41 m) Stock Length  
for 1/2" (12 mm) glass



**Cat. No. SDCEC38**  
End Cap  
for 3/8" (10 mm) glass




**Cat. No. SDCEC12**  
End Cap  
for 1/2" (12 mm) glass

## U-Channel End Caps

## U-Channel for Recessed Applications



**Cat. No. SDCF38**  
95" (2.41 m) Stock Length  
for 3/8" (10 mm) glass



**Cat. No. SDCF12**  
95" (2.41 m) Stock Length  
for 1/2" (12 mm) glass



**Cat. No. SDW38**  
95" (2.41 m) Stock Length  
for 3/8" (10 mm) glass



**Cat. No. SDW12**  
95" (2.41 m) Stock Length  
for 1/2" (12 mm) glass

## Shower Door U-Channel Wipe for Door Bottom

## Dry Glaze U-Channel with Vinyls



**Cat. No. DUC38**  
95" (2.41 m) Stock Length  
for 3/8" (10 mm) glass



**Cat. No. SDCEC12**  
End Cap



**Cat. No. FV4DUC**  
3/8" Flexible Replacement  
95" (2.41 m) Vinyl



**Cat. No. FV8DUC**  
5/16" Flexible Replacement  
95" (2.41 m) Vinyl

**Cat. No. DUC516**  
95" (2.41 m) Stock Length  
for 5/16" (8 mm) glass

**Cat. No. RV4DUC**  
3/8" Rigid Replacement  
95" (2.41 m) Vinyl

**Cat. No. RV8DUC**  
5/16" Rigid Replacement  
95" (2.41 m) Vinyl



# Deluxe Shower Door Headers

The Deluxe Shower Header Kit provides additional support and a level of safety while securing glass panels not reaching the ceiling. Deluxe Header Kits are designed to allow installers to do in-house fabrication using a selection of component parts. Sold in 66", 98" or 144" (1.67, 2.49 or 3.65 m) lengths, each header extrusion has a narrow 1-1/4" (32 mm) face to minimize the visible sight line. 90°, 135° or adjustable corners are sold separately for angled installations. BWB2 Brass Wall Brackets are included in each kit.

## Deluxe Shower Door Header Kits



**SDH660**  
66" SDH Series Flat/Round



**SQH980**  
95" SQH Series Flat/Flat

**SDH980**  
95" SDH Series Flat/Round

**SDH144**  
144" SDH Series Flat/Round

### Each Deluxe Header Kit Contains:

- 1 - 66", 95" or 144" (1.67, 2.49, or 3.65 m) piece of Header Extrusion
- 1 - 36" (914 mm) piece of SIF360 Snap-In Filler for door pocket
- 1 - 95" length of HV380 Vinyl for 3/8" (10 mm) thick glass, and 95" length of HV516 Vinyl for 5/16" (8 mm) thick glass. Vinyl not required for 1/2" (12 mm) thick glass as a tight fit already exists.

## Deluxe Header Kit Accessories



**Cat. No. HV380**  
Header Vinyl for  
3/8" (10 mm) Glass




**Cat. No. HV516**  
Header Vinyl for  
5/16" (8 mm) Glass



**Cat. No. BHC90**  
90 Degree  
Brass Header Corner



**Cat. No. BHC135**  
135 Degree  
Brass Header Corner



**Cat. No. SHB225**  
2-1/4" (57 mm)  
Aluminum Blank Wall  
Mounting Bracket



**Cat. No. BWB2**  
Brass Wall  
Mounting Brackets



**Cat. No. HAB01**  
Adapter Block



**Cat. No. SRHAB01**  
Senior Adapter Block



EZ-Adjust Header - Brushed Nickel

# EZ-Adjust Shower Door Header

The EZ-Adjust Shower Door Header Kit provides a safe and beautiful frameless shower installation by securing enclosures that do not reach the ceiling. The EZ-Adjust System allows adjustability after installation in that the hinge (PPH06 or SRPPH06 only) can be moved left and right as desired. No drilling through the Header is required for an adaptor block if using Prima Hinge Model PPH06 or Senior Prima Hinge Model SRPPH06, due to a built-in adaptation to the hinges. A choice of 98" and 144" stock lengths can be cut as desired.

## EZ-Adjust Shower Door Header Kit



### EHK98

95" (2.49 m) Kit

### EHK144

144" (3.66 m) Kit

### Each EZ-Adjust Header Kit Contains

- 1 - 95" or 144" (2.41 or 3.66 m) Length of Header Extrusion
- 1 - 36" (914 mm) EHF360 Snap-In Filler Insert for Door Pocket
- 1 - BWB2 Deluxe Wall Mount Bracket Kit (Two Brackets Per Pack)
- 1 - V4EHK 95" Length of 5/16" and 3/8" (8 and 10 mm) Clear Vinyl.  
Vinyl is not required for 1/2" (12 mm) thick glass.

# Shower Door Thresholds



**Cat. No. S1L001**  
Tapered Style



**Cat. No. WBCHSQ**  
Square Style



**Cat. No. SDT980**  
Half Round Style



**Cat. No. WBCH**  
Half Round Style



**Cat. No. SDT440**  
Square Style



# Support Bars



Glass-to-Glass Support Bar - Polished Chrome

# Support Bars

Fixed Panel Support Bars stabilize fixed panels of tempered glass in enclosures that do not go all the way up to the ceiling. Nylon-tipped set screws secure the glass and prevent glass-to-metal contact.

## Fixed Panel Support Bars



**Cat. No. SUP06**  
Fixed Panel Wall-To-Glass Support Bar  
for 1/4" to 5/16" (6 to 8 mm) Glass

**Cat. No. SUP10**  
Fixed Panel Wall-To-Glass Support Bar  
for 3/8" to 1/2" (10 to 12 mm) Glass



**Cat. No. SUP26**  
Fixed Panel Glass-To-Glass Support Bar  
for 1/4" to 5/16" (6 to 8 mm) Glass

**Cat. No. SUP20**  
Fixed Panel Glass-To-Glass Support Bar  
for 3/8" to 1/2" (10 to 12 mm) Glass



**Cat. No. SUP07**  
Fixed Panel Wall-To-Glass Support Bar  
for 1/4" to 5/16" (6 to 8 mm) Glass

## Support Bar Accessories and Replacement Parts

**Cat. No. S1**  
Support Bar Only  
39" (1 m) Bar



**Cat. No. S2**  
Support Bar Only  
51" (1.3 m) Bar



**Cat. No. S80**  
Support Bar Only  
80" (2.03 m) Bar



## Adjustable U-Bracket



**Cat. No. S4**  
For 1/4" and 5/16"  
(6 and 8 mm) Glass



**Cat. No. S5**  
For 3/8" and 1/2"  
(10 and 12 mm) Glass

## Wall/Ceiling Bracket



**Cat. No. S3**  
Wall Mount Support  
Bar Bracket



**Cat. No. S12**  
Slim Line Wall Mount  
Fitting



Square Support Bar - Polished Chrome

# Support Bars

The Square Support Bar complements many CRL square corner style hinges. The bar stabilizes fixed panels of glass in enclosures that do not go to the ceiling. After ordering the bar itself, choose from a number of various fittings to complete the desired application. The fittings come with nylon-tipped set screws that secure the glass and prevent metal-to-metal contact. Finishes are available to match many popular decors. No holes or cut-outs are required in the glass.

## Support Bar Accessories and Replacement Parts



**Cat. No. SQ39**  
39" (1 m)  
Square Bar Only



**Cat. No. SQ59**  
59-1/16" (1.5 m)  
Square Bar Only



**Cat. No. SQ41**  
Swiveling U-Bracket  
for 1/4" or 5/16"  
(6 or 8 mm) Glass



**Cat. No. SQ42**  
Swiveling U-Bracket  
for 3/8" or 1/2"  
(10 or 12 mm) Glass



**Cat. No. SQ43**  
Movable Bracket  
for 1/4" or 5/16"  
(6 or 8 mm) Glass



**Cat. No. SQ44**  
Movable Bracket  
for 3/8" or 1/2"  
(10 or 12 mm) Glass



**Cat. No. SQ45**  
Adjustable  
Corner Bracket



**Cat. No. SQ46**  
Wall Mount Bracket



**Cat. No. SQ47**  
45° Mitered  
Wall Mount Bracket



**Cat. No. SQ48**  
22.5° Mitered  
Wall Mount Bracket



**Cat. No. SQ49**  
Adjustable  
Wall Mount Bracket



**Cat. No. SQ50**  
"T" Junction Bracket



**Cat. No. SQ910**  
Square Cornered Support  
Bar Bracket for 3/8" to 1/2"  
(10 to 12 mm) Glass



**Cat. No. SQ9**  
Square Cornered Support  
Bar Bracket for 1/4" to 5/16"  
(6 to 8 mm) Glass



# Water Seals and Sweeps



# Water Seals and Sweeps




**Clear Bottom Rail with Translucent Wipe**

- Cat. No. P450BR**  
5/16" (8 mm)
- Cat. No. P500BR**  
3/8" (10 mm)
- Cat. No. P660BR**  
1/2" (12 mm)



**One-Piece Bottom Rail with Clear Wipe**

- Cat. No. P501BR**  
3/8" (10 mm)
- Cat. No. P661BR**  
1/2" (12 mm)



**Dual Durometer PVC Seal with Wipe**

- Cat. No. P14WS**  
1/4" (6 mm)
- Cat. No. P770WS**  
5/16" (8 mm)
- Cat. No. P880WS**  
3/8" (10 mm)
- Cat. No. P120WS**  
1/2" (12 mm)




**Multi-Purpose "H" Wipe**

- Cat. No. P250HW**  
1/4" (6 mm)
- Cat. No. P312HW**  
5/16" (8 mm)
- Cat. No. P375HW**  
3/8" (10 mm)
- Cat. No. P500HW**  
1/2" (12 mm)



**Multi-Purpose "H" Wipe with "Extra Soft" Twin Legs**

- Cat. No. P375HWS**  
3/8" (10 mm)



**Polycarbonate "U" with Bulb Attachment**

- Cat. No. PCR8**  
5/16" (8 mm)
- Cat. No. PCR10**  
3/8" (10 mm)
- Cat. No. PCR12**  
1/2" (12 mm)



**90 Degree Strike Side Seal**

- Cat. No. PCJ8**  
5/16" (8 mm)
- Cat. No. PCJ10**  
3/8" (10 mm)



**"U" Seal with Leg and Vinyl Insert at 90 Degrees**

- Cat. No. P090SJ**  
3/8" (10 mm)



**135 Degree Door Jamb Seal**

- Cat. No. P045DJ**  
5/16" (8 mm)
- Cat. No. P135DJ**  
3/8" (10 mm)




**135 Degree Strike Jamb Seal**

- Cat. No. P045SJ**  
5/16" (8 mm)
- Cat. No. P135SJ**  
3/8" (10 mm)



**Strike and Door Jamb Seals for 180 Degree Application**

- Cat. No. P180SDJ**  
3/8" (10 mm)
- Cat. No. P120SDJ**  
1/2" (12 mm)



**Strike and Door Jamb Seals for 180 Degree Application**

- Cat. No. P1801P**  
3/8" (10 mm)

# Water Seals and Sweeps



**Polycarbonate H-Jamb 180 Degree**

- Cat. No. P140HJ**  
1/4" (6 mm)
- Cat. No. P516HJ**  
5/16" (8 mm)
- Cat. No. P380HJ**  
3/8" (10 mm)
- Cat. No. P120HJ**  
1/2" (12 mm)




**'Y' Jamb Seal with Soft Leg**

- Cat. No. PCC8**  
5/16" (8 mm)
- Cat. No. PCC10**  
3/8" (10 mm)
- Cat. No. PCC12**  
1/2" (12 mm)



**'H' Jamb Seal with Cushion Fin for 180 Degree Application**

- Cat. No. PCK8**  
5/16" (8 mm)



**Polycarbonate H-Jamb 180 Degree for 10 mm Glass**

- Cat. No. P10MMHJ**  
10 mm Only



**Multi-Purpose Clear 'L' Angle Jamb Seal**

- Cat. No. P12LJ**  
1/4" to 1/2" (6 to 12 mm)
- Cat. No. P12LJT2**  
1/2" (12 mm) with Tape



**Translucent Vinyl 'L' Seal**

- Cat. No. SDTNL**  
5/16" (8 mm)
- Cat. No. SDTL**  
3/8" (10 mm)
- Cat. No. SDTNLT2**  
5/16" (8 mm) with Tape
- Cat. No. SDTLT2**  
3/8" (10 mm) with Tape



**Translucent Vinyl Double Fin Seal 5/16" Maximum Gap**

- Cat. No. SDTDF**  
5/16" (8 mm)
- Cat. No. SDTDFT2**  
5/16" (8 mm) with Tape



**Clear PVC Vinyl 'T' Seal**

- Cat. No. V600CSGFT**  
Sold in increments of 100'



**Polycarbonate Water Seal and Sweep Profile Set**

- Cat. No. PVPS95**  
6" (152 mm)



**Clear Co-Extruded Bottom Wipe with Drip Rail**

- Cat. No. P914WS**  
1/4" (6 mm)
- Cat. No. P956WS**  
5/16" (8 mm)
- Cat. No. P990WS**  
3/8" (10 mm)
- Cat. No. P912WS**  
1/2" (12 mm)



**Translucent Vinyl Edge 'T' Wipe for 7/16" Maximum Gap**

- Cat. No. SDTW**  
7/16" (11 mm)
- Cat. No. SDTWT2**  
7/16" (11 mm) with Tape



**Translucent Vinyl Edge 'V' Seal for 1/4" Maximum Gap**

- Cat. No. SDTS**  
1/4" (6 mm)
- Cat. No. SDTST2**  
1/4" (6 mm) with Tape

# Water Seals and Sweeps



**Translucent Vinyl Bulb Seal 5/32" Gap**

- Cat. No. SDTJ**  
5/32" (4 mm)
- Cat. No. SDTB**  
7/32" (5.6 mm)
- Cat. No. SDTJT2**  
5/32" (4 mm) with Tape
- Cat. No. SDTBT2**  
7/32" (5.6 mm) with Tape



**Translucent Vinyl Bulb Seal 3/8" Gap**

- Cat. No. SDLB**  
3/8" (10 mm)



**Translucent Silicone Bulb Seal**

- Cat. No. S1LB**  
3/16" (5 mm)



**45 Degree LH Magnetic Profile for Glass-to-Glass fits 1/4" to 5/16" Glass**

- Cat. No. PMA8**  
1/4" to 5/16" (6 to 8 mm)



**45 Degree RH Magnetic Profile for Glass-to-Glass fits 1/4" to 5/16" Glass**

- Cat. No. PMB8**  
1/4" to 5/16" (6 to 8 mm)



**90 Degree Magnetic Profile for Glass-to-Glass fits 1/4" to 5/16" Glass**

- Cat. No. PMC8**  
1/4" to 5/16" (6 to 8 mm)



**45 Degree LH Magnetic Profile for Glass-to-Glass Fits 3/8" to 1/2" Glass**

- Cat. No. PMA10**  
3/8" to 1/2" (10 to 12 mm)



**45 Degree RH Magnetic Profile for Glass-to-Glass fits 3/8" to 1/2" Glass**

- Cat. No. PMB10**  
3/8" to 1/2" (10 to 12 mm)

## Magnetic Profiles



**90 Degree Magnetic Profile for Glass-to-Glass fits 1/4" to 5/16" Thick Glass**

- Cat. No. PMC10**  
3/8" to 1/2" (10 to 12 mm)

### For 1/4" to 5/16" (6 to 8 mm) Thick Glass

| Angle | Profiles Required | Configuration                             |
|-------|-------------------|---|
| 180°  | PMA8 + PMA8       | Door swings in one direction only         |
| 180°  | PMC8 + PMC8       | Door swings in both directions            |
| 135°  | PMA8 + PMC8       | Door swings out only                      |
| 90°   | PMA8 + PMB8       | Reverse for polarity-door swings out only |

### For 3/8" to 1/2" (10 to 12 mm) Thick Glass

| Angle | Profiles Required | Configuration                             |
|-------|-------------------|---|
| 180°  | PMC10 + PMA10     | Door swings in one direction only         |
| 180°  | PMA10 + PMC10     | Door swings in both directions            |
| 135°  | PMA10 + PMC10     | Door swings out only                      |
| 90°   | PMA10 + PMB10     | Reverse for polarity-door swings out only |

# Showers Online<sup>®</sup>

## Complete Design and Estimating Program for Shower Enclosures



Showers Online is an intuitive, easy-to-use estimating program that lets glaziers design and quote shower enclosures faster than ever. Showers Online determines the glass and hardware required, minimizes errors on estimates, and generates complete quote packages in a matter of clicks. This lets contractors bid more jobs in less time.

Showers Online uses a comprehensive and automated approach to take the guesswork out of designing and quoting. It provides the glass sizes required, a parts list with pricing, 3D enhanced drawings, and a complete set of fabrication and installation instructions. Its user-friendly interface means new team members can become capable estimators in a short amount of time.

Call us at (800) 421-6144 for more information and to start your **30-Day Free Trial**.


### Features & Benefits

- Automated software boosts efficiency
- Accurately calculates glass sizes, hardware locations, glass cut-outs and gaps
- Issues warnings when designs are flawed
- Minimizes errors on estimates
- Online software gives you 24-hour access from your laptop or mobile device
- Quickly provide real-time quotes in the field
- Conveniently order glass and hardware from the program
- Creates a complete quote package with company logo





Vienna Hinges & 90° Glass-to-Glass "Open Face" Clamp - Polished Chrome



**For more information, contact us at**

800.421.6144 • [showers.security@crlaurence.com](mailto:showers.security@crlaurence.com) • [crlaurence.com](http://crlaurence.com)