

SARGENT

ASSA ABLOY

SARGENT Bored Locks: Secure Every Opening



ASSA ABLOY, the global leader
in door opening solutions

Versatile Locking Solutions for Any Environment

Facilities with varying security needs can be a challenge to secure. One size never fits all when it comes to safety and security; you need options. SARGENT bored locks offer the choices you need to provide the right level of security at each door opening. And these locks never compromise on durability, strength, or style.



11 Line

This lock sets a higher standard for ANSI/BHMA Grade 1 bored-in locks with our unique T-Zone® construction. Designed for the highest traffic areas at a facility, the 11 Line provides unequalled strength and durability.



10 Line

Your 'go-to' option, this cylindrical lock exceeds ANSI/BHMA Grade 1 standards and offers a multitude of functions to handle any application.



7 Line

The 7 Line is designed for interior and exterior standard-duty Grade 2 applications.



10 Line

Bored Locks



BENEFITS

- **Strength & Durability:** Exceeds ANSI/BHMA Grade 1 requirements for cycle and torque resistance
- **Safety & Security:** Specialized functions allow for quick and secure lockdowns
- **Flexibility:** Accommodates retrofit applications and a variety of door preparations
- **Efficient Installation:** Pre-assembled components makes for quick, easy installation

FEATURES

- 21 different functions, including classroom security and electromechanical options
- Freewheeling and vandal resistant trim optional
- 7 year limited warranty
- 11 architectural grade finishes to match any décor with or without MicroShield® antimicrobial coating

TYPICAL APPLICATIONS

- Offices
- Schools / Universities
- Hospitals
- Manufacturing Facilities



BHMA[™]
CERTIFIED

10 Line Cylindrical Lock Line



The SARGENT® 10 Line is a heavy duty cylindrical key-in-lever handle lockset exceeds by five times the ANSI 156.2 Series 4000 Grade 1 standards. At over 4 million cycles, the 10 Line beats the competitor by 30%. As for abusive force, this lock endures more than two times the standard without allowing entry. The 10 line trim is designed to conform to national and state fire and handicapped requirements.

Strength, Durability and Security

- Cycle Test: Exceeds 5 times A156.2 Grade 1 requirements
- Abusive Locked Lever Torque- without entry gained: Exceeds 1.5 times A156.2 Grade 1 requirements
- 7 YEAR LIMITED WARRANTY - no service required to maintain warranty

Convenience

- Installs in 1 minute or less
- Quickly adapts to fit multiple through-bolt positions
- User friendly packaging
- User friendly instruction sheets
- Convenient installation diagram on box

Design

- Solid feel and precise lever action
- Slim rose design available
- Decorative Levers — Coastal Series designs – Gulfport and Yarmouth
- Levers are solid one piece cast construction, except "J" lever

Security

- Torx® and spanner screws optional
- Classroom security and multiple locking functions are available
- Vandal resistant, Free Wheeling (FW) trim optional (not available with 70 or 71 functions)
- Security key systems available (Signaturem Keso, BR-XC, XC)

Certification Compliance

- Certified ANSI A156.2 Series 4000-Grade 1
- UL listed to USA and Canadian safety standards. Listed for 3 hour doors (double doors require 41-option)

Note: Any retrofit or other field modification to a fire rated opening can potentially impact the fire rating of the opening, and Sargent Manufacturing Company makes no representations or warranties concerning what such impact may be in any specific situation. When retrofitting any portion of an existing fire rated opening, or specifying and installing a new fire-rated opening, please consult with a code specialist or local code official (Authority Having Jurisdiction) to ensure compliance with all applicable codes and ratings.

- Positive Pressure: Meets UL 10C and UBC 7-2 (1997)
- All levers conform to ADA requirement for barrier-free accessibility
- Levers (L, J & P) conform to California Administrative Code Title 19 and 24
- All individual components of a total door opening are required to comply with each code (Hurricane code)
- Conforms to national & state fire and handicapped requirements

Flexibility

- Fits a variety of door preparations with adaptable through-bolt positioning
- Accommodates retrofit applications with optional 2-3/8", 3-3/4", and 5" backset latches
- 6 ADA lever styles to complement a wide array of design applications
- Levers (B, L, J & P) are non-handed for efficient warehousing and for ease of installation
- 11 Architectural grade finishes
- 21 Functions
- SARGENT uses engineered solutions and flexible manufacturing processes to accommodate special applications

10 Line Cylindrical Lock Line Components

Trim



J Lever



L Lever



L Rose



P Lever

Finishes



03: Bright Brass, Clear Coated (BHMA 605)



04: Satin Brass, Clear Coated (BHMA 606)



09: Bright Bronze, Clear Coated (BHMA 611)



10: Satin Bronze, Clear Coated (BHMA 612)



10B: Dark Oxidized Satin Bronze, Oil Rubbed (BHMA 613)



10BL: Dark Oxidized Satin Bronze Clear Coated



14: Bright Nickel Plated (BHMA 618)



15: Dull Nickel Plated Clear Coated (BHMA 619)



20D: Dark Statuary Bronze Lacquered



26: Bright Chrome Plated (BHMA 625)




26D: Satin Chrome Plated (BHMA 626)

Options

60: SARGENT Removable Disposable Construction Core

Functions



04: Storeroom or Closet (F86)




05: Entrance or Office (F81)




37: Classroom (F84)




44: Service Station (F92)




50: Hotel,
Dormitory or
Apartment
(F93)




54: Corridor
(F90)




70: Electromechanical
(Fail Safe)




71: Electromechanical
(Fail Secure)



16: Classroom,
Security,
Apartment,
Exit, Privacy
(F88)




17: Utility,
Asylum or
Institutional
(F87)




26: Store or
Storeroom
(F91)




30: Communicating
(F80)




38: Classroom
Security




13: Exit (F89)




15: Passage
(F75)




15-3: Exit or
Twin
Communicating




65: Privacy/Bathroom
(F76)




68: Hospital
Privacy



93: Single Lever
Pull



94: Double
Lever Pull



94-2: Double
Lever Pull

For additional information, contact your
ASSA ABLOY Door Security Solutions
sales consultant, call SARGENT at
800-727-5477, or visit www.sargentlock.com

SARGENT
ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

SARGENT Manufacturing Company
For more information call 800-727-5477
or visit us online at www.sargentlock.com

Copyright © 2015 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.



MicroShield®

As part of their promise to provide innovative solutions to their customers, certain ASSA ABLOY Group brands offer the MicroShield® technology, registered with the EPA and FDA. MicroShield® is a silver-based antimicrobial coating designed to inhibit the growth of bacteria. MicroShield® is a registered trademark of Yale Security Inc., an ASSA ABLOY Group company.